NEBO FLT-0004

NEBO REDLINE Big Daddy Flashlight Instruction Manual

Model: FLT-0004

1. Introduction

Thank you for choosing the NEBO REDLINE Big Daddy Flashlight. This powerful and durable tactical flashlight is designed for reliability and high performance in various conditions. Featuring a robust 2,000 lumen output, 4x adjustable zoom, and five distinct light modes, it is built to illuminate your path and provide dependable light when you need it most. Please read this manual thoroughly to understand the features, operation, and maintenance of your new flashlight. Proper use and care will ensure its longevity and optimal performance.





Figure 1: The NEBO REDLINE Big Daddy Flashlight, showcasing its sleek black anodized aircraft-grade aluminum body and signature red ring.

2. Setup and Battery Installation

The NEBO REDLINE Big Daddy Flashlight is powered by 9 AA batteries (included). For optimal performance and to ensure the waterproof seal, follow these steps carefully when installing or replacing batteries.

1. **Unscrew the Tail Cap:** Gently twist the tail cap counter-clockwise until it detaches from the flashlight body.
2. **Insert Batteries:** The flashlight uses 9 AA batteries. Observe the polarity markings (+/-) inside the battery compartment and on the batteries. Insert all batteries correctly.
3. **Secure the Tail Cap:** Carefully align the tail cap with the flashlight body and twist clockwise until it is fully tightened. Ensure the O-ring is properly seated to maintain the waterproof seal. Do not overtighten.



Figure 2: The tail cap of the flashlight, which houses the battery compartment. Ensure it is securely fastened for proper operation and waterproofing.

3. Operating Instructions

The REDLINE Big Daddy features a rear-positioned, glow-in-the-dark ON/OFF button with Soft Touch Technology for easy operation and mode cycling.

Power On/Off and Mode Selection:

- **To Turn On/Off:** Fully press the ON/OFF button until it clicks.
- **To Cycle Modes:** With the flashlight ON, lightly press the ON/OFF button (Soft Touch Technology) to cycle through the different light modes.

Light Modes:

- **HIGH (2000 lumens):** Provides maximum illumination for up to 3 hours, reaching 346 meters.
- **MEDIUM (800 lumens):** Offers balanced brightness for up to 6 hours, reaching 219 meters.
- **LOW (500 lumens):** Ideal for extended use, providing light for up to 15 hours, reaching 173 meters.
- **STROBE (2000 lumens):** A flashing mode for signaling or disorienting, lasting up to 6 hours, reaching 346 meters.
- **BEACON (2000 lumens):** A slow, pulsing flash for location marking, lasting up to 8 hours, reaching 346 meters.

Adjustable Zoom:

The flashlight features a 4x adjustable zoom. To adjust the beam from flood to spot, simply slide the head of the flashlight forward or backward.



Figure 3: A hand demonstrating the comfortable grip and operation of the NEBO REDLINE Big Daddy Flashlight, with its powerful beam activated.

4. Maintenance and Care

To ensure the longevity and optimal performance of your NEBO REDLINE Big Daddy Flashlight, follow these maintenance guidelines:

- **Battery Replacement:** Always replace all 9 AA batteries at the same time with new, high-quality alkaline batteries. Do not mix old and new batteries, or different types of batteries. Ensure correct polarity.
- **Waterproof Seal:** The flashlight is IPX7 waterproof, meaning it can be submerged in up to 1 meter of water for 30 minutes. To maintain this rating, regularly inspect the O-rings on the tail cap for any signs of wear or damage. Keep them clean and lightly lubricated with silicone grease if necessary. Always ensure the tail cap is fully tightened before exposing the flashlight to water.
- **Cleaning:** Wipe the flashlight body with a soft, damp cloth. Do not use abrasive cleaners or solvents. Clean the lens gently with a lens cloth.
- **Storage:** If storing the flashlight for an extended period (more than a few weeks), remove the batteries to prevent leakage and potential damage to the flashlight. Store in a cool, dry place.



Figure 4: The NEBO REDLINE Big Daddy Flashlight demonstrating its IPX7 waterproof capability, submerged in water with splashes.

5. Troubleshooting

If you encounter issues with your NEBO REDLINE Big Daddy Flashlight, please refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Flashlight does not turn on.	• Dead or low batteries. • Incorrect battery orientation. • Loose tail cap. • Corroded battery contacts.	• Replace all 9 AA batteries with new ones. • Ensure batteries are inserted with correct polarity (+/-). • Tighten the tail cap securely. • Clean battery contacts with a pencil eraser or cotton swab and rubbing alcohol.
Light output is dim or flickers.	• Low batteries. • Loose connections. • Dirty lens.	• Replace batteries. • Ensure tail cap and head are securely tightened. • Clean the lens.

Problem	Possible Cause	Solution
Zoom function is stiff.	• Dirt or debris in the mechanism.	• Wipe down the exterior of the zoom mechanism. Avoid disassembling.

If these steps do not resolve the issue, please contact NEBO customer support for further assistance.

6. Specifications

Feature	Detail
Model Name	NEB-FLT-0004
Light Output	Up to 2000 Lumens
Light Modes	High, Medium, Low, Strobe, Beacon
Zoom	4x Adjustable Zoom
Material	Anodized Aircraft-Grade Aluminum
Water Resistance	IPX7 (Waterproof up to 1 meter for 30 minutes)
Power Source	9 x AA Alkaline Batteries (included)
Weight	1.325 lbs (approx. 600 grams)
Dimensions (Compacted)	Length: 9 inches
Dimensions (Extended)	Length: 9.75 inches
Head Diameter	2.25 inches
Barrel Diameter	1.5 inches

7. Warranty and Support

Warranty: The NEBO REDLINE Big Daddy Flashlight comes with a 1-year limited warranty from the date of purchase, covering manufacturing defects in materials and workmanship. This warranty does not cover damage caused by misuse, abuse, neglect, unauthorized modifications, or normal wear and tear.

Customer Support: For warranty claims, technical assistance, or any questions regarding your NEBO product, please visit the official NEBO website or contact their customer service department. Keep your proof of purchase for warranty validation.

For more information, visit: www.nebo.acgbrands.com

© 2024 NEBO. All rights reserved. Specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question