

[Manuals.plus](#) /

› [Genie](#) /

› Genie 7055-KV Stealth Drive 750 Garage Door Opener User Manual

Genie 7055-KV Stealth Drive 750

Genie 7055-KV Stealth Drive 750 Garage Door Opener User Manual

Model: **7055-KV Stealth Drive 750** | Brand: **Genie**

1. INTRODUCTION AND OVERVIEW

The Genie 7055-KV Stealth Drive 750 is an ultra-quiet belt drive garage door opener designed for residential sectional garage doors up to 7 feet in height. It features an integrated battery backup system, allowing for continued operation during power outages for up to 50 cycles. This unit incorporates Genie Sense technology for powerful and smooth operation, adapting to the door's needs. For enhanced safety and convenience, it includes Safe-T-Beam sensors and Intellicode rolling code technology.



Figure 1: Genie 7055-KV Stealth Drive 750 Garage Door Opener unit.

2. KEY FEATURES

- **Battery Backup:** Integrated battery backup ensures operation during power outages (up to 50 cycles). Compliant with California Senate Bill 969.
- **Quiet Operation:** Ultra-quiet DC motor with a steel-reinforced belt drive, ideal for homes with attached bedrooms or nurseries.
- **Easy Installation:** Features a strong 5-piece rail system that snaps together. Interactive 3D instructions are available via the BILT App.
- **Secure Access:** Intellicode rolling code technology prevents unauthorized access to your garage door.
- **Included Accessories:** One pre-programmed 3-button remote, a wireless keypad for PIN entry, and a multi-function wall console with vacation lock and light control.
- **Genie Sense Technology:** Provides greater lifting power and smooth operation by sensing the door's needs.

- **Safe-T-Beam Sensors:** Infrared safety sensors reverse the door if an obstruction is detected during closing.

3. SETUP AND INSTALLATION

The Genie 7055-KV Stealth Drive 750 is designed for straightforward installation. For detailed, interactive 3D instructions, download the free BILT app on your mobile device. The packaging for parts is color-coded to correspond with the installation steps, simplifying the process.

Your browser does not support the video tag.

Video 1: 3-D BILT Installation Instructions for Genie Garage Door Openers. This video demonstrates the interactive 3D installation guide available through the BILT app, showing step-by-step assembly and programming.

All included remotes are pre-programmed at the factory, ready for immediate use once the opener is installed and powered. Ensure all limits and remotes are properly set for optimal functionality.

4. OPERATION

Operating your Genie 7055-KV Stealth Drive 750 garage door opener is simple using the provided accessories:

- **3-Button Remote:** Press the designated button on the pre-programmed remote to open or close the garage door.
- **Wireless Keypad:** Enter your personalized PIN on the wireless keypad to operate the garage door from outside.
- **Multi-Function Wall Console:** Located inside your garage, this console provides a button for door operation, a light control button, and a vacation lock feature for added security when away.

5. SAFETY FEATURES

Your Genie garage door opener is equipped with advanced safety features to protect you and your family:

- **Safe-T-Beam Sensors:** An infrared beam across the garage door opening detects obstructions. If anything breaks the beam while the door is closing, the door will automatically reverse to prevent injury or damage.
- **Intellicode Rolling Code Technology:** This security feature changes the access code every time the remote is used, preventing unauthorized individuals from intercepting and reusing your code.

6. MAINTENANCE

The Genie Stealth Drive 750 belt drive system is designed for reliability and generally requires minimal maintenance under normal operating conditions. However, regular checks are recommended to ensure continued safe and efficient performance:

- **Monthly Inspection:** Check the garage door balance, springs, cables, rollers, and other hardware for signs of wear or damage.
- **Sensor Alignment:** Ensure the Safe-T-Beam sensors are properly aligned and free from obstructions.
- **Remote Battery:** Replace remote control batteries as needed to maintain reliable operation.
- **Lubrication:** Periodically lubricate moving parts of the garage door (not the opener belt) according to the garage door manufacturer's recommendations.

Your browser does not support the video tag.

Video 2: Genie Belt Drive Garage Door Openers. This video highlights the quiet operation and robust design of Genie belt drive openers, emphasizing their low maintenance requirements and powerful performance.

7. TROUBLESHOOTING

If your Genie 7055-KV Stealth Drive 750 garage door opener is not functioning correctly, consider the following common issues:

- **Door Not Moving:** Check if the power cord is securely plugged in and if there's power to the outlet. Ensure the vacation lock on the wall console is not engaged.
- **Door Reverses or Does Not Close:** This often indicates an obstruction in the path of the Safe-T-Beam sensors or misaligned sensors. Clear any obstructions and ensure the sensor lights are steady.
- **Remote Not Working:** Replace the battery in the remote control. If the issue persists, re-program the remote according to the instructions in the BILT app or the included manual.
- **Unusual Noise:** While Genie openers are designed to be quiet, unusual noises may indicate a problem with the garage door itself (e.g., worn rollers, unbalanced springs) rather than the opener. Consult a professional if the noise persists after checking the door hardware.

8. SPECIFICATIONS

Feature	Detail
Model Number	7055-KV Stealth Drive 750
Installation Type	Screw-In
Specification Met	UL325 Compliant
UPC	050049022419
Item Weight	32 pounds
Product Dimensions	12 x 8.5 x 27.75 inches
Batteries (Included)	2 AAA batteries required (for accessories)
Style	Belt Drive with Battery Backup
Voltage	120 Volts
Type of Bulb	2 Bulb Lighting - 60 Watt equivalent each (Genie LED Garage Door Opener bulbs recommended)
Coverage	Residential sectional garage doors up to 7ft in height (extension kit model EKTB for 8ft doors)
Usage	Inside, residential sectional garage doors up to 7ft tall and 500lbs in weight
Material	Alloy Steel

9. WARRANTY AND SUPPORT

The Genie 7055-KV Stealth Drive 750 Garage Door Opener comes with the following warranty:

- Limited 1 Year Accessories Warranty
- Limited 5 Year Parts Warranty
- Limited Lifetime Motor & Belt Warranty

For detailed warranty information, technical support, or further assistance, please refer to the official Genie website or contact Genie customer service.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question