

[Manuals.plus](#) /

› [ESSEBAGNO](#) /

› Essebagno Luisa Mechanical Shower Column, Brushed Gold - User Manual

ESSEBAGNO 9017268

Essebagno Luisa Mechanical Shower Column - User Manual

Model: 9017268 | Finish: Brushed Gold

INTRODUCTION

Thank you for choosing the Essebagno Luisa Mechanical Shower Column. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new shower column. Please read these instructions carefully before installation and keep them for future reference.

SAFETY INFORMATION

- Ensure all water supply valves are closed before beginning installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use abrasive cleaners or materials on the brushed gold finish, as this may damage the surface.
- Regularly check for leaks and ensure all connections are secure.

SETUP AND INSTALLATION

Follow these steps for proper installation of your Essebagno Luisa shower column:

1. **Preparation:** Before assembly, thoroughly flush the hot and cold water pipes to prevent dirt and residue from compromising the proper functioning of the faucet.
2. **Remove Old Fixture:** After closing the main water supply, carefully remove the old faucet.
3. **Clean Connections:** Thoroughly clean the threads of the main water supply pipes.
4. **Mounting:** Install the shower column to the wall using the provided eccentric connectors and rosettes. Ensure a secure and watertight fit.




Figure 1: Technical diagram showing the dimensions and components of the shower column.




Figure 2: Example of the Essebagnò Luisa shower column installed.

OPERATING INSTRUCTIONS

Water Flow and Temperature Control

The Essebagnò Luisa shower column features a mechanical mixer for controlling water flow and temperature. Rotate the main handle to adjust the water temperature from cold to hot. Lift or push the handle to control the water flow intensity.



Figure 3: Close-up view of the mechanical mixer handle for temperature and flow control.

Switching Between Shower Head and Hand Shower

To switch between the overhead shower head and the hand shower, use the diverter knob located on the main column. Rotate the knob to direct water flow to your desired outlet.



Figure 4: The diverter knob allows switching between the overhead shower and hand shower.

Adjusting Hand Shower Height

The hand shower holder is adjustable along the shower column. Press the button or lever on the holder to slide it up or down to your preferred height. Release to lock it in place.




Figure 5: Steps to adjust the hand shower holder height.

MAINTENANCE AND CARE

Proper maintenance will ensure the longevity and appearance of your shower column.

- **Daily Cleaning:** To keep your shower column clean and shiny, we recommend wiping it with a microfiber cloth immediately after use.
- **Limescale Prevention:** You can also use a descaling cleaner with a microfiber cloth to prevent limescale deposits.
- **Avoid Abrasives:** It is strongly advised not to use abrasive products, scouring pads, or harsh chemicals, as these can damage the brushed gold finish.
- **Anti-Limescale Nozzles:** The hand shower and overhead shower head are equipped with anti-limescale nozzles for easy cleaning. Gently rub the silicone nozzles to dislodge any limescale buildup.

TROUBLESHOOTING

If you encounter issues with your Essebagno Luisa shower column, refer to the following common solutions:

Problem	Possible Cause	Solution
Low water pressure	Partially closed stopcock; clogged aerator/nozzles; pipe blockage.	Ensure stopcocks are fully open. Clean shower head and hand shower nozzles. Check for blockages in supply lines.
Water temperature inconsistent	Inconsistent hot/cold water supply; mixer cartridge issue.	Check household hot water supply. If problem persists, contact a qualified plumber to inspect or replace the mixer cartridge.
Leaks from connections	Loose connections; worn seals/washers.	Tighten connections carefully. Replace any damaged seals or washers. Do not overtighten.
Difficulty switching between outlets	Diverter mechanism stiff or faulty.	Apply a small amount of silicone grease to the diverter mechanism if accessible. If it remains stiff or faulty, professional inspection may be required.

If these solutions do not resolve the issue, please contact customer support.

SPECIFICATIONS

Feature	Detail
Brand	ESSEBAGNO
Model Number	9017268
Color	Brushed Gold
Material	Brass
Finish Type	Brushed
Number of Handles	1
Handle Material	Metal
Item Weight	4.24 Kilograms
Mounting Type	Wall Mount
Included Components	Shower column, mechanical mixer, ultra-flat shower head, and 150 cm hose
Head Size	250 mm
Manufacturer	Essebagno
Part Number	10018517
Sanitary Conformity	ACS Certified (Accréditation de Conformité Sanitaire)
Boiler Compatibility	Compatible with all types of boilers

WARRANTY INFORMATION

Please refer to your purchase documentation or contact Essebagnos customer service for detailed warranty information regarding your shower column. Keep your proof of purchase for any warranty claims.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact Essebagnos customer service. Contact details can typically be found on the manufacturer's website or your product packaging.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question