



[Manuals.plus](#) /

> [Juskys](#) /

> Juskys Dubai Retractable Side Awning Model 25533 Instruction Manual

Juskys 25533

Juskys Dubai Retractable Side Awning

Model: 25533

1. INTRODUCTION

Thank you for choosing the Juskys Dubai Retractable Side Awning. This product is designed to provide privacy and sun protection for your balcony or terrace. Its retractable design allows for flexible use, offering shade and a windbreak when needed, and discreetly retracting into its cassette when not in use. This manual provides essential information for safe installation, operation, and maintenance of your side awning.

MODERNE SEITENMARKISE

für mehr
Privatsphäre



Sonnenschutz



Sichtschutz

Image: The Juskys Dubai Side Awning installed on a terrace, providing privacy.

2. SAFETY INSTRUCTIONS

- Always check local weather conditions before and during use. Do not use the side awning during extreme weather conditions such as strong winds, heavy rain, or snow. Retract the awning immediately to prevent damage.
- Ensure all mounting hardware is securely fastened to a stable and appropriate wall structure. Loose fittings can lead to instability and potential injury.
- Keep children and pets away from the awning during extension and retraction to avoid accidental injury.
- Do not hang objects on the awning fabric or frame.
- Regularly inspect the awning for any signs of wear, damage, or loose components. Address any issues promptly.
- Only use original replacement parts if repairs are necessary.

3. PACKAGE CONTENTS

Before beginning assembly, ensure all components are present and undamaged. If any parts are missing or damaged, contact customer support.


- Awning Housing (with integrated awning fabric)
- Mounting Post
- Wall Mount Brackets
- Ground Anchor for Mounting Post
- Screws and Wall Plugs for installation
- Small Wrench (for assembly)

EINFACHE MONTAGE

Inklusive Zubehör



1. Kassette an der Wand befestigen



2. Pfosten in gewünschtem Abstand verankern

Image: Included components for assembly, showing the awning housing, mounting post, and hardware.

4. SETUP AND INSTALLATION

The Juskys Dubai Side Awning requires assembly. Follow these steps carefully for secure installation.

1. **Choose Location:** Select a suitable, stable wall for mounting the awning housing. Ensure the ground where the mounting post will be anchored is firm and level. The awning extends up to 5 meters, so plan your desired extension length.
2. **Mount Awning Housing:** Position the awning housing against the chosen wall at the desired height. Mark the drilling points for the wall mount brackets. Drill holes, insert wall plugs, and securely fasten the awning housing to the wall using the provided screws.
3. **Anchor Mounting Post:** Determine the desired distance for the fully extended awning (up to 5 meters). Position the mounting post at this location. Mark the drilling points for the ground anchor. Drill holes, insert wall plugs (if applicable for your ground type), and securely anchor the mounting post to the ground.
4. **Final Check:** Ensure both the awning housing and the mounting post are firmly secured and stable before attempting to extend the awning.



Image: Installation diagram illustrating wall mounting of the cassette and ground anchoring of the post.

5. OPERATING INSTRUCTIONS

The Juskys Dubai Side Awning operates manually.

1. **To Extend:** Gently pull the handle on the end of the awning fabric away from the housing. Guide the fabric towards the mounting post.
2. **To Secure:** Once the awning is extended to the desired length, hook the handle onto the designated catch on the mounting post. Ensure it is securely latched to prevent accidental retraction.
3. **To Retract:** Unlatch the handle from the mounting post. Slowly guide the awning fabric back towards the housing. The internal spring mechanism will retract the fabric smoothly into the cassette. Do not release the handle abruptly, as this can cause the fabric to snap back quickly.



Image: Detail of the awning's retraction mechanism and handle for manual operation.

6. MAINTENANCE

Proper maintenance will extend the lifespan of your side awning.

- **Cleaning the Fabric:** The awning fabric is made of 100% polyester with a water-repellent PU coating. Clean the fabric with

a soft brush or cloth and mild soapy water. Rinse thoroughly with clean water and allow it to air dry completely before retracting. Do not use harsh chemicals or abrasive cleaners.

- **Cleaning the Frame:** Wipe the aluminum frame and plastic components with a damp cloth.
- **Inspection:** Periodically check all screws and bolts for tightness. Ensure the retraction mechanism operates smoothly. Lubricate moving parts with a silicone spray if necessary.
- **Winter Storage:** While the fabric is weather-resistant, it is recommended to keep the awning retracted in its cassette during prolonged periods of non-use or harsh winter conditions to protect it from extreme elements.

HOCHWERTIGER STOFF

Wasser-abweisend

Blickdicht

wetterfest

100% Polyester

Image: High-quality, water-repellent fabric, indicating ease of cleaning and durability.

7. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

- **Awning does not retract smoothly:** Check for any obstructions in the cassette or along the fabric path. Ensure the fabric is clean and dry. The spring mechanism might require lubrication with a silicone spray.

- **Awning sags or is loose when extended:** Verify that the mounting post is securely anchored and the handle is properly latched. Check for any damage to the fabric or frame.
- **Awning is difficult to extend:** Ensure the fabric is not stuck or obstructed. Check if the housing is level and properly mounted.
- **Awning makes noise during operation:** This could indicate a need for lubrication of the moving parts within the housing or at the mounting post.

8. SPECIFICATIONS

Model Number	25533
Brand	Juskys
Dimensions (Extended)	500 cm (Length) x 200 cm (Height)
Product Dimensions (Housing)	12 cm (Depth) x 500 cm (Width) x 200 cm (Height)
Item Weight	10 kg
Color	Dark Gray
Fabric Type	100% Polyester (180 g/m ²) with PU coating
Material (Frame/Housing)	Plastic (likely coated steel as per image description)
Operation Mode	Manual
Assembly Required	Yes
Included Components	Awning Housing, Mounting Post, Awning Fabric, Mounting Hardware




Image: The side awning fully extended, illustrating its maximum length.

9. WARRANTY INFORMATION

Juskys products are manufactured to high-quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your purchase or visit the official Juskys website. Keep your proof of purchase for any warranty claims.

10. CUSTOMER SUPPORT

If you have any questions, require assistance with assembly, or need to report a defect, please contact Juskys customer support. Contact details can typically be found on the product packaging, the official Juskys website, or through your retailer.