

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Electactic](#) /

› [Electactic JC-90 26 Bottle Wine and Beverage Cooler Instruction Manual](#)

## Electactic JC-90

# Electactic JC-90 Wine and Beverage Cooler Instruction Manual

Model: JC-90

## PRODUCT OVERVIEW

---



Image: The Electactic JC-90 Wine and Beverage Cooler, showcasing its sleek design and glass door.

Thank you for choosing the Electactic JC-90 Wine and Beverage Cooler. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new appliance. Please read these instructions thoroughly before use and retain them for future reference.

## IMPORTANT SAFETY INFORMATION

---

To reduce the risk of fire, electric shock, or injury when using your appliance, follow these basic precautions:

- Read all instructions before using the appliance.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is intended for household use only.
- Ensure the appliance is properly grounded.
- Do not operate the appliance with a damaged cord or plug.
- Unplug the appliance before cleaning or performing any maintenance.
- Keep ventilation openings clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.

- Do not damage the refrigerant circuit.
- Do not use electrical appliances inside the storage compartments of the appliance, unless they are of the type recommended by the manufacturer.

## SETUP AND INSTALLATION

---

### Unpacking

Carefully remove all packaging materials. Inspect the cooler for any damage. Keep packaging materials away from children. Before connecting the appliance to the power source, let it stand upright for approximately 2 hours. This will reduce the possibility of a malfunction in the cooling system from handling during transportation.

### Placement

This cooler is designed for freestanding or under-counter installation. Ensure adequate ventilation around the unit. Avoid placing the appliance in direct sunlight or near heat sources (e.g., stoves, heaters, radiators). Allow at least 2 inches (5 cm) of space at the back and sides for proper air circulation.



Image: The Electactic beverage cooler positioned as a freestanding unit in a modern kitchen setting, demonstrating its compact design and suitability for various placements.

### Leveling the Appliance

It is important for the appliance to be level to function properly. The unit is equipped with adjustable leveling feet. Turn the leveling feet clockwise to raise the unit or counter-clockwise to lower it. Ensure the unit is stable and level before plugging it in.

# PRODUCT DETAILS



Image: A detailed view of the product, highlighting features such as soft LED light, temperature control, stainless steel frame, removable steel shelves, and 360-degree adjustable leveling feet.

## Electrical Connection

Before plugging in, ensure the voltage specified on the rating label matches your household power supply. The appliance should be plugged into an independent, properly grounded electrical outlet. Do not use extension cords or ungrounded adapters.

## OPERATING YOUR WINE AND BEVERAGE COOLER

### Initial Operation

After installation, plug in the appliance. Allow it to operate for at least 30 minutes empty to ensure it reaches the desired temperature before loading beverages.

### Temperature Control

The cooler features a glass touch control panel for precise temperature adjustment. The temperature range is typically between 40°F and 61°F (4°C to 16°C).

- **LED Light Display:** Shows the current internal temperature.

- **Temperature Control "+":** Press to increase the desired temperature.
- **Temperature Control "-":** Press to decrease the desired temperature.

Press the "+" or "-" buttons to set your desired temperature. The display will flash the set temperature and then return to showing the actual internal temperature.



Image: A close-up of the glass touch control panel, illustrating the LED light display, temperature control buttons (+ and -), and the digital temperature display, with a range of 40°F-61°F.

## Loading Beverages

This cooler is designed to accommodate approximately 26 standard wine bottles. The adjustable wire shelves allow for flexible storage configurations. Please note that actual capacity may vary depending on bottle and can sizes and shapes.

Individually holds 16 bottles of 750ml wine  
or 68 canned beverages of 12oz!



Image: An illustration demonstrating typical capacity, showing it can hold 16 bottles of 750ml wine or 68 canned beverages of 12oz, along with its dimensions. Actual capacity for your model may vary.

### Internal LED Lighting

The cooler is equipped with soft LED lighting to illuminate the interior, making it easy to view your beverages. The light can typically be turned on or off via a dedicated button on the control panel.

### Reversible Door

The door of your cooler can be reversed to open from either the left or right side, depending on your preference and installation space. Refer to the detailed instructions in the separate installation guide for door reversal procedures.

# REVERSIBLE DOOR

Freely switch the opening direction



Anti UV Double  
Pane Glass Door



Temperature  
Control To 40°F



Adjustable  
Removable Steel



Image: A visual representation of the reversible door feature, indicating that the opening direction can be freely switched. It also highlights the anti-UV double pane glass door, temperature control, and adjustable removable steel shelves.

## Usage Tips

Your Electactic beverage cooler is versatile and can be used in various settings to keep your drinks perfectly chilled.

# Enjoy your drink anywhere!



Image: Examples of where the beverage cooler can be enjoyed, such as at parties, in an office, a home kitchen, or a bar setting.

## MAINTENANCE

---

### Cleaning Your Cooler

Regular cleaning helps maintain the appearance and efficiency of your appliance.

- **Exterior:** Clean the exterior surface with a soft cloth and mild detergent. Avoid abrasive cleaners.
- **Interior:** Unplug the unit. Wash the interior with a mild detergent and warm water. Dry thoroughly. The shelves can be removed for easier cleaning.
- **Door Seal:** Clean the door gasket regularly to ensure a proper seal.

### Defrosting

This appliance features a "No Frost" defrosting system, meaning manual defrosting is generally not required. Any accumulated frost will melt automatically and evaporate.

### Power Outage

Most power failures are corrected within a few hours and should not affect the temperature of your appliance if you minimize the number of times the door is opened. For longer power outages, take steps to protect your beverages.

## TROUBLESHOOTING GUIDE

---

Before contacting customer service, please refer to the following common issues and solutions:


Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Appliance does not operate.	Not plugged in; circuit breaker tripped; power outage.	Ensure plug is secure; check circuit breaker; verify power supply.
Temperature is not cold enough.	Door opened too frequently; door not closed properly; temperature setting too high; poor ventilation.	Minimize door openings; ensure door seals tightly; lower temperature setting; ensure adequate space around unit.
Vibrations.	Appliance not level.	Adjust leveling feet.
Noise.	Normal operation sounds (compressor, fan); loose parts.	These sounds are normal. If unusual, check for loose items inside or outside the unit. The unit operates quietly, typically below 38dB.
Door does not close properly.	Appliance not level; gasket dirty or twisted; shelves out of position.	Level the appliance; clean or adjust gasket; reposition shelves.

# ACTIVE COOLING TECHNOLOGY



**Cooling Fast**



**Air Circulation System**



**Quiet Operation  
≤38dB**





**R600a Refrigerant**



**Quiet Compressor**

Image: An infographic detailing the active cooling technology, featuring fast cooling, an air circulation system, and quiet operation (≤38dB) due to an R600a refrigerant and a quiet compressor.

## 38Db low-noise cooling system & R600a compressor

Higher cooling efficiency and less noise, help you sleep peacefully all night long.



Image: A woman relaxing with her dog next to the Electactic beverage cooler, emphasizing its 38dB low-noise cooling system and R600a compressor for peaceful operation.

### SPECIFICATIONS

Feature	Specification
Brand	Electactic
Model Number	JC-90
Product Dimensions (D x W x H)	49 x 44.5 x 79.2 cm (19.3 x 17.5 x 31.2 inches)
Capacity	1.7 Cubic Feet (approx. 26 wine bottles)
Configuration	Freezerless
Color	Silver
Special Features	Low Noise, Digital Temperature Control, Touch Control, Adjustable Shelves
Installation Type	Under Counter / Freestanding
Number of Doors	1
Defrost System	No Frost
Voltage	115 Volts
Temperature Range	40-61 °F (4-16 °C)

### WARRANTY AND CUSTOMER SUPPORT

This Electactic appliance comes with a standard manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions, including coverage duration and limitations. For technical assistance, troubleshooting beyond this guide, or warranty claims, please contact Electactic customer support. Contact information can typically be found on the manufacturer's website or on your product registration card.

When contacting support, please have your model number (JC-90) and purchase date available.