

Phiestina PH-150BF

Phiestina 24-inch Indoor/Outdoor Beverage Refrigerator (Model PH-150BF) User Manual

INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Phiestina 24-inch Indoor/Outdoor Beverage Refrigerator, Model PH-150BF. Please read these instructions thoroughly before installation and use, and retain them for future reference.

Safety Information

- Ensure the appliance is properly grounded.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- Unplug the appliance before cleaning or maintenance.
- Allow the refrigerator to stand upright for at least 24 hours before plugging it in after transport.
- Keep ventilation openings clear of obstruction.
- This appliance is intended for household and similar applications such as staff kitchen areas in shops, offices and other working environments; farm houses and by clients in hotels, motels and other residential type environments; bed and breakfast type environments; catering and similar non-retail applications.

PRODUCT FEATURES

Your Phiestina PH-150BF beverage refrigerator is designed for optimal beverage storage with advanced features:

- **Capacity:** Stores up to 175 standard 12oz beverage cans.
- **Installation:** Versatile design for both built-in and freestanding applications.
- **Temperature Control:** Digital memory control with a temperature range of 32-41°F (0-5°C), switchable between Fahrenheit and Celsius.
- **Defrost System:** Advanced 5.0 temperature sensor for automatic defrosting, preventing ice buildup.
- **Quiet Operation:** Operates at approximately 40dB, suitable for various environments.
- **Security:** Lockable stainless steel door for secure storage.
- **Shelving:** Six removable stainless steel shelves for flexible storage configurations.
- **Interior Lighting:** Elegant blue LED interior light.

- **Power Outage Memory:** Automatically resets to the last set temperature after a power interruption.



Interior view of the Phiestina PH-150BF beverage refrigerator, showcasing its capacity to hold multiple cans on removable shelves.



Close-up of the smart temperature control panel, safety door lock, and adjustable leveling legs on the Phiestina PH-150BF beverage refrigerator.



Diagram illustrating the 175-can capacity and six removable metal shelves of the Phiestina PH-150BF beverage refrigerator.



Illustration of the temperature sensor for auto defrost mode and the internal compressor and electric fan for even cooling within the Phiestina PH-150BF beverage refrigerator.



Image showing the digital memory control panel with a temperature range of 32-41°F, allowing precise temperature adjustments for various beverages.



Close-up of the safety lock mechanism on the Phiestina PH-150BF beverage refrigerator, designed to secure contents.



Safety Locks Protect Your Wine

Prevent children from accidentally drinking alcohol

Visual representation of the quiet operation of the Phiestina PH-150BF beverage refrigerator, indicating a noise level of approximately 40dB.

SETUP AND INSTALLATION

Unpacking

- Remove all packaging materials, including the foam base and adhesive tape.
- Inspect the refrigerator for any damage. Report any damage to the retailer immediately.
- **Important:** After unpacking, allow the appliance to stand upright for at least 24 hours before connecting it to a power source. This allows the refrigerant to settle.

Location

- Place the refrigerator on a flat, stable surface strong enough to support the unit when fully loaded.
- Ensure adequate ventilation around the unit. Maintain a minimum of 2-3 inches of space around the sides and back for proper air circulation.
- Avoid direct sunlight or heat sources (e.g., oven, radiator).
- This unit is suitable for both indoor and outdoor use. When used outdoors, ensure it is protected from direct rain and extreme weather conditions.

Electrical Connection

- Ensure the voltage specified on the rating label matches your local power supply.
- Plug the refrigerator into a dedicated, grounded 110V AC outlet. Do not use extension cords or adapter plugs.

Leveling the Appliance

The refrigerator must be level for proper operation. Adjust the leveling legs at the bottom of the unit by turning them clockwise to raise or counter-clockwise to lower.



Diagram showing the dimensions of the Phiestina PH-150BF beverage refrigerator: 22.4 inches deep, 23.4 inches wide, and 33.1 inches high.

32-41°F Digital Memory Control

Satisfy you to enjoy a variety of drinks



The Phiestina PH-150BF beverage refrigerator installed as a built-in unit in an outdoor kitchen setting.

Safety Locks Protect Your Wine

Prevent children from accidentally drinking alcohol



The Phiestina PH-150BF beverage refrigerator installed as a built-in unit under a kitchen counter.



The Phiestina PH-150BF beverage refrigerator positioned as a freestanding unit in an indoor living space.

OPERATING INSTRUCTIONS

Control Panel

The control panel is located inside the top of the refrigerator. It features buttons for power, temperature adjustment, and light control.

- **Power Button:** Press to turn the unit on or off.
- **Temperature Up/Down Buttons:** Use to adjust the desired temperature. The temperature range is 32-41°F (0-5°C).
- **Light Button:** Press to turn the interior blue LED light on or off.
- **°F/°C Switch:** Press and hold the temperature up and down buttons simultaneously for 3 seconds to switch between Fahrenheit and Celsius display.

Initial Operation

- After plugging in the unit, allow it to run empty for at least 2-3 hours to reach the set temperature before loading beverages.
- The digital display will show the current internal temperature.

Loading Beverages

- Arrange beverages on the removable shelves to allow for proper air circulation.
- Avoid overloading the shelves.

MAINTENANCE

Cleaning

- **Exterior:** Clean the exterior with a soft cloth and mild detergent. Avoid abrasive cleaners or solvents.
- **Interior:** Wipe the interior with a soft cloth dampened with a solution of baking soda and water (2 tablespoons of baking soda to 1 quart of water).
- **Shelves:** Removable shelves can be washed with mild soap and water. Ensure they are completely dry before returning them to the unit.
- **Door Seal:** Regularly check and clean the door gasket to ensure a tight seal.

Defrosting

The Phiestina PH-150BF features an automatic defrost system. Frost buildup on the evaporator will melt during the defrost cycle and drain into a drip tray at the back of the unit, where it evaporates. Manual defrosting is generally not required.

Power Interruption

In case of a power outage, the refrigerator will automatically reset to the last set temperature once power is restored.

TROUBLESHOOTING

Before contacting customer service, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Refrigerator does not operate.	Not plugged in; circuit breaker tripped; power switch off.	Ensure plug is secure; reset circuit breaker; turn power switch on.
Temperature is not cold enough.	Door not closed properly; excessive door openings; warm beverages added; poor ventilation; unit near heat source.	Check door seal; reduce door openings; allow time for new beverages to cool; ensure proper clearance; relocate unit.
Excessive vibration.	Unit not level.	Adjust leveling legs.
Noise from unit.	Normal compressor operation; fan noise.	This is normal. Ensure unit is level and not touching walls or cabinets.

Problem	Possible Cause	Solution
Interior light not working.	Light switch off; LED failure.	Press light button; contact customer service if LED is faulty.

SPECIFICATIONS

Feature	Detail
Model Number	PH-150BF
Brand	Phiestina
Capacity	5.3 cubic feet (175 Cans)
Dimensions (D x W x H)	22.4"D x 23.4"W x 33.1"H
Weight	97 pounds
Installation Type	Built-in / Freestanding
Temperature Range	32-41°F (0-5°C)
Defrost System	Frost Free (Auto Defrost)
Voltage	110 volts
Annual Energy Consumption	334 kWh/year
Number of Shelves	6 (Removable Stainless Steel)
Door Material	Stainless Steel
Special Features	Lockable, Blue LED Interior Light, Power Outage Memory

WARRANTY AND CUSTOMER SUPPORT

Your Phiestina PH-150BF beverage refrigerator comes with a **1-Year Quality Guarantee**. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical assistance, or any questions regarding your appliance, please contact Phiestina customer support. Provide your model number (PH-150BF) and purchase date when contacting support.

Phiestina is committed to providing quality branding services and offers a 24-hour reply time for customer inquiries.



Image displaying 'Phiestina Wine & Beverage Cooler Warranty 1 Year Free Maintenance', indicating the product's warranty period.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question