SUNNY SHOWER B08V1PF2FP

SUNNY SHOWER 58.5-60 in.W x 72 in.H Semi-Frameless Double Sliding Glass Shower Door Instruction Manual

1. Safety Information

Read all instructions carefully before installation and use. Failure to follow these instructions may result in injury or product damage.

- Always wear safety glasses during installation.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges.
- Ensure the installation surface is structurally sound and level.
- Use appropriate tools and follow all local building codes. Professional installation is recommended.
- Keep children and pets away from the installation area.

2. Package Contents

Verify all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

- Glass Panels (1/4" clear tempered glass)
- Top and Bottom Tracks
- Wall Profiles
- Sliding Rollers and Guides
- Handles (Aluminum alloy)
- Waterproof Seal Strips
- Installation Hardware (screws, anchors, etc.)

3. Specifications

Brand	SUNNY SHOWER

Model Number	B08V1PF2FP
Dimensions	58.5-60 in. W x 72 in. H
Width Adjustment	58.5" to 60" (by cutting tracks)
Glass Thickness	1/4" (6mm)
Glass Type	Clear Tempered Glass (ANSI Certified)
Frame Finish	Matte Black
Material	Glass, Aluminum Alloy
Item Weight	100.5 pounds

For detailed dimensions, refer to the diagram below:



Figure 3.1: Shower Door Dimensions

4. Setup and Installation

This section provides an overview of the installation process. Refer to the detailed instruction manual included with your product for step-by-step guidance.

4.1 Pre-Installation Checks

- Measure your shower opening to confirm compatibility with the 58.5-60 inch width range.
- Ensure the shower base or tub is level and securely installed.
- Gather all necessary tools, including a tape measure, level, drill, screwdriver, and sealant.

4.2 Width Adjustment

The top and bottom tracks can be cut to adjust the shower door width from 58.5 inches to 60 inches, allowing for a customized fit in your bathroom opening.



Figure 4.1: Flexible Width Adjustment

4.3 Reversible Installation

The shower door is designed for reversible installation, meaning it can be configured to open from either the left or right side to best suit your bathroom layout.



Figure 4.2: Reversible Installation Option

4.4 Key Components

- **Aluminum Frame:** The robust aluminum frame provides structural integrity for the glass panels.



Figure 4.3: Aluminum Frame Detail

- **Bottom Guide Rail:** This rail keeps the sliding glass panels aligned and moving smoothly.



Figure 4.4: Bottom Guide Rail

4.5 Installation Video Guide

For a visual guide on the installation process, please refer to the following video:

Your browser does not support the video tag.

Video 4.1: SUNNY Semi Frameless Shower Door Glass Sliding Shower Installation Guide (2:15)

5. Operation

The SUNNY SHOWER door features a double sliding design for convenient access and egress.

5.1 Double Sliding Panels

Both glass panels are designed to slide smoothly, allowing you to open the shower from either side. This provides flexibility and ease of use.

5.2 Handles and Knobs

- The exterior features a long aluminum alloy handle for easy pushing and pulling. This handle can also serve as a towel bar.
- An internal knob allows for convenient sliding of the door from inside the shower enclosure.



Figure 5.1: High Quality Handle



Figure 5.2: Convenient Internal Knob

5.3 Operation Video Guide

Observe the smooth operation of the sliding shower door in the following video:

Your browser does not support the video tag.

Video 5.1: SUNNY SHOWER Sliding Shower Door Operation (0:36)

6. Maintenance

Regular cleaning and maintenance will ensure the longevity and optimal performance of your shower door.

6.1 Glass Cleaning

The 1/4" (6mm) tempered glass is designed for easy cleaning. Use a soft cloth or sponge with mild soap and water. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can scratch the glass or damage the finish.




Figure 6.1: ANSI Certified Tempered Glass for Safety and Easy Cleaning

6.2 Frame and Hardware Care

Clean the matte black aluminum frame and handles with a soft cloth and mild, non-abrasive cleaner. Dry thoroughly after cleaning to prevent water spots or mineral buildup.

6.3 Seal Strip Inspection

Periodically inspect the waterproof seal strips for wear or damage. Ensure they are clean and properly seated to prevent water leakage.

7. Troubleshooting

This section addresses common issues you might encounter with your shower door.

7.1 Water Leakage

- **Check Seal Strips:** Ensure all waterproof seal strips are correctly installed and free from gaps or damage. Replace

if necessary.

- **Verify Frame Sealing:** Confirm that all frame connections to the wall and shower base are properly sealed with silicone caulk. Reapply sealant if any gaps are found.

7.2 Difficulty Sliding Doors

- **Inspect Tracks:** Clean the top and bottom tracks thoroughly to remove any debris, soap scum, or hair that might obstruct the rollers.
- **Check Rollers/Guides:** Ensure the sliding rollers and bottom guides are clean, undamaged, and properly aligned within the tracks.

7.3 Glass Panel Alignment Issues

- **Verify Wall Profiles:** Ensure the vertical wall profiles are plumb and securely fastened. Adjust if they are out of alignment.
- **Re-check Track Level:** Confirm that the top and bottom tracks are perfectly level. Uneven tracks can cause panels to bind or not align correctly.

8. Warranty and Support

Your SUNNY SHOWER door is backed by a manufacturer's warranty and dedicated customer support.

8.1 Manufacturer Warranty

This product includes a **2-year manufacturer warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

8.2 Customer Support

For any questions, technical assistance, or warranty claims, please contact Sunny Depot, the authorized seller, through your purchase platform. Provide your model number (B08V1PF2FP) and a detailed description of the issue for prompt service.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question