

Cumbor S7V2

Cumbor 29.7-57" Extra Wide Baby Gate Instruction Manual

BRAND: CUMBOR | MODEL: S7V2

Introduction and Product Overview

The Cumbor 29.7-57" Extra Wide Baby Gate is designed to provide a secure barrier for children and pets in various areas of your home. Its pressure-mounted installation ensures ease of setup without damaging walls, while its robust carbon steel frame offers durability and long-term value. This gate is ideal for blocking off stairways, doorways, and hallways, enhancing safety and minimizing potential hazards.

- **Extra-Wide Coverage:** Measures 30.5 inches in height and extends from 29.7 to 57 inches in width, suitable for various openings.
- **Single-Hand Operation:** Features an automatic close mechanism and a 90-degree hold-open function for convenience. Includes a double-lock system for enhanced security.
- **Pressure-Mounted Installation:** No drilling required, making it easy to install and remove without damaging surfaces.
- **Heavy-Duty Carbon Steel Frame:** Constructed for durability, capable of withstanding active toddlers and pets.
- **Enhanced Home Safety:** Helps prevent falls and keeps children and pets away from dangerous areas.



Figure 1: Cumbor Extra Wide Baby Gate in use, providing a safe barrier.

Setup and Installation

The Cumbor Baby Gate is designed for straightforward pressure-mounted installation. Please follow these steps carefully to ensure proper and secure setup.

Installation Video Guide

Your browser does not support the video tag.

Video 1: Official Cumbor Baby Gate Pressure Mounted Installation Guide. This video demonstrates the complete installation process, including component identification, assembly, and final adjustments.

Step-by-Step Installation

1. **Unpack and Identify Components:** Carefully remove all parts from the packaging. Refer to the package contents diagram to ensure all pieces are present. The main gate, extensions (if needed), tension bolts, wall cups, and a wrench should be included.




Figure 2: Package Contents Diagram.

2. **Add Extensions (If Needed):** Measure your doorway or opening. If the main gate is not wide enough, attach the appropriate extensions by sliding them into the main gate's frame until they click securely into place.




Figure 3: Attaching an extension.

3. **Insert Tension Bolts:** Insert the four tension bolts into the holes at each corner of the gate frame. Ensure the wall cups are attached to the bolts (without sticky pads at this stage).
4. **Position the Gate:** Place the gate in the desired opening. Ensure the bottom bar is flush with the floor.
5. **Tighten Tension Bolts:** Begin to rotate the tension bolts by hand. You will notice a gap between the gate door and the main frame. **IMPORTANT: DO NOT cut off the belt/strap connecting the gate door to the frame before installation. This gap is NOT a defect; it is part of the pressure-mounted design.** Continue tightening the bolts until the gap between the gate door and the main frame begins to close. Use the provided wrench for final tightening.



Figure 4: Tightening the tension bolts.

6. **Secure the Gate:** Continue tightening the tension bolts evenly until the gate is firmly secured in the opening and the gap between the gate door and the main frame is minimal or completely closed. The gate should feel stable and not easily move.
7. **Cut the Installation Strap:** Once the gate is securely installed and the gap has closed, you may cut the plastic strap that held the gate door to the frame during shipping.
8. **Test Security:** Push and pull on the gate to ensure it is firmly in place and cannot be dislodged. Test the opening and closing mechanism.

Optional: Wall Cups and Stair Installation

For added security or when installing at the top of stairs, you can use the included wall cups with sticky pads or screws. For rounded banisters, Y-pressure mounts are available (sold separately or included with specific models) to provide a secure fit.



Keep curves safe

The Y pressure mount for rounded banisters is a friendly, secure baby gate solution for curves



Pressure-mount installation

No tools or hardware required. Simply rotate the tension bolt until secure within opening

Figure 5: Y-pressure mount for rounded banisters.

Operating Instructions

The Cumbor Baby Gate is designed for convenient and safe operation.

- **Opening the Gate:** To open the gate, slide the safety lock button and lift the gate door simultaneously. The gate can be opened with one hand.
- **Auto-Close Feature:** The gate door will automatically swing shut and lock when opened to an angle less than 90 degrees. This ensures the gate is always securely closed behind you.
- **90-Degree Hold-Open:** When the gate door is opened to a full 90-degree angle, it will remain open, allowing for multiple pass-throughs without needing to re-open the gate each time.
- **Double-Lock Safety Release:** For enhanced security, the gate features a double-lock mechanism to prevent children or pets from opening it unintentionally. Ensure both locking points engage when closing the gate.



Figure 6: Auto-Close and Auto-Lock Hinge Functionality.



Auto-Close and Auto-Lock hinge

Gate locks in place at a 90 degree angle and automatically swings shut below that

Figure 7: Double-Lock Safety Release.

Maintenance

To ensure the longevity and proper functioning of your Cumbor Baby Gate, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the gate regularly with a soft, damp cloth and mild soap. Avoid using abrasive cleaners, harsh chemicals, or solvents, as these can damage the finish.
- **Check Tension Bolts:** Periodically check the tension bolts to ensure they remain tight and the gate is securely installed. Re-tighten if any looseness is detected.
- **Inspect for Damage:** Regularly inspect the gate for any signs of wear, damage, or loose parts. Do not use the gate if it is damaged.
- **Lubrication:** If the hinge mechanism becomes stiff, a small amount of silicone-based lubricant can be applied to the moving parts.

Troubleshooting

Here are solutions to common issues you might encounter with your Cumbor Baby Gate:

- **Gate Door Gap:** If there is a gap between the gate door and the main frame before or during initial installation, this is normal and NOT a defect. The gap will close as the tension bolts are tightened and the gate is properly secured in the opening. Refer to the installation video and steps for clarification.
- **Gate Feels Loose:** If the gate feels wobbly or loose after installation, re-tighten all four tension bolts evenly until the gate is firm and secure. Ensure the wall cups are flush against the surface.
- **Gate Not Latching Properly:** Check if the gate is level and the tension bolts are tightened evenly. Uneven tension can cause misalignment. Adjust the tension bolts until the latch mechanism aligns and engages smoothly.
- **Difficulty Opening/Closing:** Ensure there are no obstructions around the gate. If the mechanism is stiff, apply a small amount of silicone lubricant to the hinges.

Specifications

Feature	Detail
Model Number	S7V2
Mounting Type	Pressure Mounted
Dimensions (W x H)	29.7-57 inches (Width) x 30.5 inches (Height)
Material	Metal (Carbon Steel Frame)
Color	White
Item Weight	16.75 pounds
Target Species	Baby, Dogs, Pets, Cats, Child
Age Range (Description)	6-24 Months
Closure Type	Latch
UPC	860005877423

Warranty and Support

For detailed warranty information, product support, or to purchase replacement parts, please refer to the official Cumbor user guide or visit the Cumbor brand store.

- **User Guide (PDF):** [Download User Guide](#)
- **Cumbor Brand Store:** [Visit Cumbor Store on Amazon](#)

For any further assistance, please contact Cumbor customer service through their official channels.

© 2025 Cumbor. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B08V93S74Z>

More documents and user manuals: <https://manuals.plus/>