

[Manuals.plus](#) /

› [Husqvarna](#) /

› Husqvarna 599332501 Leaf Blower Maintenance Kit User Manual

## Husqvarna 599332501

# Husqvarna 599332501 Leaf Blower Maintenance Kit User Manual

For Husqvarna 125B and 125BVX Blowers

## INTRODUCTION

This manual provides essential information for the installation and maintenance of the Husqvarna 599332501 Leaf Blower Maintenance Kit. This kit is specifically designed to help you keep your Husqvarna 125B and 125BVX leaf blowers running efficiently by replacing key wear components: the fuel filter, air filter, and spark plug. Regular maintenance with genuine Husqvarna parts ensures optimal performance and extends the lifespan of your equipment.

### Kit Contents:

- One (1) Fuel Filter
- One (1) Air Filter
- One (1) Spark Plug

 **Husqvarna®**

**TUNE-UP KIT**

**ENSEMBLE  
DE MISE  
AU POINT  
CONJUNTO DE  
ENFOQUE**

Spark Plug  
Bougie d'Allumage  
Bujia



Fuel Filter  
Filtre à Carburant  
Filtro de Combustible



Air Filter | Filtre à Air | Filtro de aire



FITS HUSQVARNA BLOWERS / CONVIENT AUX SOUFFLEUR DE  
HUSQVARNA / SE ADAPTA A LOS SOPLADOR DE HUSQVARNA

**125B, 125BVX**

Image: The Husqvarna 599332501 Leaf Blower Maintenance Kit shown in its retail packaging, displaying the spark plug, fuel filter,

and air filter.

## SETUP AND COMPONENT IDENTIFICATION

Before beginning any maintenance, ensure your leaf blower is turned off and cooled down. Disconnect the spark plug wire to prevent accidental starting. Familiarize yourself with the components included in your maintenance kit.



Image: The individual components of the maintenance kit are displayed: a spark plug, a white rectangular air filter, and a cylindrical fuel filter with a hose barb.

The kit includes:

- **Spark Plug:** A small, cylindrical component with a threaded end and an electrode, responsible for igniting the fuel-air mixture.
- **Air Filter:** A flat, porous material designed to prevent dust and debris from entering the engine's carburetor.
- **Fuel Filter:** A small, cylindrical filter typically located inside the fuel tank, designed to remove impurities from the fuel before it reaches the carburetor.

## MAINTENANCE PROCEDURES

Performing these maintenance steps regularly will ensure your Husqvarna leaf blower operates at its best. Always

refer to your specific blower's owner's manual for detailed instructions and safety precautions.

## 1. Replacing the Air Filter

1. Locate the air filter cover on your leaf blower. This is typically on the side of the engine housing.
2. Open or remove the air filter cover. This may involve clips, screws, or a simple snap-on mechanism.
3. Carefully remove the old air filter. Note its orientation.
4. Insert the new air filter from the kit, ensuring it is seated correctly and in the same orientation as the old one.
5. Replace the air filter cover securely.

## 2. Replacing the Spark Plug

1. Ensure the engine is cool. Disconnect the spark plug wire by pulling it firmly from the spark plug.
2. Using a spark plug wrench (often included with your blower or a standard tool), loosen the old spark plug by turning it counter-clockwise.
3. Remove the old spark plug. Inspect it for signs of wear or fouling.
4. Thread the new spark plug into the engine by hand to prevent cross-threading.
5. Once finger-tight, use the spark plug wrench to tighten it. Do not overtighten, as this can damage the engine. A snug fit plus a quarter turn is usually sufficient.
6. Reconnect the spark plug wire firmly to the new spark plug.

## 3. Replacing the Fuel Filter

**Caution:** This procedure involves handling fuel. Perform in a well-ventilated area away from open flames or ignition sources. Wear appropriate safety gear, including eye protection.

1. Ensure the fuel tank is nearly empty or completely drained to minimize spills.
2. Carefully remove the fuel cap.
3. Using a piece of stiff wire or a specialized tool, carefully fish the fuel line with the old fuel filter out of the fuel tank opening. The filter is typically at the end of the fuel line inside the tank.
4. Disconnect the old fuel filter from the fuel line. This may require gently twisting or pulling. Be careful not to damage the fuel line.
5. Attach the new fuel filter from the kit securely to the fuel line. Ensure a tight connection to prevent leaks.
6. Carefully guide the fuel line with the new filter back into the fuel tank, ensuring the filter rests at the bottom of the tank.
7. Replace the fuel cap securely.

## TROUBLESHOOTING

If your leaf blower experiences issues after performing maintenance, consider the following common troubleshooting steps:

- **Blower won't start:**

- Check if the spark plug wire is securely connected to the new spark plug.
- Ensure the spark plug is properly tightened.
- Verify that the fuel filter is correctly installed and not kinked in the fuel line.

- Confirm there is fresh fuel in the tank.
- **Engine runs poorly or stalls:**
  - Ensure the air filter is clean and properly seated, allowing adequate airflow.
  - Check the spark plug for proper gap (refer to your blower's manual for specifications) and ensure it's not fouled.
  - Verify the fuel filter is not clogged or restricting fuel flow.
- **Unusual noises or vibrations:**
  - Double-check that all covers and components removed during maintenance are securely reinstalled.

If problems persist, consult a qualified service technician or refer to your Husqvarna leaf blower's comprehensive owner's manual.

## SPECIFICATIONS

| Attribute                | Detail                                |
|--------------------------|---------------------------------------|
| Product Name             | Husqvarna Leaf Blower Maintenance Kit |
| Model Number             | 599332501                             |
| Compatible Blower Models | Husqvarna 125B, 125BVX                |
| Kit Contents             | Fuel Filter, Air Filter, Spark Plug   |
| Product Dimensions       | 1.7 x 5 x 8.7 inches                  |
| Item Weight              | 3.38 ounces                           |
| Manufacturer             | Husqvarna                             |
| Country of Origin        | USA                                   |
| UPC                      | 193028073054                          |

## WARRANTY AND SUPPORT

This Husqvarna maintenance kit is manufactured to high-quality standards. For specific warranty information regarding this product or your Husqvarna leaf blower, please refer to the documentation provided with your original equipment or visit the official Husqvarna website.

For technical support, parts inquiries, or service assistance, please contact Husqvarna Customer Service:

- **Husqvarna Official Website:** [www.husqvarna.com/us/](http://www.husqvarna.com/us/)
- **Customer Service Contact:** Refer to the 'Contact Us' section on the official website for phone numbers and email options.

Always use genuine Husqvarna replacement parts to ensure compatibility and maintain the integrity of your equipment's warranty.

## ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

### Name

Anonymous

### Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

### Question

Example: How do I reset this device or fix this error?

### Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

---

Open the live page

<https://manuals.plus/asin/B08W8JZ8PW>

More documents and user manuals: <https://manuals.plus/>