

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Schildmeyer](#) /

› [Schildmeyer Cosmo 146318 Vanity Unit Instruction Manual](#)

Schildmeyer 146318

Schildmeyer Cosmo 146318 Vanity Unit Instruction Manual

Brand: Schildmeyer

Model: 146318

INTRODUCTION

This manual provides essential information for the assembly, operation, maintenance, and specifications of your Schildmeyer Cosmo 146318 Vanity Unit. Please read these instructions carefully before beginning assembly or use to ensure proper installation and longevity of your product.

SETUP AND ASSEMBLY

The Schildmeyer Cosmo 146318 Vanity Unit requires assembly. It is designed for freestanding installation.

Unpacking and Inspection

- Carefully unpack all components from the packaging.
- Verify that all parts are present according to the included parts list. The unit consists of an under-sink cabinet and associated hardware.
- Inspect all components for any damage. Do not proceed with assembly if parts are damaged. Contact customer support for replacements.

Tools Required (General)

While specific tools are not listed, typical assembly of furniture of this type may require:

- Screwdriver (Phillips and/or Flathead)
- Hammer (for dowels, if applicable)
- Measuring tape
- Level

Assembly Steps (General Guidance)

Refer to the detailed assembly instructions provided in the product packaging for step-by-step guidance. Key assembly considerations include:

- Assembling the main cabinet structure using the engineered wood panels and metal fittings.

- Attaching the plastic base feet for stability.
- Installing the two doors, ensuring proper alignment and function of the handle-less opening mechanism.
- Positioning the unit in your bathroom, ensuring the syphon cut-out aligns with your plumbing.

It is recommended to assemble the unit on a soft, clean surface to prevent scratches.

OPERATION

The Schildmeyer Cosmo 146318 Vanity Unit is designed for storage in a bathroom environment, typically beneath a sink.

Door Operation

- The unit features two doors with a handle-less opening design. To open, gently pull the top edge of the door.
- The doors provide access to the internal compartment, which has dimensions of approximately 21 inches (width) x 11 inches (depth) x 18.3 inches (height).

Syphon Cut-out

The top panel of the vanity unit includes a syphon cut-out with a width of approximately 6.00 cm and a length of approximately 22.5 cm, designed to accommodate standard sink plumbing.

MAINTENANCE AND CARE

Proper care will help maintain the appearance and longevity of your vanity unit.

- **Cleaning:** Wipe the surfaces with a damp cloth. Avoid abrasive cleaners, harsh chemicals, or excessive moisture, as these can damage the engineered wood and matte finish.
- **Spills:** Immediately wipe up any water spills or moisture to prevent damage to the wood material.
- **Door Hinges:** Periodically check the door hinges and fittings to ensure they are secure. Tighten if necessary.
- **Environment:** Ensure the bathroom environment has adequate ventilation to prevent excessive humidity, which can affect furniture.

TROUBLESHOOTING

This section addresses common issues you might encounter with your vanity unit.

Doors Not Aligning Properly

- **Check Hinges:** Ensure all hinges are securely fastened to both the door and the cabinet frame. Adjust hinge screws if necessary to align the doors.
- **Level Surface:** Verify that the vanity unit is placed on a level surface. Uneven flooring can cause the cabinet frame to twist, affecting door alignment. Use the adjustable feet if available, or shims.

Unit Wobbles

- **Check Feet:** Ensure all plastic base feet are firmly attached and making even contact with the floor.
- **Leveling:** Use a level to check if the unit is stable. Adjust the feet or use shims under the feet to eliminate wobbling.

Water Damage/Swelling

- **Immediate Action:** If water spills occur, wipe them immediately. Engineered wood can swell if exposed to prolonged moisture.
- **Prevention:** Ensure your sink and plumbing connections are leak-free.

SPECIFICATIONS

Feature	Detail
Model Number	146318
Brand	Schildmeyer
Dimensions (W x H x D)	57 cm x 54.5 cm x 33 cm (22.4 x 21.5 x 13 inches)
Weight	11.16 kg (24.6 lbs)
Color	Anthracite Mittel charcoal
Material	Engineered Wood
Finish Type	Matte
Number of Doors	2
Door Opening	Handle-less, opens from above
Base	Plastic base feet
Internal Compartment Dimensions (W x D x H)	Approx. 21 inches x 11 inches x 18.3 inches
Syphon Cut-out Dimensions (W x L)	Approx. 6.00 cm x 22.5 cm
Assembly Required	Yes
Installation Type	Freestanding
Origin	Made in Germany

PRODUCT OVERVIEW



Figure 1: Front view of the Schildmeyer Cosmo 146318 Vanity Unit in charcoal with closed doors, showing the handleless design and wooden crossbar detail.



Figure 2: The Schildmeyer Cosmo vanity unit integrated into a modern bathroom setting, showcasing its aesthetic appeal alongside other matching furniture pieces.



Figure 3: Detailed view of the vanity unit with key dimensions: 57cm (width), 54.5cm (height), and 33cm (depth).



Figure 4: The vanity unit with both doors open, revealing the spacious interior compartment and the syphon cut-out at the top.




MADE IN GERMANY

Figure 5: The "Made in Germany" emblem, indicating the product's country of manufacture.

WARRANTY AND SUPPORT


For specific warranty information and details regarding customer support, please refer to the documentation included with your purchase or contact Schildmeyer directly through their official website or authorized retailers. Keep your proof of purchase for any warranty claims.

Related Documents - 146318




[Schildmeyer Sekretär 650 2T/1K Garantieinformationen](#)

Umfassende Garantiebedingungen für den Schildmeyer Sekretär 650 2T/1K. Enthält Garantiezeitraum, Umfang, Ausschlüsse und Kontaktdaten des Herstellers Wilhelm Schildmeyer GmbH & Co. KG.



[Sekretär 650 2T/1K Warranty and Service Information](#)

Official warranty terms and conditions for the Sekretär 650 2T/1K secretary desk by Wilhelm Schildmeyer. Details include warranty period, scope, exclusions, and how to claim service.



[Assembly Instructions for Wilhelm Schildmeyer Furniture](#)

Comprehensive assembly instructions for Wilhelm Schildmeyer furniture, detailing steps, safety precautions, and care guidelines in multiple languages.