

## Casio TQ-482-7JF

# CASIO TQ-482-7JF Analog Alarm Clock User Manual

## INTRODUCTION

Welcome to the user manual for your new CASIO TQ-482-7JF Analog Alarm Clock. This document provides essential information for setting up, operating, and maintaining your device. Please read these instructions carefully to ensure proper use and to maximize the lifespan of your alarm clock.

## SAFETY INFORMATION

- Please read all instructions carefully before using the alarm clock. Keep this manual for future reference.
- Do not expose the clock to extreme temperatures, direct sunlight, or high humidity.
- Avoid dropping the clock or subjecting it to strong impacts.
- Do not attempt to disassemble or repair the clock yourself. Refer all servicing to qualified personnel.
- Dispose of used batteries according to local regulations.

## PACKAGE CONTENTS

Verify that all items are present in your package:

- 1 x CASIO TQ-482-7JF Analog Alarm Clock
- 1 x AA Manganese Battery
- 1 x User Manual (this document)

## PRODUCT OVERVIEW

The CASIO TQ-482-7JF is a compact analog alarm clock designed for clear time display and essential alarm functions. Its simple design integrates well into various room settings.

### Key Features:

- Easy-to-read analog display
- Electronic sound alarm
- Snooze function

- Integrated light for low-light viewing
- Step second hand movement

**Product Views:**



**Figure 1: Front View**

This image shows the front face of the white CASIO TQ-482-7JF alarm clock, featuring a clear analog dial with large black numbers and hour, minute, and second hands.



**Figure 2: Rear View**

This image displays the back of the alarm clock, showing the battery compartment, time setting knob, alarm setting knob, and the alarm ON/OFF switch.

## SETUP

---

### 1. Battery Installation

1. Open the battery compartment cover located on the back of the clock.
2. Insert one AA manganese battery, ensuring the correct polarity (+ and -) as indicated inside the compartment.
3. Close the battery compartment cover securely.

### 2. Setting the Time

1. Locate the **Time Setting Knob** on the back of the clock.
2. Rotate the knob in either direction to move the hour and minute hands to the current time.

## OPERATING INSTRUCTIONS

---

### 1. Setting the Alarm

1. Locate the **Alarm Setting Knob** on the back of the clock.
2. Rotate this knob to move the alarm hand to your desired alarm time.
3. Slide the **Alarm ON/OFF switch** to the "ON" position. The alarm will sound at the set time.

### 2. Using the Snooze Function

When the alarm sounds, press the large button located on the top of the clock. The alarm will temporarily stop and sound again after approximately 5 minutes.

### 3. Using the Light Function

Press the large button on the top of the clock to illuminate the dial for a few seconds, allowing you to view

the time in the dark.

## MAINTENANCE

### Cleaning

Wipe the clock with a soft, dry cloth. Do not use abrasive cleaners or solvents, as they may damage the clock's finish.

### Battery Replacement

When the clock's display dims or the alarm sound weakens, it is time to replace the battery. Follow the "Battery Installation" steps in the Setup section.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Clock not working	Battery incorrectly inserted or depleted.	Check battery polarity; replace battery with a new AA manganese battery.
Alarm not sounding	Alarm not set or alarm switch is OFF.	Ensure alarm hand is set to desired time; slide Alarm ON/OFF switch to "ON".
Light not working	Low battery or faulty connection.	Check battery level and replace if necessary.

## SPECIFICATIONS

Brand	Casio
Model	TQ-482-7JF
Display Type	Analog
Color	White
Dimensions (H x W x D)	Approx. 4.5 in (11.5 cm) x 5.1 in (13.0 cm) x 2.2 in (5.6 cm)
Weight	Approx. 7.1 ounces (200 grams)
Power Source	1 x AA Manganese Battery (included)
Special Features	Alarm, Snooze, Light, Step Second Hand
Material	Resin
Indoor/Outdoor Usage	Indoor



**Figure 3: Product Dimensions**

This image illustrates the dimensions of the white CASIO TQ-482-7JF alarm clock, showing its height as 11.5 cm, width as 13.0 cm, and depth as 5.6 cm, with a weight of approximately 200g.

## WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the official Casio website or contact your local Casio dealer. Please retain your purchase receipt as proof of purchase for any warranty claims.

© 2023 Casio Computer Co., Ltd. All rights reserved.

## Related Documents - TQ-482-7JF



### [Casio TQ-135 Alarm Clock User Manual and Specifications](#)

Official user manual for the Casio TQ-135 alarm clock. Provides detailed instructions for setting time, world time, using the backlight, technical specifications, and warranty information.

	<a href="#">Casio TQ-375 Alarm Clock User Manual</a> User manual for the Casio TQ-375 alarm clock, detailing battery installation, time and alarm setting, specifications, care, and warranty information.
	<a href="#">Casio LAW-21 Модуль 2789: Руководство пользователя и характеристики</a> Полное руководство пользователя для часов Casio LAW-21 (Модуль 2789). Содержит инструкции по эксплуатации, уходу, описания режимов работы (текущее время, мировое время, таймер, секундомер, будильник) и технические характеристики.
	<a href="#">Casio PQ65 Digital Clock Instruction Manual</a> Detailed instructions and specifications for the Casio PQ65 digital clock, covering setup, features, temperature display, and power requirements.
	<a href="#">CASIO AЯ46 Analog Alarm Clock Instruction Manual</a> User guide for the CASIO AЯ46 analog alarm clock. Learn how to set the time, set the alarm, and utilize the SNOOZE function. Includes product specifications and manufacturer information.
	<a href="#">Инструкция по эксплуатации будильника CASIO PQ45U   Настройка времени и функций</a> Полное руководство по использованию будильника CASIO PQ45U. Узнайте, как настроить местное и мировое время, будильник, подсветку и заменить батарею.

Documents - Casio – TQ-482-7JF

価格改定のお知らせ		
この表の価格が、本製品について価格を変更させていただきます。 ※新価格が適用されます。ご了承ください。		
価格改定実施日：2023年4月1日(水)		
記		
型番	メーカー希望小売価格（税別）	
	旧価格	新価格
HS-3C-8AJH	¥3,300	¥1,700(価格)
HS-70W-1JH	¥4,400	¥1,700(価格)
HS-70W-8JH	¥4,400	¥1,700(価格)
HS-80TW-1JH	¥6,000	¥1,700(価格)
TMR-71S-7JH	¥2,700	¥1,700(価格)
DQ-735-8JF	¥2,700	¥1,700(価格)
TQ-140S-1JF	¥2,500	¥1,700(価格)
TQ-144S-1JF	¥2,500	¥1,700(価格)
TQ-144S-2JF	¥2,500	¥1,700(価格)
TQ-144S-3JF	¥2,500	¥1,700(価格)
TQ-144S-4JF	¥2,500	¥1,700(価格)
TQ-144S-5JF	¥2,500	¥1,700(価格)
TQ-144S-6JF	¥2,500	¥1,700(価格)
TQ-144S-7JF	¥2,500	¥1,700(価格)
TQ-144S-8JF	¥2,500	¥1,700(価格)
TQ-144S-9JF	¥2,500	¥1,700(価格)
TQ-144S-10JF	¥2,500	¥1,700(価格)
TQ-144S-11JF	¥2,500	¥1,700(価格)
TQ-144S-12JF	¥2,500	¥1,700(価格)
TQ-144S-13JF	¥2,500	¥1,700(価格)
TQ-144S-14JF	¥2,500	¥1,700(価格)
TQ-144S-15JF	¥2,500	¥1,700(価格)
TQ-144S-16JF	¥2,500	¥1,700(価格)
TQ-144S-17JF	¥2,500	¥1,700(価格)
TQ-144S-18JF	¥2,500	¥1,700(価格)
TQ-144S-19JF	¥2,500	¥1,700(価格)
TQ-144S-20JF	¥2,500	¥1,700(価格)
TQ-144S-21JF	¥2,500	¥1,700(価格)
TQ-144S-22JF	¥2,500	¥1,700(価格)
TQ-144S-23JF	¥2,500	¥1,700(価格)
TQ-144S-24JF	¥2,500	¥1,700(価格)
TQ-144S-25JF	¥2,500	¥1,700(価格)
TQ-144S-26JF	¥2,500	¥1,700(価格)
TQ-144S-27JF	¥2,500	¥1,700(価格)
TQ-144S-28JF	¥2,500	¥1,700(価格)
TQ-144S-29JF	¥2,500	¥1,700(価格)
TQ-144S-30JF	¥2,500	¥1,700(価格)
TQ-144S-31JF	¥2,500	¥1,700(価格)
TQ-144S-32JF	¥2,500	¥1,700(価格)
TQ-144S-33JF	¥2,500	¥1,700(価格)
TQ-144S-34JF	¥2,500	¥1,700(価格)
TQ-144S-35JF	¥2,500	¥1,700(価格)
TQ-144S-36JF	¥2,500	¥1,700(価格)
TQ-144S-37JF	¥2,500	¥1,700(価格)
TQ-144S-38JF	¥2,500	¥1,700(価格)
TQ-144S-39JF	¥2,500	¥1,700(価格)
TQ-144S-40JF	¥2,500	¥1,700(価格)
TQ-144S-41JF	¥2,500	¥1,700(価格)
TQ-144S-42JF	¥2,500	¥1,700(価格)
TQ-144S-43JF	¥2,500	¥1,700(価格)
TQ-144S-44JF	¥2,500	¥1,700(価格)
TQ-144S-45JF	¥2,500	¥1,700(価格)
TQ-144S-46JF	¥2,500	¥1,700(価格)
TQ-144S-47JF	¥2,500	¥1,700(価格)
TQ-144S-48JF	¥2,500	¥1,700(価格)
TQ-144S-49JF	¥2,500	¥1,700(価格)
TQ-144S-50JF	¥2,500	¥1,700(価格)
TQ-144S-51JF	¥2,500	¥1,700(価格)
TQ-144S-52JF	¥2,500	¥1,700(価格)
TQ-144S-53JF	¥2,500	¥1,700(価格)
TQ-144S-54JF	¥2,500	¥1,700(価格)
TQ-144S-55JF	¥2,500	¥1,700(価格)
TQ-144S-56JF	¥2,500	¥1,700(価格)
TQ-144S-57JF	¥2,500	¥1,700(価格)
TQ-144S-58JF	¥2,500	¥1,700(価格)
TQ-144S-59JF	¥2,500	¥1,700(価格)
TQ-144S-60JF	¥2,500	¥1,700(価格)
TQ-144S-61JF	¥2,500	¥1,700(価格)
TQ-144S-62JF	¥2,500	¥1,700(価格)
TQ-144S-63JF	¥2,500	¥1,700(価格)
TQ-144S-64JF	¥2,500	¥1,700(価格)
TQ-144S-65JF	¥2,500	¥1,700(価格)
TQ-144S-66JF	¥2,500	¥1,700(価格)
TQ-144S-67JF	¥2,500	¥1,700(価格)
TQ-144S-68JF	¥2,500	¥1,700(価格)
TQ-144S-69JF	¥2,500	¥1,700(価格)
TQ-144S-70JF	¥2,500	¥1,700(価格)
TQ-144S-71JF	¥2,500	¥1,700(価格)
TQ-144S-72JF	¥2,500	¥1,700(価格)
TQ-144S-73JF	¥2,500	¥1,700(価格)
TQ-144S-74JF	¥2,500	¥1,700(価格)
TQ-144S-75JF	¥2,500	¥1,700(価格)
TQ-144S-76JF	¥2,500	¥1,700(価格)
TQ-144S-77JF	¥2,500	¥1,700(価格)
TQ-144S-78JF	¥2,500	¥1,700(価格)
TQ-144S-79JF	¥2,500	¥1,700(価格)
TQ-144S-80JF	¥2,500	¥1,700(価格)
TQ-144S-81JF	¥2,500	¥1,700(価格)
TQ-144S-82JF	¥2,500	¥1,700(価格)
TQ-144S-83JF	¥2,500	¥1,700(価格)
TQ-144S-84JF	¥2,500	¥1,700(価格)
TQ-144S-85JF	¥2,500	¥1,700(価格)
TQ-144S-86JF	¥2,500	¥1,700(価格)
TQ-144S-87JF	¥2,500	¥1,700(価格)
TQ-144S-88JF	¥2,500	¥1,700(価格)
TQ-144S-89JF	¥2,500	¥1,700(価格)
TQ-144S-90JF	¥2,500	¥1,700(価格)
TQ-144S-91JF	¥2,500	¥1,700(価格)
TQ-144S-92JF	¥2,500	¥1,700(価格)
TQ-144S-93JF	¥2,500	¥1,700(価格)
TQ-144S-94JF	¥2,500	¥1,700(価格)
TQ-144S-95JF	¥2,500	¥1,700(価格)
TQ-144S-96JF	¥2,500	¥1,700(価格)
TQ-144S-97JF	¥2,500	¥1,700(価格)
TQ-144S-98JF	¥2,500	¥1,700(価格)
TQ-144S-99JF	¥2,500	¥1,700(価格)
TQ-144S-100JF	¥2,500	¥1,700(価格)

[pdf]

nak12061 Clock price202306 casio content dam local jp watches price |||  
202361 HS-3C-8AJH HS-70W-1JH HS-70W-8JH HS-80TW-1JH TMR-71S-7JH DQ-735-8JF TQ-140S-1JF TQ-1 ... ,530 2,530 2,530 2,530 2,750 2,750 2,530 2,200 2,200 2,750 1,980 **TQ-482-7JF** TQ-645S-8BJF TQ-645S-8JF TQ-647-1JF DQD-240J-8JF DQD-410J-7JF DQD-5000J-1JF DQD-705J-8JF ...  
lang:i-klngon score:19 filesize: 250.61 K page\_count: 4 document date: 2023-04-25

