

[Manuals.plus](#) /

› [EGLO](#) /

› EGLO Palmaves 3 Dimmable LED Ceiling Light with Remote Control User Manual

## EGLO 75607

# EGLO Palmaves 3 Dimmable LED Ceiling Light

Model: 75607

## INTRODUCTION

---

Welcome to the EGLO Palmaves 3 Dimmable LED Ceiling Light instruction manual. This guide provides essential information for the safe and efficient use of your new lighting fixture. Please read these instructions carefully before installation and retain them for future reference.

The EGLO Palmaves 3 features a modern design with two interlocking LED rings, offering adjustable brightness, color temperature from warm white to cool white, and indirect RGB colored lighting, all controllable via the included remote.



Image: EGLO Palmaves 3 LED Ceiling Light, front view.

## SAFETY INSTRUCTIONS

---

- Always disconnect power at the main fuse or circuit breaker before installation, maintenance, or any service.
- Installation should be performed by a qualified electrician in accordance with local electrical codes and regulations.
- Do not modify the fixture. Use only specified parts and accessories.
- Ensure the mounting surface can safely support the weight of the fixture.
- Avoid direct eye exposure to the LED light source.
- Keep the remote control away from water and extreme temperatures.

## PACKAGE CONTENTS

---

Verify that all components are present and undamaged before beginning installation:

- EGLO Palmaves 3 LED Ceiling Light Fixture

- Remote Control
- Mounting Hardware (screws, wall plugs)
- Instruction Manual

## SETUP AND INSTALLATION

---

**Important:** Ensure the main power supply is turned off before any installation work.

1. **Preparation:** Turn off the main power supply at the circuit breaker. Confirm the power is completely disconnected using a voltage tester.
2. **Marking:** Hold the mounting bracket against the ceiling at the desired installation location. Mark the positions for drilling holes.
3. **Drilling:** Drill holes at the marked positions. Insert appropriate wall plugs (if necessary for your ceiling type) into the drilled holes.
4. **Mounting Bracket:** Secure the mounting bracket to the ceiling using the provided screws. Ensure it is firmly attached.
5. **Wiring:** Connect the electrical wires from the ceiling to the terminal block on the fixture. Ensure correct polarity: Live (L), Neutral (N), and Earth ( ). If unsure, consult a qualified electrician.
6. **Attach Fixture:** Carefully attach the ceiling light fixture to the mounting bracket, securing it with the provided screws or fasteners. Ensure the fixture is stable and flush with the ceiling.
7. **Power On:** Restore power at the main circuit breaker.
8. **Remote Control Setup:** Insert 2 AAA batteries (not included) into the remote control, observing correct polarity.



Image: Angled view of the EGLO Palmaves 3 LED Ceiling Light, showing its two interlocking rings.


## OPERATING INSTRUCTIONS


---

Your EGLO Palmaves 3 ceiling light can be controlled via the included remote control or a standard wall switch.

### Remote Control Functions:

The remote control allows for full functionality of your ceiling light.








Image: EGLO Palmaves 3 Remote Control.

- **Power Button (On/Off):** Turns the light on or off.
- **Brightness Adjustment:** Use the sun icons (brighter/dimmer) to adjust the light intensity.
- **Color Temperature Adjustment (K+/K-):** Changes the white light from warm white (3000 Kelvin) to neutral white to cool white (6500 Kelvin).
- **RGB On/Off:** Activates or deactivates the indirect RGB colored lighting.
- **RGB Color Selection:** Use the 'R G B' button to cycle through various RGB colors or the dedicated RGB button for specific color modes.
- **Memory Function:** The light retains the last used settings (brightness, color temperature, RGB color) when turned off and on via the remote control.

### **Wall Switch Control:**

If you do not use the remote control, you can cycle through different white light color temperatures (warm white, neutral white, cool white) by repeatedly turning the wall switch off and on quickly.



Image: EGLO Palmaves 3 emitting warm white light.



Image: EGLO Palmaves 3 with indirect RGB red lighting.

## MAINTENANCE

---

- **Cleaning:** Disconnect power before cleaning. Wipe the fixture with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the finish or electrical components.
- **LEDs:** The LED light source is integrated and not user-replaceable. Do not attempt to disassemble the LED components. If the LEDs fail, the entire fixture may need replacement.

## TROUBLESHOOTING

---

If you encounter issues with your EGLO Palmaves 3 ceiling light, refer to the following common problems and solutions:

- **Light does not turn on:**
  - Check if the power supply is connected and the circuit breaker is on.
  - Ensure the remote control batteries are correctly inserted and not depleted. Replace if necessary.
  - Verify all wiring connections are secure at the terminal block.
- **Remote control not working:**
  - Replace the AAA batteries in the remote control.
  - Ensure there are no obstructions between the remote control and the light fixture.
  - Confirm you are within the remote control's operating range.
- **Light flickers or dims unexpectedly:**
  - Check for a stable power supply to the fixture.
  - Ensure the dimming function is not accidentally activated or set to a very low level.

If problems persist after attempting these solutions, contact EGLO customer support or a qualified electrician.

## SPECIFICATIONS

---

Detailed technical specifications for the EGLO Palmaves 3 LED Ceiling Light:

<b>Model Number</b>	75607
<b>Brand</b>	EGLO
<b>Material</b>	Aluminum, Alloy Steel, Plastic
<b>Style</b>	Modern
<b>Light Source</b>	Integrated LED
<b>Power Consumption</b>	9.5 Watts
<b>Luminous Flux</b>	720 Lumens
<b>Color Temperature</b>	3000K (Warm White) - 6500K (Cool White)
<b>Light Colors</b>	Warm White, Neutral White, Cool White, RGB
<b>Control Method</b>	Remote Control, Wall Switch
<b>Dimmable</b>	Yes
<b>Power Source</b>	AC

Remote Control Batteries	2 x AAA (not included)
Usage Environment	Indoor
Energy Efficiency Class	E
Weight	1005 Grams (approx. 1 kg)
Country of Origin	China

#### Dimensions:

- Large Light Element Diameter: 39 cm (15.35 inches)
- Small Light Element Diameter: 29 cm (11.42 inches)
- Height: 6.8 cm (2.68 inches)
- Total Length: 56 cm (22.05 inches)




Image: Dimensions of the EGLO Palmaves 3 LED Ceiling Light.



Image: Key features including energy-saving LEDs, plastic construction, and 3000-6500K color temperature range.

## WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation provided with your purchase or visit the official EGLO website. EGLO is committed to providing quality products and customer satisfaction.

Contact EGLO customer service for further assistance with product inquiries, troubleshooting, or warranty claims.