

HAILANG HLBC

HAILANG 3.2 Cu. Ft. Beverage Refrigerator User Manual

Model: HLBC

1. INTRODUCTION

Thank you for choosing the HAILANG 3.2 Cu. Ft. Beverage Refrigerator. This compact and efficient appliance is designed to keep your beverages perfectly chilled. Please read this manual thoroughly before operation to ensure proper use, maintenance, and safety.

2. SAFETY INFORMATION

- **Placement:** Ensure the refrigerator is placed on a firm, level surface away from direct sunlight or heat sources. Allow adequate ventilation around the unit.
- **Initial Setup:** Before plugging in, allow the refrigerator to stand upright for at least 24 hours. This allows the compressor fluids to settle, preventing potential damage.
- **Power Supply:** Connect the appliance to a grounded electrical outlet with the correct voltage as indicated on the rating label. Do not use extension cords.
- **Cleaning:** Always unplug the unit before cleaning. Use a soft cloth and mild detergent. Avoid abrasive cleaners or sharp objects.
- **Defrosting:** This unit features a manual defrost system. Regularly defrost the unit to maintain optimal performance.
- **Children:** Supervise children to ensure they do not play with the appliance.

3. PRODUCT OVERVIEW

The HAILANG 3.2 Cu. Ft. Beverage Refrigerator is a freestanding unit designed for convenience and efficiency. It features a glass door, adjustable shelving, and precise temperature control.





Figure 1: HAILANG 3.2 Cu. Ft. Beverage Refrigerator, a compact and modern appliance.

Key Components:

COMPACT SUZE&LARGE CAPACITY

3.2Cu.Ft





Figure 2: Diagram illustrating the Condenser, Light, Temperature Controller, Adjustable Shelf, and Adjustable Leveling Legs.

Features:

- **Spacious Capacity:** With a 3.2 Cu. Ft. capacity, this refrigerator can hold up to 105 standard 11.6-oz. cans. Its compact dimensions (15.75"W x 16.73"D x 32.8"H) make it suitable for various spaces.
- **Adjustable Shelving:** Equipped with 4 adjustable wire racks, allowing flexible organization for different beverage sizes.
- **Adjustable Temperature Control:** Seven temperature settings provide a range from 32°F to 54°F (1°C to 7°C) to suit various cooling needs.
- **Energy Efficient:** Utilizes a high-efficiency compressor for optimal cooling performance with minimal energy consumption.
- **Secure Storage:** Features a lock with a key for secure storage of contents.
- **Double-Layer Tempered Glass Door:** Enhances insulation and allows clear visibility of contents.

Premium Features



Energy efficient



105 can
Capacity



Light



Low noise

Figure 3: Premium features include energy efficiency, 105-can capacity, internal light, and low noise operation.

2-Layer Tempered Glasses Door



Figure 4: The refrigerator features a durable 2-layer tempered glass door for improved insulation and visibility.

WITH ADJUSTABLE SHELVES

Combination of placement are endless



Figure 5: The interior features adjustable shelves, allowing for versatile storage configurations. Dimensions are 15.75 inches wide, 16.73 inches deep, and 32.8 inches high.

4. SETUP INSTRUCTIONS

1. **Unpacking:** Carefully remove all packaging materials and inspect the refrigerator for any damage.
2. **Placement:** Choose a location with a stable, level surface. Ensure there is at least 5 inches of space around the back and sides for proper ventilation. Avoid direct sunlight or heat sources.
3. **Leveling:** Adjust the leveling feet at the bottom of the unit to ensure it is stable and level.
4. **Initial Standby:** It is crucial to let the refrigerator stand upright for at least 24 hours before plugging it into a power outlet. This allows the compressor oil to settle, preventing potential operational issues.
5. **Power Connection:** After the 24-hour standby period, plug the refrigerator into a dedicated, grounded 110-120V AC outlet.
6. **First Use:** Allow the unit to run empty for a few hours to reach its set temperature before loading beverages.

5. OPERATING INSTRUCTIONS

Temperature Control:

The refrigerator features an adjustable temperature control dial located inside the unit. There are seven settings, ranging from 1 (warmest) to 7 (coldest). To adjust the temperature:

1. Open the refrigerator door.
2. Locate the temperature control dial near the top interior.
3. Turn the dial to your desired setting. A higher number indicates a colder temperature. The recommended setting for most beverages is between 3 and 5.
4. Close the door and allow several hours for the temperature to stabilize.

The temperature range is approximately 32°F to 54°F (1°C to 7°C).

Internal Light:

The refrigerator is equipped with an internal blue LED light. To turn the light on or off, use the switch located next to the temperature control dial.



Figure 6: Close-up view of the temperature control dial and the light switch for the interior blue LED light.

Adjustable Shelves:

The four wire shelves can be repositioned to accommodate various bottle and can sizes. To adjust a shelf:

1. Empty the shelf of all contents.

- 2. Carefully lift the shelf and pull it out.
- 3. Reinsert the shelf into the desired slot, ensuring it is securely seated on all four supports.

6. MAINTENANCE

Cleaning:

- Always unplug the refrigerator before cleaning.
- Clean the interior and exterior surfaces with a soft cloth dampened with a mild detergent solution.
- Do not use abrasive cleaners, harsh chemicals, or sharp objects, as these can damage the surfaces.
- Ensure all surfaces are dry before plugging the unit back in.

Manual Defrost:

This refrigerator uses a manual defrost system. Frost buildup on the cooling plate is normal. To defrost the unit:

- 1. Unplug the refrigerator from the power outlet.
- 2. Remove all contents and shelves.
- 3. Leave the door open to allow the frost to melt naturally. Place a towel at the bottom to absorb water.
- 4. Once all frost has melted, clean and dry the interior thoroughly.
- 5. Replace shelves and contents, then plug the unit back in.

Note: Do not use sharp objects or heating devices to remove frost, as this can damage the cooling system.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Refrigerator does not operate.	Not plugged in; Power outage; Circuit breaker tripped.	Check power connection; Check household fuse/circuit breaker.
Temperature is not cold enough.	Temperature setting too high; Door opened too frequently; Poor ventilation; Excessive contents.	Adjust temperature to a colder setting; Minimize door openings; Ensure proper clearance around unit; Reduce contents if overloaded.
Items are freezing.	Temperature setting too low.	Adjust temperature to a warmer setting.
Excessive noise.	Unit not level; Contact with wall/furniture; Loose parts.	Adjust leveling feet; Reposition unit; Check for loose components.
Water on floor/inside.	Drainage hole blocked; Door not sealed properly; High humidity.	Clear drainage hole; Check door seal; This is a manual defrost unit, some condensation is normal.

8. SPECIFICATIONS

Brand:	HAILANG
Model:	HLBC

Capacity:	3.2 Cubic Feet (approx. 105 cans)
Product Dimensions (D x W x H):	16.73" x 15.75" x 32.8"
Color:	Black
Installation Type:	Freestanding
Defrost System:	Manual
Number of Shelves:	4 (Adjustable)
Temperature Range:	32°F to 54°F (1°C to 7°C)
Door Material:	Glass (2-Layer Tempered)
Special Feature:	Portable, Lock with Key

9. WARRANTY AND SUPPORT

HAILANG provides a 180-day After-Sale service for this product. If you encounter any problems during the product's service life, please contact our customer support. We are committed to assisting you with any issues. For support, please refer to the contact information provided with your purchase or visit the official HAILANG website.

© 2023 HAILANG. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

