

[Manuals.plus](#) /

› [SVS](#) /

› SVS SB-1000 Pro Sealed Subwoofer Instruction Manual

SVS SB-1000PRO-BLACKASH

SVS SB-1000 Pro Sealed Subwoofer Instruction Manual

Model: SB-1000PRO-BLACKASH

INTRODUCTION



The SVS SB-1000 Pro Sealed Subwoofer delivers breathtaking output and musicality from a compact 13-inch enclosure, featuring state-of-the-art technology. It is designed to shatter expectations with reference performance previously unavailable at this price point.

Equipped with an all-new 12-inch high-excursion driver and reference amplifier technology derived from flagship SVS subwoofers, the SB-1000 Pro is a well-balanced powerhouse with a legendary performance pedigree. Its 325 watts RMS (820+ watts peak power) Sledge amplifier, with fully discrete MOSFET output and sophisticated 50 MHz DSP, fills any room with chest-thumping and accurate bass that belies its compact size.

The SB-1000 Pro also features the intuitive SVS subwoofer DSP smartphone app for advanced tuning and control, allowing for accurate bass down to 20Hz in audiophile stereo and home theater surround sound systems.

WHAT'S IN THE BOX

- SVS SB-1000 Pro Sealed Subwoofer

- Power Cord
- SVS Subwoofer Control App (downloadable)

SETUP

Follow these steps to set up your SVS SB-1000 Pro Subwoofer for optimal performance:

1. **Placement:** Position the subwoofer in your desired listening area. Consider placing it near a wall or corner for enhanced bass response, but experiment to find the best sound for your room.
2. **Power Connection:** Connect the included power cord to the subwoofer's power input and then to a wall outlet.
3. **Audio Connection:** Connect your audio source (e.g., AV receiver, pre-amplifier) to the subwoofer's Line Level Input (LFE or L/R RCA) using appropriate RCA cables.
4. **Power On:** Locate the power switch on the back panel of the subwoofer and turn it to the 'ON' position.
5. **Initial Settings:** For initial setup, it is recommended to set the subwoofer's volume to a moderate level, the low pass filter to LFE (if using an AV receiver with bass management), and the phase to 0 degrees. Fine-tuning can be done using the SVS app.

Watch the official product demonstration video for a visual guide on connecting and setting up your subwoofer:

Your browser does not support the video tag.

Official SVS SB-1000 Pro Subwoofer Product Demonstration Video. This video illustrates the physical connections and initial power-on steps for the subwoofer.

OPERATING YOUR SUBWOOFER

The SVS SB-1000 Pro offers flexible control options for seamless integration into your audio system.

SVS Subwoofer Control App



The groundbreaking SVS Subwoofer DSP Smartphone App is the easiest way to control volume, manage custom presets, and fine-tune performance from your listening position. Download the app from your device's app store (available for iOS and Android).

- **Volume Control:** Adjust the overall output level of the subwoofer.
- **Low Pass Filter:** Set the upper frequency limit for the subwoofer. For AV receivers with bass management, set this to LFE.
- **Phase Control:** Adjust the phase (0-180 degrees) to ensure seamless sound blending with your main speakers.
- **Parametric EQ:** Utilize the 3-band parametric equalizer for precise room correction and sound customization.
- **Custom Presets:** Save and recall multiple custom settings for different listening modes (e.g., music, movies, night mode).



The SVS app provides intuitive control over all subwoofer settings.

Manual Controls (Rear Panel)


While the app offers comprehensive control, basic adjustments can also be made directly on the subwoofer's rear panel:

- **Volume:** Buttons to increase or decrease the output level.
- **Low Pass:** Buttons to adjust the low pass filter frequency.
- **Phase:** Buttons to adjust the phase setting.
- **Auto/On/Off:** Switch to select power mode (Auto-on when signal detected, always On, or Off).

SPECIFICATIONS

Feature	Detail
Model Name	SB-1000 Pro
Speaker Type	Subwoofer
Subwoofer Diameter	12 Inches
Speaker Maximum Output Power	325 Watts RMS (820+ Watts Peak)
Frequency Response	20 Hz

Product Dimensions	14"D x 13"W x 13.5"H
Item Weight	14.52 Kilograms (31.9 pounds)
Control Method	App, Manual Controls
Connectivity Technology	Wired, Wireless (Bluetooth for App Control)
Color	Premium Black Ash
Manufacturer	SVS
First Available	February 22, 2021



Physical dimensions of the SVS SB-1000 Pro Subwoofer.

MAINTENANCE

To ensure the longevity and optimal performance of your SVS SB-1000 Pro Subwoofer, follow these simple maintenance guidelines:

- **Cleaning:** Regularly wipe the cabinet with a soft, dry cloth to remove dust. For stubborn marks, a slightly damp cloth can be used, followed by a dry cloth. Avoid using harsh chemicals or abrasive cleaners.
- **Ventilation:** Ensure adequate airflow around the subwoofer. Do not block the rear panel or place the unit in an enclosed space without proper ventilation, as this can lead to overheating.
- **Environmental Conditions:** Keep the subwoofer away from direct sunlight, excessive heat sources, and moisture. Avoid placing it in areas with extreme temperature fluctuations.
- **Connections:** Periodically check all cable connections (power, RCA) to ensure they are secure and free from corrosion.

TROUBLESHOOTING

If you encounter issues with your SVS SB-1000 Pro Subwoofer, consider the following common troubleshooting steps:

- **No Power:**
 - Check if the power cord is securely plugged into both the subwoofer and the wall outlet.
 - Ensure the power switch on the rear panel is in the 'ON' or 'AUTO' position.
 - Verify the wall outlet is functioning by plugging in another device.
- **No Sound:**
 - Confirm the audio input cables (RCA) are correctly connected to both the subwoofer and your audio source/receiver.
 - Check the volume level on the subwoofer (via app or rear panel) and your audio source.
 - Ensure the low pass filter is set appropriately (e.g., LFE for AV receivers).
 - If using 'AUTO' power mode, ensure there is an audio signal present to trigger the subwoofer to turn on.
- **Distorted Sound / Poor Bass:**
 - Adjust the volume level to prevent overdriving the subwoofer.
 - Experiment with the phase setting (0 or 180 degrees) to find the best integration with your main speakers.
 - Use the SVS app's Parametric EQ to address any room-specific acoustic issues.
 - Ensure the subwoofer is placed on a stable surface and not vibrating excessively.
- **App Connectivity Issues:**
 - Ensure Bluetooth is enabled on your smartphone and the subwoofer.
 - Try restarting the SVS app and/or your smartphone.
 - If issues persist, try power cycling the subwoofer.

For further assistance, please refer to the comprehensive SVS support resources or contact SVS customer service directly.

WARRANTY AND SUPPORT

The SVS SB-1000 Pro Sealed Subwoofer comes with a **Limited Warranty**. Please refer to the official SVS website or your purchase documentation for specific warranty terms and conditions.

For technical support, product registration, or warranty claims, please visit the official SVS website or contact their customer support team. You can typically find contact information and support resources on the manufacturer's website: www.svsound.com

© 2024 SVS. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question