

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [VEVOR](#) /
- › [VEVOR Single Folding Security Gate 51.57" H x 66" W Instruction Manual](#)

VEVOR 51.57" H x 66" W

VEVOR Single Folding Security Gate 51.57" H x 66" W Instruction Manual

Model: 51.57" H x 66" W | Brand: VEVOR

1. INTRODUCTION

This manual provides essential instructions for the safe and effective installation, operation, and maintenance of your VEVOR Single Folding Security Gate. Please read this manual thoroughly before assembly and use, and retain it for future reference.

The VEVOR Single Folding Security Gate is designed to provide a robust and flexible barrier for various applications, including doorways, hallways, and receiving areas. Its accordion-style design allows for adjustable width and compact storage when not in use.





Image: VEVOR Single Folding Security Gate providing a sturdy division.

2. PRODUCT FEATURES

- **Durable Construction:** Constructed from heavy-duty 3/4" 14 gauge channel steel with a black powder-coated finish for enhanced durability and rust prevention.
- **Expandable Design:** The single folding gate features a retractable width structure, expanding from 4" (collapsed) to 67" (expanded) with a height of 50".
- **Flexible Rolling Casters:** Equipped with rolling casters at the bottom that allow for 360-degree rotation, enabling smooth movement and easy positioning. Casters include a lock design to fix the gate in place.
- **Secure Locking Mechanism:** Features a padlock hasp for secure locking. A padlock with keys is included for immediate use.
- **Versatile Application:** Suitable for controlling access in various settings such as basements, garages, storefronts, and industrial areas, while maintaining visibility and air circulation.

STURDY STEEL CONSTRUCTION

Durable to withstand the wear and tear of any job site



14 Gauge Channel Steel
0.6 inch thickness

Zinc-plated Rivet



Rust-proof



Long Term Use



Weather-proof



Power Coating

Image: Sturdy steel construction details, highlighting 14 gauge channel steel and zinc-plated rivets.




Image: Flexible rolling casters with 360-degree rotation and locking mechanism.

3. SAFETY INFORMATION

Always observe the following safety precautions to prevent injury or damage to the product:

- Ensure the gate is securely mounted to a stable surface (e.g., cement or concrete walls) before use.
- Do not allow children to play with or climb on the gate.
- Regularly inspect the gate for any signs of wear, damage, or loose components. Do not use if damaged.
- Keep hands and fingers clear of moving parts when expanding or collapsing the gate.
- Always lock the gate with the provided padlock when it is in use to prevent unauthorized access.

4. PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 1 x Folding Security Gate
- 1 x Padlock with Keys (3 keys included)


- 1 x Set of Mounting Tools (screws, anchors)

PRODUCT SPECIFICATIONS:

Product Weight: 17.8 lbs / 8.1 kg

Product Size(W*H): 5.6 x 4.1 ft / 170 x 126 cm

VEVOR®



Factory



Shop



Courtyard

Image: Product specifications and typical application scenarios.

5. SETUP AND INSTALLATION

The VEVOR Single Folding Security Gate is designed for straightforward installation. Follow these steps for proper mounting:

1. **Positioning:** Determine the desired location for your gate. Ensure the mounting surface is solid, such as a cement or concrete wall.
2. **Marking Holes:** Hold the gate in its collapsed position against the wall where it will be mounted. Mark the positions for drilling the mounting holes through the pre-drilled holes on the gate's vertical frames.
3. **Drilling:** Drill pilot holes at the marked locations. Use an appropriate drill bit size for the provided anchors and screws.
4. **Mounting:** Secure the gate to the wall using the provided screws and anchors. Ensure all screws are tightened firmly.
5. **Testing:** Once mounted, gently expand and collapse the gate to ensure smooth operation and secure attachment.

EFFORTLESS INSTALLATION

Finish the installation job without breaking a sweat




Image: Step-by-step guide for gate installation and locking.

6. OPERATION

Operating your VEVOR Single Folding Security Gate is simple:

- **Expanding the Gate:** Gently pull the gate outwards from its collapsed position. The accordion design allows it to expand smoothly to your desired width, up to 67 inches.
- **Collapsing the Gate:** Push the gate inwards from its expanded position. It will fold compactly to a width of 4 inches.
- **Locking the Gate:** Once the gate is in the desired position (expanded or collapsed), use the provided padlock and keys to secure it through the designated hasp.
- **Using the Rolling Casters:** The 360-degree rolling casters facilitate easy movement. To fix the gate in a specific position, engage the brake on the casters.

50"H x 67"W SINGLE GATE

Easy stretching & quickly adjust width




Image: Gate dimensions and demonstration of width adjustment.

7. MAINTENANCE

To ensure the longevity and optimal performance of your security gate, perform the following maintenance tasks:

- **Cleaning:** Wipe the gate regularly with a damp cloth to remove dust and dirt. Avoid abrasive cleaners that may damage the powder-coated finish.
- **Lubrication:** Periodically apply a silicone-based lubricant to the moving joints and casters to ensure smooth operation.
- **Inspection:** Routinely check all rivets, screws, and mounting hardware for tightness. Tighten any loose fasteners immediately. Inspect the steel channels for any signs of bending or damage.
- **Rust Prevention:** While the gate has a powder-coated finish, prolonged exposure to harsh weather conditions may require additional rust-preventative measures, especially if the coating is scratched.

8. TROUBLESHOOTING

If you encounter any issues with your VEVOR Single Folding Security Gate, refer to the following common

problems and solutions:

Problem	Possible Cause	Solution
Gate is difficult to expand or collapse.	Lack of lubrication on joints or casters; debris in tracks.	Clean tracks and lubricate all moving joints and casters with a silicone spray.
Gate does not stay in place.	Caster brakes are not engaged; mounting hardware is loose.	Ensure caster brakes are fully engaged. Check and tighten all mounting screws.
Gate appears unstable after installation.	Improper mounting to an unstable surface; loose mounting hardware.	Verify the gate is mounted to a solid surface. Re-tighten all mounting screws. If instability persists, consult a professional for installation.
Padlock does not fit or lock properly.	Incorrect padlock or obstruction in hasp.	Ensure you are using the provided padlock. Check the hasp for any debris or damage.

9. SPECIFICATIONS

Attribute	Detail
Material	3/4" 14 Gauge Channel Steel
Surface Finish	Powder-coated (Black)
Door Type	Single Folding Door
Collapsed Size (H x W)	50" x 4"
Expanded Size (H x W)	50" x 67"
Item Weight	19.84 lbs / 9 kg
Mounting Type	Wall Mount
Model Number	51.57" H x 66" W
UPC	197988716907, 768558092341

10. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the VEVOR official website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

For further assistance, visit: www.vevor.com

