

AUTOUTLET EFU031EUV

AUTOUTLET Wii to HDMI Converter EFU031EUV Instruction Manual

1. PRODUCT OVERVIEW

The AUTOUTLET Wii to HDMI adapter converter allows connection of your Nintendo Wii console to any HDMI compatible device, such as an HDTV or monitor. This converter provides high-definition video and audio output, enhancing your gaming and entertainment experience.

Key Features:

- **Seamless Wii Connection:** Connects your Wii to HDMI compatible devices for high-definition output.
- **Enhanced Audio/Video Quality:** Supports 720P or 1080P high-definition output with no transmission loss.
- **Integrated Audio Output:** Features a 3.5mm audio output port for external audio connections.
- **Universal Wii Display Mode Support:** Compatible with PAL 576i, NTSC 480i, and 480p display modes. Note: This device is not an upscaler.
- **Effortless Plug and Play:** Simple setup requiring only an HDMI cable; no external power adapter needed.

2. SETUP INSTRUCTIONS

Connecting the Converter:

1. Ensure your Nintendo Wii console and display device are powered off.
2. Insert the Wii connector end of the AUTOUTLET converter into the video output port on the back of your Wii console.
3. Connect an HDMI cable (not included) from the HDMI output port on the converter to an available HDMI input on your HDTV or monitor.
4. If external audio is desired, connect a 3.5mm audio cable (not included) from the 3.5mm audio jack on the converter to your audio system or headphones.
5. Power on your display device and select the correct HDMI input source.
6. Power on your Wii console. The blue indicator light on the converter will illuminate, indicating it is active.

CONVENIENT CONNECTION

Equipped with 20cm extension cord for wii interface and 3.5mm audio output port





Image: The AUTOUTLET Wii to HDMI Converter, highlighting its Wii interface, HDMI output, and 3.5mm audio output port for convenient connection.




Image: A visual representation of the plug-and-play setup, demonstrating how to connect the converter to the Wii console and then to an HDTV.

Wii Console Settings:

For optimal performance, it is recommended to adjust your Wii's display settings:

1. From the Wii Menu, select **Wii Options** (the round button on the bottom-left).
2. Select **Wii Settings**.
3. Navigate to **Screen**, then select **Widescreen Settings**.
4. Change the TV Resolution from **480i** to **480p**. This will provide a clearer image.

3. OPERATING INSTRUCTIONS

Once connected and configured, the AUTOUTLET Wii to HDMI Converter will automatically convert the Wii's analog video and audio signals into a digital HDMI format. The converter supports all standard Wii display modes, including NTSC 480i, 480p, and PAL 576i.

SUPPORTS ALL WII DISPLAY MODES



Plug and play



Clear image quality



Multi-Compatibility



Indicator light



Upgrade Chip



Image: This graphic confirms the converter's compatibility with all Wii display modes, including NTSC 480i, 480p, and PAL 576i.

Audio Output:

The converter outputs audio through the HDMI cable to your display. Additionally, the integrated 3.5mm audio jack allows for connection to external speakers, headphones, or an amplifier for a more immersive audio experience, independent of the HDMI audio.

EXCELLENT AUDIO/VIDEO QUALITY




Image: An illustration demonstrating the converter's ability to connect the Wii to different HDMI displays, ensuring excellent audio and video quality.

Indicator Light:

A blue indicator light on the converter signifies that the device is receiving power and functioning correctly.

Updated Design

It features an indicator light to show if the product is working properly.



Attention:

1. Not compatible with Nintendo Wii Mini which does not have a Wii interface.
2. The converter can only convert the signals in HDMI 1080P/720P format, but cannot increase the resolution of the image.

Image: The blue indicator light on the converter, which illuminates when the device is powered on and operating.

4. MAINTENANCE

The AUTOUTLET Wii to HDMI Converter requires minimal maintenance. To ensure longevity and optimal performance:

- Keep the device in a dry environment, away from moisture and extreme temperatures.
- Clean the exterior with a soft, dry cloth. Avoid using harsh chemicals or abrasive cleaners.
- Ensure all connections are secure and free from dust or debris.

5. TROUBLESHOOTING

No Signal or Poor Picture Quality:

- **Check Connections:** Ensure the converter is firmly plugged into the Wii console and the HDMI cable is securely connected to both the converter and the display.
- **Verify HDMI Input:** Confirm that your TV or monitor is set to the correct HDMI input source.
- **Adjust Wii Settings:** Go to your Wii's display settings and change the TV Resolution to 480p. This is crucial for a clear image.
- **Test with Another HDMI Cable:** A faulty HDMI cable can cause signal issues. Try a different HDMI cable if available.
- **Power Cycle:** Turn off and unplug both the Wii and the display, then plug them back in and power them on.

No Audio:

- **Check HDMI Audio:** Ensure your display's volume is up and not muted.
- **Verify 3.5mm Connection:** If using the 3.5mm audio jack, ensure the cable is fully inserted into both the converter and your external audio device. Check the volume and input selection on your external audio device.
- **Wii Audio Settings:** Confirm that the Wii's audio settings are correctly configured.

6. SPECIFICATIONS

Model Number	EFU031EUV
Brand	AUTOUTLET

Input	Wii AV Multi Out Plug
Output	HDMI, 3.5mm Audio Jack
Supported Wii Display Modes	NTSC 480i, 480p; PAL 576i
Output Resolution	720P / 1080P (based on Wii's output, not an upscaler)
Color	White
Item Weight	1.76 ounces
Package Dimensions	7.4 x 4.96 x 0.91 inches

WII TO HDMI CONVERTER




Image: Detailed dimensions of the Wii to HDMI converter, including its length and width.

7. IMPORTANT NOTICE

- This converter is **NOT compatible** with the Nintendo Wii Mini. The Wii Mini lacks the necessary Wii interface,

featuring only an AV interface.

- The converter processes signals into HDMI 1080P/720P format but does not upscale the image resolution beyond what the Wii console outputs (maximum 480p).

8. OFFICIAL PRODUCT VIDEOS

AUTOUTLET White Wii HDMI Converter - Sample Display

Video: This video demonstrates the AUTOUTLET White Wii HDMI Converter in action, showcasing its display capabilities and ease of use.

AUTOUTLET Wii HDMI Converter Wii Adapter White

Video: A detailed look at the AUTOUTLET Wii HDMI Converter, highlighting its features and how it connects to the Wii console.

AUTOUTLET Wii to HDMI Converter 1080P with 3.5mm Jack

Video: This video showcases the AUTOUTLET Wii to HDMI Converter, emphasizing its 1080P output capability and the convenience of the 3.5mm audio jack.

9. WARRANTY AND SUPPORT

AUTOUTLET is committed to providing quality products and customer satisfaction. This product is subject to a 30-day return/replacement policy. For any product-related inquiries, technical support, or warranty claims, please contact AUTOUTLET customer service through the platform where the product was purchased. We aim to respond to inquiries within 24 hours.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question