

[Manuals.plus](#) /

> [Jurmann Trade GmbH](#) /

> Jurmann Trade GmbH Aero Windscreen Wiper Set 500/500 mm Flat Bar Wiper Blades Set of 2 Pairs for Front

## Jurmann Trade GmbH jur.500/500

# Jurmann Trade GmbH Aero Windscreen Wiper Set

Model: jur.500/500

## 1. INTRODUCTION

---

This manual provides essential information for the installation, operation, and maintenance of your Jurmann Trade GmbH Aero Windscreen Wiper Set. This set includes two flat bar wiper blades, each 500mm in length, designed for the front windscreen of compatible vehicles.

The wiper blades feature a smooth-running Teflon coating, ensuring lubricant and streak-free performance. They are designed to be temperature and weather resistant, maintaining failure safety even at high speeds. Manufactured to the strict quality standard ISO 9001:2008 of the automotive industry.

### 1.1. Package Contents

- 1 set of Jurmann Trade GmbH Aero Windscreen Wiper Blades (2 blades)
- Multiple adapters (9 included) for broad vehicle compatibility



Image 1.1: Jurmann Trade GmbH Aero Windscreen Wiper Set. This image displays the two flat bar wiper blades included in the set, showcasing their design and length.

## 2. SAFETY INFORMATION

---

Please read all safety instructions before handling or installing the product. Failure to follow these instructions may result in injury or damage to the product or vehicle.

- Keep out of reach of small children. This product contains small parts that could be a choking hazard.
- Always ensure the vehicle's ignition is off and the wiper arms are in a safe, upright position before attempting installation or removal.
- Avoid touching the rubber blade surface with bare hands to prevent contamination that could lead to streaking.
- Dispose of old wiper blades responsibly according to local regulations.



Image 2.1: Safety Warning Symbol. This symbol indicates that the product or its components are not suitable for children aged 0-3 years, likely due to small parts or potential hazards.

## 3. INSTALLATION GUIDE

---

Proper installation is crucial for optimal performance and safety. The Jurmann Trade GmbH Aero Windscreen Wiper Set is designed for universal fit with 9 included adapters, primarily using a Pinch Tab mounting type.

### 3.1. Pre-Installation Checks

1. **Identify Wiper Arm Type:** Before assembly, carefully check the original windscreen wiper arm on your vehicle.
2. **Select Correct Adapter:** Choose the appropriate adapter from the included set that matches your vehicle's wiper arm. The set is compatible with 99% of common vehicle models.
3. **Clean Windscreen:** Ensure the windscreen is clean and free of dirt or debris before installation.

### 3.2. Installation Steps (Pinch Tab Type)

1. **Remove Old Wiper Blade:** Lift the wiper arm away from the windscreen. Locate the release tab or button on the old wiper blade where it connects to the arm. Press the tab and slide the old blade off the arm.
2. **Attach New Adapter (if necessary):** If your wiper arm requires a specific adapter not pre-attached to the new blade, securely attach the chosen adapter to the new wiper blade according to the adapter's instructions.
3. **Connect New Wiper Blade:** Align the new wiper blade (with the correct adapter attached) with the wiper arm. Slide the wiper arm into the adapter until it clicks securely into place. Gently pull on the blade to ensure it is firmly attached.
4. **Remove Protective Strip:** Carefully remove the protective strip from the rubber blade before lowering the wiper arm onto the windscreen.
5. **Test Fit:** Before starting the vehicle, manually move the wiper arms to check the correct fit and ensure they do not interfere with any other vehicle components.

*Note: If your vehicle uses a different mounting type, refer to your vehicle's owner's manual for specific instructions on removing the old blade and attaching the new one with the appropriate adapter.*

## 4. OPERATION

---

Once installed, your Jurmann Trade GmbH Aero Windscreen Wiper Blades operate automatically with your vehicle's wiper system. Activate your vehicle's windscreen wipers as needed for clear visibility during rain, snow, or when cleaning the windscreen.

- Ensure the windscreen is wet before operating wipers to prevent damage to the blades or windscreen.
- Avoid operating wipers on a dry windscreen for extended periods.

## 5. MAINTENANCE

---

Regular maintenance will extend the life and performance of your wiper blades.

- **Cleaning:** Periodically clean the rubber blades with a soft cloth or sponge and mild soap and water. Wipe along the length of the blade to remove dirt, grime, and road film.
- **Inspection:** Regularly inspect the rubber blades for cracks, tears, or hardening. Also, check for any signs of corrosion on the wiper arm or blade frame.
- **Fluid Check:** Ensure your vehicle's windscreen washer fluid reservoir is always adequately filled.

## 6. TROUBLESHOOTING

---

If you experience issues with your wiper blades, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Streaking or Smearing	Dirty blade, worn blade, contaminated windscreen.	Clean the blade and windscreen. If problem persists, inspect blade for wear and consider replacement.
Chattering or Skipping	Blade angle incorrect, dry windscreen, worn blade.	Ensure windscreen is wet. Check if wiper arm is bent or if blade is installed correctly. Replace if worn.
Noisy Operation	Dry windscreen, dirty blade, worn blade.	Ensure windscreen is wet. Clean blades. If noise persists, blades may need replacement.

## 7. SPECIFICATIONS

Attribute	Detail
Brand	Jurmann Trade GmbH
Model Number	jur.500/500
Blade Length (Driver's Side)	500 mm
Blade Length (Passenger Side)	500 mm
Material	Plastic, Natural rubber
Color	Black
Position	Front Windscreen
Mounting Type	Pinch Tab (with 9 universal adapters)
Item Weight	400 g
Manufacturer	Aero Scheibenwischer Jurmann

## 8. WARRANTY AND SUPPORT

Information regarding product warranty and customer support is not provided within this manual. For warranty details or technical assistance, please refer to the product packaging or contact Jurmann Trade GmbH directly through their official channels.

