

## nania 8056660335

# Nania RACER Isofix Car Seat Group 1/2/3 (9-36kg) Instruction Manual

**Brand:** Nania

**Model:** 8056660335

## 1. INTRODUCTION AND OVERVIEW

This manual provides essential information for the correct installation, use, and maintenance of your Nania RACER Isofix Car Seat. This car seat is designed for children weighing 9 to 36 kg (Group 1/2/3) and is approved according to ECE R44/04 safety standards. It features ISOFIX anchors, a Top Tether, a 5-point harness, and an adjustable headrest for optimal safety and comfort.

The Nania RACER car seat is manufactured and tested in France under strict regulatory conditions.

## 2. SAFETY INFORMATION

- Always read and understand this entire instruction manual before installing or using the car seat.
- This car seat is suitable for children from 9 kg to 36 kg.
- The car seat must always be installed in a forward-facing position.
- Ensure the car seat is securely fastened using both the ISOFIX anchors and the Top Tether strap.
- For children weighing 9-18 kg, the integrated 5-point harness must be used.
- For children weighing 15-36 kg, the 5-point harness should be removed, and the child secured with the vehicle's 3-point seat belt.
- Never leave a child unattended in the car seat.
- Do not modify the car seat in any way, as this may compromise its safety features.

## 3. SETUP AND INSTALLATION

The Nania RACER car seat is installed using the ISOFIX system and a Top Tether strap for maximum stability and safety.

### **3.1. ISOFIX Installation**

1. Locate the ISOFIX anchor points in your vehicle. These are typically found between the backrest and the seat cushion of the rear seats.
2. Extend the ISOFIX connectors from the base of the car seat by pressing the release buttons (if applicable) and pulling them out.
3. Align the ISOFIX connectors with the vehicle's anchor points and push the car seat firmly until you hear a distinct "click" on both sides. Check the indicators on the ISOFIX connectors; they should turn green to confirm correct engagement.
4. Push the car seat firmly against the vehicle's backrest to ensure a tight fit.



Image: Side view of the Nania RACER car seat, highlighting the ISOFIX connectors and the ECE R44/04 safety label.

### 3.2. Top Tether Connection

1. Locate the Top Tether anchor point in your vehicle. This is usually on the back of the vehicle seat or on the parcel shelf.
2. Pull the Top Tether strap from the top of the car seat and attach the hook to the vehicle's Top Tether anchor point.

3. Tighten the Top Tether strap firmly until the indicator on the strap (if present) shows it is correctly tensioned. This prevents forward rotation of the car seat in the event of a collision.



Image: Nania RACER car seat illustrating the adjustable headrest and icons indicating ISOFIX, Top Tether, and Side Protection features.

## 4. OPERATING INSTRUCTIONS

### 4.1. Securing the Child (9-18 kg) with 5-Point Harness

1. Place the child in the car seat.
2. Bring the two shoulder straps over the child's shoulders and connect the two buckle tongues into the central buckle until they click.
3. Pull the adjustment strap at the front of the car seat to tighten the harness. Ensure the harness is snug against the child's body, allowing only one finger to fit between the harness and the child's collarbone.
4. To loosen the harness, press the release button (usually located near the adjustment strap) and pull the shoulder straps forward.

**nania**  
MADE IN FRANCE





Image: Front view of the Nania RACER car seat, showing the 5-point harness system.

## 4.2. Headrest Adjustment

The headrest of the Nania RACER car seat is adjustable to 4 different height positions to accommodate your child's growth.

1. To adjust the headrest, locate the adjustment lever or button, typically at the top or back of the headrest.
2. Press the lever/button and simultaneously slide the headrest up or down to the desired position.
3. Release the lever/button and ensure the headrest locks securely into place. The shoulder straps of the harness should be at or just below the child's shoulders.

## 4.3. Transition to Booster Seat (15-36 kg)

When your child reaches approximately 15 kg (or 22 kg as per some guidelines) and is old enough (around 4 years), the 5-point harness can be removed, and the car seat used as a high-back booster with the vehicle's 3-point seat belt.

1. Carefully remove the 5-point harness according to the instructions provided in the car seat's full manual (usually involves unthreading and storing the straps).
2. Place the child in the car seat.
3. Route the vehicle's 3-point seat belt across the child and through the designated belt guides on the car seat (shoulder belt guide and lap belt guides).
4. Buckle the vehicle's seat belt and ensure it is tight and correctly positioned across the child's shoulder and hips, not on the neck or abdomen.

# RACER isofix



SIDE PROTECTION



Face à la route avec harnais  
Forward facing position with harness



Face à la route sans harnais  
Forward facing position without harness



Image: Visual guide demonstrating the Nania RACER car seat's adaptability for children in different weight ranges (9-18kg with harness, 15-25kg with harness, 22-36kg without harness).

## 5. MAINTENANCE

### 5.1. Cleaning Instructions

- **Fabric Covers:** The fabric covers are removable and can be hand washed. Refer to the care label on the fabric for specific temperature recommendations. Do not machine wash, tumble dry, iron, or dry clean, as this may damage the fabric or its fire-retardant properties.
- **Plastic Parts:** Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Harness Straps:** Wipe the harness straps with a damp cloth. Do not immerse the harness straps in water or use harsh chemicals, as this can weaken the material.

## 6. TROUBLESHOOTING

- **Car seat feels loose after installation:** Ensure both ISOFIX connectors are fully engaged (green indicators

visible) and the Top Tether strap is pulled taut. Push the car seat firmly into the vehicle's backrest.

- **Harness is difficult to tighten or loosen:** Check that the harness straps are not twisted or caught under the child or car seat components. Ensure the release button for loosening is fully pressed.
- **Headrest does not adjust:** Verify that the adjustment lever/button is fully engaged when attempting to move the headrest. Check for any obstructions.
- **Child is uncomfortable:** Ensure the headrest is adjusted to the correct height for the child's shoulders. Check that the harness is not too tight or too loose.

If you encounter persistent issues, please refer to the detailed troubleshooting section in the complete product manual or contact Nania customer support.

## 7. SPECIFICATIONS

| Feature                               | Specification           |
|---------------------------------------|-------------------------|
| Recommended Minimum Weight            | 9 Kilograms             |
| Maximum Supported Weight              | 36 Kilograms            |
| Composition                           | Polyester/Plastic       |
| Care Instructions                     | Hand wash               |
| Special Features                      | 5-point harness, ISOFIX |
| Number of Height Positions (Headrest) | 4                       |
| Orientation                           | Forward-facing          |
| Harness Type                          | 5 point                 |
| Manufacturer                          | TEAMTEX                 |
| Model Number                          | 8056660335              |
| Product Dimensions (L x W x H)        | 43 x 47 x 67 cm         |
| Item Weight                           | 5.86 Kilograms          |

# Racer Isofix



Image: Dimensions of the Nania RACER Isofix car seat, indicating height, width, depth, and weight.

## 8. WARRANTY AND SUPPORT

For warranty information, please refer to the specific warranty policy provided by Nania or the retailer at the time of purchase. Keep your proof of purchase for any warranty claims.

For further assistance, technical support, or to inquire about replacement parts, please contact Nania customer service through their official website or the contact information provided with your product packaging.