

Moen 84092SRN

Moen Ellicott 84092SRN 4-inch Lavatory Faucet Instruction Manual

Model: 84092SRN | Brand: Moen

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Ellicott 84092SRN 4-inch Lavatory Faucet. Please read all instructions carefully before beginning installation and retain this manual for future reference. Proper installation and care will ensure optimal performance and longevity of your faucet.

SAFETY INFORMATION

- Always turn off the main water supply before installing or servicing the faucet.
- Wear safety glasses and gloves during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all connections are secure to prevent leaks.

INCLUDED COMPONENTS

The Moen Ellicott 84092SRN faucet package includes the following:

- Moen Ellicott Lavatory Faucet Assembly
- Mounting Hardware
- Drain Assembly


Note: Supply lines are not included and must be purchased separately.

SETUP AND INSTALLATION

The Moen Ellicott 84092SRN faucet is designed for easy installation on 4-inch centerset, 3-hole sink configurations. Ensure your sink meets these requirements before proceeding.

1. Verify Sink Compatibility


This faucet is compatible with sinks featuring a three-hole configuration. The maximum deck thickness supported is 1.19 inches. The connection size for water supply lines is 1/2 inch.



A technical drawing of the Moen Ellicott faucet with key dimensions: spout reach of 5 inches and height of 7.7 inches. It also indicates a maximum deck thickness of 1.19 inches, 1/2 inch connection size, and suitability for 3-hole installation.

Will this faucet fit my sink?

This faucet fits a three hole configuration.



MOEN®

This diagram shows a standard bathroom sink with three pre-drilled holes, confirming the compatibility of the Moen Ellicott faucet with this common installation type.

2. Prepare for Installation

1. Turn off the water supply to the sink at the shut-off valves.
2. Clear the area under the sink for access.
3. Remove any existing faucet and clean the sink surface thoroughly.

3. Install the Faucet

1. Place the faucet assembly onto the sink deck, aligning the handles and spout with the three holes.
2. From underneath the sink, secure the faucet using the provided mounting hardware. Ensure the faucet is centered and tightened securely.
3. Connect the hot and cold water supply lines (not included) to the corresponding inlets on the faucet and to the shut-off valves. Hand-tighten, then use a wrench for a final quarter-turn. Do not overtighten.

4. Install the Drain Assembly

1. Follow the instructions provided with the drain assembly to install it into the sink drain hole. Ensure a watertight seal using plumber's putty or silicone sealant as directed.
2. Connect the drain assembly to your existing P-trap.

5. Test for Leaks

1. Slowly turn on the main water supply.
2. Check all connections for leaks. If leaks occur, tighten the connections slightly until they stop.
3. Operate the faucet handles to ensure proper water flow and temperature control.

OPERATING INSTRUCTIONS

The Moen Ellicott faucet features two lever handles for precise control over water temperature and flow.

Temperature Control

The two-handle lever design allows for easy adjustment of water temperature. Turn the left handle for hot water and the right handle for cold water. Adjust both handles to achieve your desired water temperature.

Water Flow

The faucet provides an aerated flow, which is suitable for everyday bathroom tasks such as washing hands and brushing teeth.



The Moen Ellicott faucet is shown installed on a bathroom vanity, with water actively flowing from the spout into the sink, demonstrating its functional use.

MAINTENANCE

Regular cleaning and maintenance will help preserve the finish and functionality of your Moen Ellicott faucet.

Cleaning the Finish

The Moen Ellicott 84092SRN features a Spot Resist brushed nickel finish, designed to resist fingerprints and water spots. To maintain its appearance:

- Clean with a soft, damp cloth.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Wipe the faucet dry after each use to prevent water spot buildup.



Spot Resist™ Finish

Keep your faucet looking cleaner with a finish that resists fingerprints and water spots.

This image illustrates the effectiveness of Moen's Spot Resist brushed nickel finish, showing a clean surface on the left compared to a surface with visible water spots and fingerprints on the right.

Aerator Cleaning

If water flow decreases, the aerator may be clogged with debris. To clean:

1. Unscrew the aerator from the end of the spout.

- 2. Rinse any debris from the aerator screen.
- 3. Reassemble the aerator and screw it back onto the spout.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low water flow	Clogged aerator; partially closed shut-off valves	Clean aerator (see Maintenance); fully open shut-off valves.
Leaks at connections	Loose connections; worn washers/gaskets	Tighten connections; replace washers/gaskets if necessary.
Water temperature issues	Incorrect handle adjustment; water heater issues	Adjust hot/cold handles; check water heater settings.

SPECIFICATIONS

- **Brand:** Moen
- **Model Name:** Ellicott
- **Part Number:** 84092SRN
- **Finish Type:** Spot Resist Brushed Nickel
- **Material:** Metal (Brass handle material)
- **Mounting Type:** Deck Mount
- **Number of Handles:** 2
- **Hole Count:** 3
- **Installation Type:** Centerset
- **Maximum Flow Rate:** 1.5 Gallons Per Minute
- **Spout Height:** 7.75 Inches
- **Spout Reach:** 5 Inches
- **Product Dimensions:** 11.3 x 9.7 x 5.9 inches
- **Item Weight:** 3.65 pounds

WARRANTY INFORMATION

The Moen Ellicott 84092SRN Lavatory Faucet is backed by Moen's Limited Lifetime Warranty. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser. For full details regarding warranty coverage and claims, please refer to the official Moen website or contact Moen customer support.

CUSTOMER SUPPORT

For technical assistance, replacement parts, or warranty inquiries, please contact Moen customer service. Contact information can typically be found on the official Moen website or on the product packaging.

OFFICIAL MOEN BRAND VIDEO

This official brand video from Moen highlights the company's commitment to water experiences, featuring various faucet and shower

designs in different settings. It emphasizes Moen's role as a leading water solutions provider.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question