NEBO FRANKLIN Dual Work Light Flashlight (NEB-WLT-0022)

NEBO FRANKLIN Dual Work Light Flashlight Instruction Manual

Model: FRANKLIN Dual Work Light Flashlight (NEB-WLT-0022)

1. Introduction

Thank you for choosing the NEBO FRANKLIN Dual Work Light Flashlight. This versatile device combines a powerful flashlight with a functional work light, designed for various tasks and environments. This manual provides essential information for the safe and effective use of your product.

2. Product Overview

2.1 Key Features

- **Dual Light Modes:** Combines a powerful flashlight and an ARCUS COB LED work light.
- **High Brightness:** Flashlight beam up to 500 Lumens, reaching up to 89 meters.
- **Rechargeable:** Integrated Lithium-Ion battery with Micro-USB charging.
- **Long Operation:** Up to 24 hours of use on a single charge (depending on mode).
- **Magnetic Base:** For hands-free operation on metallic surfaces.
- **Retractable Clip:** For convenient carrying and attachment.
- **Durable Construction:** Made from aluminum with a water-resistant design.

2.2 Components

The NEBO FRANKLIN Dual Work Light Flashlight package includes:

- NEBO FRANKLIN Dual Work Light Flashlight unit
- Rechargeable Lithium-Ion battery (pre-installed)
- Micro-USB charging cable





Image 1: The NEBO FRANKLIN Dual Work Light Flashlight, showcasing its sleek design and integrated work light panel.

3. Setup

3.1 Initial Charging

Before first use, fully charge the flashlight. The battery is pre-installed.

1. Locate the Micro-USB charging port on the flashlight. It is typically covered by a rubber flap for water resistance.
2. Open the rubber flap and insert the small end of the included Micro-USB cable into the charging port.
3. Connect the larger end of the Micro-USB cable to a standard USB power source (e.g., computer USB port, wall adapter, power bank).
4. The charging indicator light will illuminate (typically red) to show charging is in progress.
5. Once fully charged, the indicator light will change color (typically green or blue) or turn off. Disconnect the cable and securely close the rubber flap to maintain water resistance.



Image 2: The Micro-USB charging port with the cable connected, showing the charging indicator light.

4. Operating Instructions

4.1 Power Button and Mode Selection

The flashlight features a single power button to control all light modes. Press the button to cycle through the available modes:

1. **Press 1:** Flashlight (High)
2. **Press 2:** Flashlight (Low)
3. **Press 3:** Work Light (High)
4. **Press 4:** Work Light (Low)
5. **Press 5:** Red Light (Steady)
6. **Press 6:** Red Light (Flashing)
7. **Press 7:** Off

To turn off the light from any mode, press and hold the power button for approximately 2 seconds, or cycle through all modes until it turns off.



Image 3: A person using the flashlight mode of the NEBO FRANKLIN, illuminating a path in the dark.

4.2 Magnetic Base

The integrated magnetic base allows for hands-free operation. Simply attach the base to any ferrous metal surface. This is ideal for automotive repairs, workshop tasks, or any situation requiring directed light without holding the device.



Image 4: The NEBO FRANKLIN attached to a car fender via its magnetic base, demonstrating hands-free use during a repair.

4.3 Retractable Clip

Utilize the retractable clip to secure the flashlight to pockets, belts, or other gear for easy access and portability.

5. Maintenance

5.1 Charging

Recharge the flashlight when the light output diminishes or when the charging indicator signals low battery. Always use the provided Micro-USB cable or a certified equivalent. Ensure the charging port flap is securely closed after charging to maintain water resistance.

5.2 Cleaning

Wipe the flashlight with a soft, damp cloth to remove dirt and debris. Do not use abrasive cleaners or solvents, as these may damage the finish or internal components.

5.3 Battery Care

The integrated Lithium-Ion battery is designed for long life. For optimal performance, avoid fully discharging the battery frequently. Store the flashlight in a cool, dry place when not in use for extended periods, and recharge it periodically (every 3-6 months) to prevent deep discharge.

5.4 Water Resistance

The NEBO FRANKLIN is water-resistant, meaning it can withstand splashes and light rain. It is**not** designed for submersion. Always ensure the charging port cover is fully sealed to maintain water resistance.

6. Troubleshooting

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted.	Charge the flashlight fully using the Micro-USB cable.
Light output is dim.	Low battery charge.	Recharge the flashlight.
Flashlight not charging.	Faulty cable or power source; charging port obstruction.	Try a different Micro-USB cable or USB power source. Ensure the charging port is clean and free of debris. Check if the charging port cover is damaged or missing, which could affect connection.
Charging port cover is loose or detached.	Wear and tear; manufacturing defect.	Contact NEBO customer support for assistance. Continued use with a compromised cover may affect water resistance.

7. Specifications

Feature	Detail
Model Name	FRANKLIN Dual Work Light Flashlight
Part Number	NEB-WLT-0022
UPC	645397937586
Brand	NEBO
Light Source Type	LED
White Brightness (Max)	500 Lumens (Flashlight)
Power Source	Battery Powered
Battery Type	1 x Lithium Ion (included)
Material	Aluminum
Color	Storm Gray
Water Resistance Level	Water Resistant

Feature	Detail
Mounting Type	Clip-on
Item Dimensions (LxWxH)	2.3 x 11.9 x 4.8 inches
Package Weight	0.3 Kilograms
Manufacturer	Alliance Consumer Group

8. Warranty and Support

8.1 Warranty Information

The NEBO FRANKLIN Dual Work Light Flashlight comes with a**1-year limited warranty** from the date of purchase. This warranty covers manufacturing defects in materials and workmanship. It does not cover damage caused by misuse, accident, unauthorized modification, or normal wear and tear.
For detailed warranty terms and conditions, please refer to the official NEBO website or contact customer support.

8.2 Customer Support

If you encounter any issues or have questions regarding your NEBO FRANKLIN Dual Work Light Flashlight, please contact NEBO customer support. You can find contact information and additional resources on the official NEBO website: www.nebo.acgbrands.com

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question