## LUFEIDRA LBS06

# LUFEIDRA Handheld Bidet Sprayer Instruction Manual

Model: LBS06 | Brand: LUFEIDRA

## Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your LUFEIDRA Handheld Bidet Sprayer. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

## Package Contents

Verify that all components are present before beginning installation:

- 1 x Handheld Bidet Sprayer
- 1 x Plumber Tape
- 1 x 7/8 inch T-Valve
- 1 x Hook Holder
- 1 x Stainless Steel Hose




Figure 1: All components included in the LUFEIDRA Handheld Bidet Sprayer package.

## Setup and Installation

The LUFEIDRA Handheld Bidet Sprayer offers two primary installation options: toilet tank mounting or wall mounting. Installation typically takes approximately 10 minutes.

### Installation Options

- **Toilet Tank Mounted:** This option does not require drilling. The hook holder attaches directly to the toilet tank.
- **Wall Mounted:** This option requires drilling to secure the hook holder to the wall.




Figure 2: Illustration of the two available mounting options for the bidet sprayer.

## Key Components for Installation

The upgraded nylon 7/8" T-valve is designed for easy, tool-free tightening by hand, minimizing water leakage and ensuring a secure fit with plastic toilet tank connectors.




Figure 3: Detailed view of the upgraded nylon T-valve, emphasizing its design for easy installation and leak prevention.

The 47-inch stainless steel hose features an EPDM inner tube and O-ring for anti-explosion and flexible, durable performance.




Figure 4: Construction details of the premium stainless steel hose, highlighting its durability and flexibility.

## Installation Steps (General)

1. Turn off the water supply to your toilet.
2. Flush the toilet to empty the tank.
3. Disconnect the existing water supply hose from the toilet tank.
4. Install the 7/8 inch T-valve between the toilet tank and the water supply hose. Ensure the plastic nut is hand-tightened securely.

5. Connect the stainless steel bidet hose to the T-valve.
6. Attach the hook holder to either the toilet tank (slide under the lid) or the wall (using screws, if applicable).
7. Hang the bidet sprayer on the hook holder.
8. Slowly turn on the water supply and check for any leaks.

***Important Note:*** *Remember to close the T-valve after each use for maximum leak prevention. This product is not suitable for toilets without a T-valve inlet flush tank.*




Figure 5: Connection diagram for the bidet sprayer, illustrating the T-valve and shut-off mechanism.

## Operating Instructions

The LUFEIDRA Handheld Bidet Sprayer features adjustable water pressure to suit various cleaning needs.

### Adjusting Water Pressure

The sprayer offers two hydraulic modes: an effective jet spray and a gentle soft spray. Water pressure is adjusted by how much you press the trigger on the sprayer head.

- **Gentle Soft Spray:** Lightly press the trigger for a softer stream, ideal for personal hygiene or delicate cleaning tasks.
- **Effective Jet Spray:** Fully press the trigger for a stronger, more concentrated stream, suitable for tougher cleaning or rinsing.




Figure 6: The bidet sprayer demonstrating its adjustable water pressure feature.




Figure 7: Soft spray mode for gentle cleaning.





Figure 8: Jet spray mode for powerful rinsing.

## Maintenance

Regular cleaning of your bidet sprayer will ensure optimal performance and hygiene. The sprayer is crafted with premium 304 stainless steel for durability and smooth edges.

### Cleaning the Sprayer Nozzle

Over time, mineral deposits or impurities may accumulate on the sprayer nozzle. Regular cleaning is advised for a great sprayer experience.

Your browser does not support the video tag.

Video 1: LUFEIDRA Bidet Sprayer Cleaning Tips. This video demonstrates how to disassemble and clean the sprayer nozzle to remove

impurities and maintain water flow.

1. Turn off the water supply to the bidet sprayer.
2. Loosen the nozzle by turning it counter-clockwise. If it's hard to turn, gently tap it with a smooth tool several times.
3. Carefully remove the O-ring gasket and plastic nozzle part from the nozzle housing.
4. Soak the plastic nozzle and O-ring gasket in a 1:1 solution of white vinegar and water for 1-2 hours to dissolve mineral deposits.
5. Rinse the parts under warm water. Use a soft brush to gently rub away any remaining sediments if necessary.
6. Reassemble the plastic nozzle, O-ring gasket, and nozzle housing. Turn clockwise to tighten.
7. Turn on the water supply and check for proper water flow and no leaks.

## Troubleshooting

| Problem | Possible Cause | Solution |
|---|---|---|
| Water Leakage | Loose connections, worn O-rings, T-valve not fully closed. | Check all connections and tighten them. Ensure T-valve is fully closed after use. Inspect O-rings for damage and replace if necessary. |
| Low Water Pressure | Partially closed T-valve, clogged nozzle, low household water pressure. | Ensure T-valve is fully open. Clean the sprayer nozzle as described in the Maintenance section. Consult a plumber if household water pressure is consistently low. |
| Sprayer Not Working | Water supply off, T-valve closed, hose kinked. | Check if the main water supply to the toilet is on. Ensure the T-valve is open. Straighten any kinks in the hose. |

## Specifications

**Brand:** LUFEIDRA

**Model Name:** LBS06

**Material:** Stainless Steel (Sprayer, Hose), Brass (T-Valve)

**Finish Type:** Brushed Nickel Stainless Steel

**Mounting Type:** Wall or Toilet Mount

**Hose Length:** 47 Inches

**T-Valve Type:** 7/8" T-valve (Nylon nut)

**Product Dimensions:** 1"D x 2.14"W x 4.76"H (Sprayer)

**Item Weight:** 1.32 pounds

**Special Features:** Adjustable water pressure, multiple spray patterns, easy installation, hygiene, environmentally friendly.

## Warranty and Support

LUFEIDRA provides professional assistance for any questions or missing parts. For warranty information or technical support, please refer to the contact details provided with your product packaging or visit the official LUFEIDRA website. For further assistance, you may contact LUFEIDRA customer service directly.


### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**