

Sensor Brite Slim Beam+ TRISALES-103303

Sensor Brite Slim Beam+ Rechargeable Under Cabinet LED Light Manual

Model: TRISALES-103303 | Brand: Sensor Brite

INTRODUCTION

Thank you for choosing the Sensor Brite Slim Beam+ Rechargeable Under Cabinet LED Light. This manual provides essential information for the safe and efficient operation of your new light. Please read these instructions thoroughly before use and retain them for future reference.

PRODUCT FEATURES

- **Magnetic Mounting:** Offers both magnetic and traditional peel-and-stick tape mounting options for versatile, tool-free installation and easy repositioning.
- **Slim Design:** Engineered to fit in narrow spaces, providing illumination where traditional lights may not reach.
- **Multipurpose Functionality:** Ideal for illuminating countertops, cabinets, cupboards, drawers, pantries, closets, shelves, under sinks, and other areas.
- **Motion Sensor:** Automatically detects motion to activate the light, enhancing convenience and energy efficiency.
- **Rechargeable Battery:** Features a USB-C rechargeable Lithium Polymer battery, providing up to 600 on/off cycles in motion sensor mode per charge.
- **Three Light Modes:** Select between Cool White (5000K-6000K), Soft White (2500K-3500K), and Blended White (3500K-4500K) to suit your preference.
- **Brightness:** Delivers 100 lumens of bright LED light.

**72
LED's
Inside**

**USB
RECHARGEABLE**

Place them under counters, in closets, stairs,
inside cabinets, bathrooms, hallways and more.

**SELECT
3
LIGHT
MODES**

Cool White
(5000K-6000K)

Soft White
(2500K-3500K)

Blended White
(3500K-4500K)

Image: The Sensor Brite Slim Beam+ light, highlighting its rechargeable nature and selectable light modes.

PACKAGE CONTENTS

Please check the package for the following items:

- Sensor Brite Slim Beam+ LED Light Unit
- USB-C Charging Cable
- Magnetic Mounting Strips with Adhesive Tape
- Instruction Manual

SETUP AND INSTALLATION

The Slim Beam+ light offers flexible, tool-free installation.

1. **Choose Location:** Select a clean, dry, and flat surface for mounting, such as under a cabinet, inside a closet, or on a shelf.

2. **Prepare Surface:** Ensure the surface is free of dust and grease for optimal adhesive performance.
3. **Attach Magnetic Strips:** Peel the protective backing from the adhesive side of the magnetic mounting strips. Firmly press the strips onto your chosen surface.
4. **Mount Light:** The Slim Beam+ light unit has built-in magnets. Simply attach the light unit to the mounted magnetic strips. This allows for easy removal for charging or repositioning.



Image: No Tools Installation - Demonstrates the simple magnetic mounting.



Image: Attach Anywhere - Example of the light installed under a cabinet.

OPERATING INSTRUCTIONS

The Slim Beam+ features a multi-function switch and a motion sensor for convenient operation.

Switch Settings:


- **AUTO Mode:** In this mode, the light automatically turns on when motion is detected in a dark or low-light area. It will automatically turn off after approximately 20 seconds of no motion to conserve battery. The motion sensor has a range of up to 10 feet and a 120-degree detection angle.
- **OFF Mode:** Turns the light off completely.
- **ON Mode:** The light will stay on continuously until you manually switch it off.

SLIMBEAM®

USB RECHARGEABLE



USB Charging
Cable Type C
(Included)



WIRELESS



Image: Product diagram detailing features like motion sensor range and switch settings.



20 seconds auto shut off to prolong battery

Switch Settings:

Auto - light automatically comes on in dark or low light area when motion is detected. Automatically turns off after 20 seconds to conserve battery

Off - turns light off completely

On - the light will stay on until you shut it off

Image: Explanation of the 20-second auto shut-off feature in AUTO mode.

CHARGING

The Slim Beam+ is equipped with a quick-charging Lithium Polymer battery.

1. Locate the USB-C charging port on the side of the light unit.
2. Connect the provided USB-C charging cable to the light and plug the other end into a standard USB power adapter (not included) or a computer USB port.
3. The light will indicate charging status (e.g., an indicator light will change color).
4. A full charge provides approximately 600 on/off activations when used in motion sensor mode.

Note: Avoid using the light while it is charging to ensure optimal battery life.

LIGHT MODES AND COLOR SELECTION

The Slim Beam+ allows you to choose between three distinct light color temperatures to match your environment or preference.

- **Cool White:** (5000K-6000K) - A bright, crisp white light, ideal for task lighting.
- **Soft White:** (2500K-3500K) - A warmer, more inviting light, suitable for ambient illumination.
- **Blended White:** (3500K-4500K) - A balanced white light, offering a mix of cool and warm tones.

To change the light mode, locate the color selection switch on the light unit and slide it to your desired setting.




Image: Visual representation of the three selectable light modes.

MAINTENANCE

- **Cleaning:** Wipe the light unit with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Battery Care:** For optimal battery life, avoid fully discharging the battery frequently. Recharge the light when brightness diminishes.
- **Storage:** If storing the light for an extended period, charge it fully every 3-6 months to prevent battery degradation.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted. Incorrect switch setting. Insufficient darkness (in AUTO mode).	Charge the light fully. Ensure switch is in ON or AUTO position. Test in a darker environment.
Light turns off too quickly (20 seconds).	Operating in AUTO mode.	This is a normal function of AUTO mode to conserve battery. If continuous light is needed, switch to ON mode.
Motion sensor is not detecting movement.	Obstruction blocking sensor. Sensor range exceeded. Light is in a well-lit area (in AUTO mode).	Ensure sensor is clear. Move closer to the light. Test in a darker area or switch to ON mode.
Light is dim or flickering.	Low battery.	Recharge the light.

SPECIFICATIONS

- **Model:** TRISALES-103303

- **Brand:** Sensor Brite
- **Dimensions (L x W x H):** 9.25" x 0.9" x 1.5"
- **Weight:** 4.48 ounces
- **Power Source:** Battery Powered (USB-C Rechargeable Lithium Polymer)
- **Light Source:** LED
- **Brightness:** 100 lumens
- **Color Temperature:** Cool White (5000K-6000K), Soft White (2500K-3500K), Blended White (3500K-4500K)
- **Voltage:** 3.7 volts
- **Wattage:** 3.7 watt-hours
- **Control Method:** Manual Switch, Motion Sensor
- **Mounting Type:** Magnetic Mount, Adhesive Tape
- **Material:** Glass (Light fixture form), Plastic (Shade Material)
- **Indoor/Outdoor Usage:** Indoor
- **GTIN/UPC:** 850014381226

OFFICIAL PRODUCT VIDEO

Your browser does not support the video tag.

Video: An official product video from Sensor Brite demonstrating the features and use cases of the Slim Beam+ LED light.

WARRANTY AND SUPPORT

This product comes with a manufacturer's warranty. For detailed warranty information, claims, or technical support, please refer to the warranty card included in your package or contact Sensor Brite customer service directly.

Manufacturer: Trendstar Corporation

© 2023 Sensor Brite. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question