

Hot Wheels GYX11

Hot Wheels Roll Out Raceway Track Set Instruction Manual

Model: GYX11

INTRODUCTION

The Hot Wheels Roll Out Raceway is a versatile play set designed for racing and convenient storage of Hot Wheels vehicles. This manual provides comprehensive instructions for setting up, operating, maintaining, and troubleshooting your track set.

PRODUCT COMPONENTS

The Hot Wheels Roll Out Raceway Track Set includes the following components:

- 1 Hot Wheels Roll Out Raceway Track Set (collapsible unit)
- 1 Fair Starter Mechanism
- 1 Finish Line with Winner Indicator
- 1 1:64 Scale Hot Wheels Vehicle
- Integrated Carrying Handle

SETUP INSTRUCTIONS

Follow these steps to set up your Hot Wheels Roll Out Raceway:

1. **Unfold the Raceway:** Place the compact raceway unit on a flat, stable surface. Gently pull the blue section away from the orange track sections. The track will begin to unroll.



Image: The Hot Wheels Roll Out Raceway in its partially unrolled state, revealing the orange track segments.

2. **Extend the Track:** Continue unrolling the track until it is fully extended and lies flat. Ensure all segments are securely connected.



Image: The Hot Wheels Roll Out Raceway fully extended, ready for racing.

3. **Position the Starting Gate:** The grey hexagonal base acts as the starting ramp. Ensure it is stable and elevated to provide the necessary incline for the cars.
4. **Prepare the Finish Line:** The blue section at the end of the track is the finish line, featuring numbered flags that indicate the winning lane. Ensure these flags are reset to their upright position before each race.

For a visual guide on setting up the raceway, please watch the following video:

Your browser does not support the video tag.

Video: Demonstration of the Hot Wheels Roll Out Raceway Track Set setup and features.

OPERATING INSTRUCTIONS

To begin racing with your Hot Wheels Roll Out Raceway:

1. **Place Vehicles:** Position up to five 1:64 scale Hot Wheels vehicles on the starting lanes at the top of the ramp. Ensure each car is aligned with its respective lane.



Image: Placing cars on the starting grid of the Hot Wheels Roll Out Raceway.

2. **Launch the Race:** Push the yellow lever located at the top of the starting gate forward. This will simultaneously release all five cars for a fair start.



Image: Hot Wheels cars in motion on the multi-lane track.

3. **Identify the Winner:** The first car to cross the finish line will trigger its corresponding numbered flag to pop up, clearly indicating the winner of the race.



Image: The finish line mechanism showing the winning lane.

4. **Reset for Next Race:** Push down all raised numbered flags at the finish line to reset the mechanism for the next race.

STORAGE AND PORTABILITY

The Hot Wheels Roll Out Raceway is designed for easy storage and transport:

1. **Collapse the Track:** Gently push the blue finish line section towards the grey hexagonal base. The orange track segments will fold and stack neatly into a compact unit. Ensure all segments are properly aligned during collapse.



Image: The Hot Wheels Roll Out Raceway in its compact storage mode.

2. **Store Vehicles:** The collapsed unit doubles as a storage container. Open the top section of the hexagonal base to reveal a compartment capable of holding up to 80 die-cast vehicles.



Image: Hot Wheels cars stored within the raceway's internal compartment.

3. **Use the Carrying Handle:** The integrated yellow handle on top of the collapsed unit allows for easy portability, making it convenient to transport the track and cars.



MAINTENANCE

To ensure the longevity and optimal performance of your Hot Wheels Roll Out Raceway:

- **Cleaning:** Wipe the track and components with a damp cloth as needed. Avoid using harsh chemicals or abrasive cleaners.
- **Storage:** Store the raceway in a cool, dry place away from direct sunlight and extreme temperatures.
- **Safety:** Keep the product away from open flames or heat sources.

TROUBLESHOOTING

If you encounter any issues with your Hot Wheels Roll Out Raceway, refer to the following common solutions:

- **Cars not launching smoothly:** Ensure the yellow launch lever is fully pushed forward. Check that cars are properly seated in their lanes and not obstructed.
- **Track not unrolling/collapsing properly:** Verify that no debris is caught between the track segments. Apply gentle, even pressure when unrolling or collapsing.
- **Winner indicator not working:** Ensure the numbered flags at the finish line are fully reset before each race. Check for any obstructions preventing the flags from popping up.

SPECIFICATIONS

| Feature | Detail |
|----------------------|---|
| Product Dimensions | 91.34 x 79.92 x 88.68 inches (unrolled) |
| Item Weight | 1.79 pounds |
| Model Number | GYX11 |
| Number of Pieces | 2 (main unit, 1 car) |
| Assembly Required | Yes (minimal, for initial setup) |
| Assembly Time | Approximately 5 Minutes |
| Batteries Required | No |
| Car Storage Capacity | Up to 80 die-cast vehicles |

WARRANTY AND SUPPORT

This Hot Wheels product comes with a **2-year guarantee** from the manufacturer, Mattel. For further support, product inquiries, or to view other Hot Wheels products, please visit the official [Hot Wheels Store on Amazon](#).

