

[Manuals.plus](#) /

› [Topeakmart](#) /

› Topeakmart Twin Size Classic Metal Bed Frame Instruction Manual

Topeakmart B09125WSG7

Topeakmart Twin Size Classic Metal Bed Frame Instruction Manual

Model: B09125WSG7

INTRODUCTION

Thank you for choosing the Topeakmart Twin Size Classic Metal Bed Frame. This manual provides essential information for the safe assembly, operation, and maintenance of your new bed frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

SAFETY INFORMATION

- **Weight Capacity:** Do not load more than 300 pounds on the bed frame. Exceeding this limit may cause structural damage and injury.
- **Sharp Edges:** Be cautious of sharp edges during assembly and use. Wear protective gloves if necessary.
- **Assembly:** Ensure all parts are correctly aligned and securely fastened before use. Do not overtighten screws.
- **Children:** Keep small parts away from children during assembly. This product is not intended for use by children without adult supervision.
- **Placement:** Place the bed frame on a flat, stable surface. Avoid placing it near heat sources or in damp environments.

PACKAGE CONTENTS

Please verify that all components are present before starting assembly. Refer to your package for a complete list of parts and hardware. If any parts are missing or damaged, please contact customer support.



Figure 1: Product Dimensions and Weight Capacity. This diagram illustrates the overall dimensions of the Twin Size bed frame (77.5"L x 41"W x 35"H), under-bed clearance (12.6 inches), and maximum weight capacity (350 lbs).

SETUP AND ASSEMBLY

Assembly typically requires two adults and takes approximately 20-60 minutes. Follow the steps below carefully.

1. **Prepare the Area:** Clear a spacious area for assembly. Lay out all parts and hardware on a soft, clean surface to prevent scratches.
2. **Assemble the Headboard and Footboard:** Attach the decorative elements to the headboard and footboard sections. Ensure all connections are snug but do not fully tighten bolts yet.
3. **Connect Side Rails:** Attach the side rails to the headboard and footboard. Use the provided L-shaped plates for enhanced stability.



Figure 2: L-shaped plates ensure a stable structure.

4. **Install Support Slats:** Place the metal slats across the frame. Ensure each slat is properly seated in its designated notch.



Figure 3: Proper installation of metal slats.



Figure 4: Detail of the metal slat support system.

5. **Final Tightening:** Once all components are in place and aligned, gradually tighten all bolts and screws using the provided tool. Ensure all connections are secure.
6. **Add Mattress:** Place your twin-size mattress directly onto the assembled slat system. No box spring is required. The built-in slats are designed to prevent mattress sliding.




Figure 5: Built-in slats prevent mattress movement.

OPERATING AND USAGE

The Topeakmart Twin Size Classic Metal Bed Frame is designed for direct mattress placement, eliminating the need for a box spring. Its sturdy metal construction provides reliable support.

- **Mattress Compatibility:** This frame is compatible with standard US twin mattresses (75" L x 39" W), including memory foam, latex, hybrid, or spring types.
- **Under-Bed Storage:** The frame offers 12.6 inches of clearance, providing ample space for storage boxes, cases, or other items.



Figure 6: Under-bed storage space.

- **Headboard and Footboard:** The elegant headboard and footboard feature a classic scroll design, adding aesthetic appeal while preventing the mattress from sliding.

MAINTENANCE

To ensure the longevity and appearance of your bed frame, follow these maintenance guidelines:

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish.
- **Regular Inspection:** Periodically check all bolts and connections to ensure they remain tight. Retighten if necessary to maintain stability and prevent squeaking.
- **Avoid Excessive Moisture:** Keep the bed frame in a dry environment to prevent rust or corrosion.

TROUBLESHOOTING

If you encounter any issues with your Topeakmart bed frame, refer to the following common solutions:

- **Squeaking Noises:** If the frame makes noise, check all bolts and connections. Loosen slightly, adjust the frame, and then retighten firmly. Ensure the mattress is properly seated on the slats.
- **Unstable Frame:** Verify that all L-shaped plates are correctly installed and all bolts are fully tightened. Ensure the frame is on a level surface.
- **Mattress Sliding:** The built-in slats are designed to prevent sliding. Ensure the mattress is centered and fully supported by the slats.

SPECIFICATIONS

Brand	Topeakmart
Model	B09125WSG7
Size	Twin
Product Dimensions	77.5"L x 41"W x 35"H
Compatible Mattress Size	75" L x 39" W
Material	Iron
Color	Black
Finish Type	Powder Coated
Maximum Weight Capacity	300 lbs (136 kg)
Ground to Item Distance	12.6 Inches
Assembly Required	Yes

WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or visit the official Topeakmart website. If you have any questions or require assistance, do not hesitate to contact our customer service team.

© 2024 Topeakmart. All rights reserved.
For more products and information, visit [Topeakmart Store](#).