

Persilux A216-1-24

Persilux Cordless Zebra Blinds Instruction Manual

Model: A216-1-24 | Brand: Persilux

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Persilux Cordless Zebra Blinds. These dual-layer window shades offer versatile light control and privacy, combining sheer and solid fabric panels. The cordless design ensures ease of use and enhanced safety.

2. SAFETY INFORMATION

Your Persilux Cordless Zebra Blinds are certified **Best for Kids**, ensuring a safe environment for children and pets by eliminating hazardous cords. The free-stop mechanism allows for easy adjustment without the need for external cords, reducing entanglement risks.

3. PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- Zebra Blind Unit
- Installation Guide (this document)
- Installation Hardware (brackets, screws, anchors)

4. MEASURING YOUR WINDOW

Accurate measurements are crucial for proper fit and function. Please follow these guidelines:

General Considerations:

- Measure the width and height of your window opening in at least three different places (top, middle, bottom).
- Use the smallest measurement for width and the largest for height to ensure a proper fit.

Inside Mount:

For blinds mounted inside the window frame:

- **Blind Width:** Equal to the exact window width.
- **Blind Height:** Equal to the exact window height (up to 72 inches).
- Ensure your window depth is at least 3 inches for proper clearance.
- *Note: The fabric width will be approximately 0.8 inches narrower than the total blind width.*

Outside Mount:

For blinds mounted outside the window frame:

- **Blind Width:** Add at least 4 inches to the window width to ensure adequate coverage and light blockage.
- **Blind Height:** Equal to the exact window height (up to 72 inches).




Figure 1: Guide on how to measure your window for accurate blind sizing.

How to choose a correct size to fit?

INSIDE MOUNT



Width: Blind Width= Window Width
Height: $0 \leq \text{Window Height} \leq 72$ inches
Window Depth(D) ≥ 3 "

Example your window meas 23" width by less than 72" Height and you choose inside mount.

Blind Width=23"
Blind Height=72"

OUTSIDE MOUNT



Width: Blind Width=Window Width+4 inches(or more)
Height: Window Height ≤ 72 inches

Example your window meas 23" width by less than 72" Height and you choose outside mount.

Blind Width=23"+4";
Blind Height=72"

Figure 2: Visual guide for choosing between inside and outside mount measurements.

5. INSTALLATION GUIDE

Follow these steps to install your Persilux Cordless Zebra Blinds:

Tools Required:

- Measuring Tape
- Pencil
- Drill
- Screwdriver
- Level

Step-by-Step Installation:

1. **Mark Bracket Positions:** Using your measurements, mark the positions for the installation brackets. Ensure they are level and evenly spaced.
2. **Drill Pilot Holes:** Drill pilot holes at the marked positions. If installing into drywall, insert the provided anchors.
3. **Secure Brackets:** Attach the installation brackets using the provided screws. Ensure they are firmly

secured.

4. **Install the Shade:** Align the headrail of the zebra blind with the installed brackets. Push the headrail firmly into the brackets until it clicks securely into place.
5. **Test Operation:** Gently raise and lower the blind to ensure smooth operation and proper installation.

Your browser does not support the video tag.

Video 1: Detailed guide on setting up and installing Persilux Zebra Shades. This video demonstrates the bracket installation and shade mounting process.

6. OPERATING YOUR ZEBRA BLINDS

Your cordless zebra blinds are designed for simple and intuitive operation:

Raising and Lowering:

- To **lower** the blind, gently pull down on the bottom rail or the clear handle. The blind will stop at your desired position.
- To **raise** the blind, gently push up on the bottom rail or the clear handle. The blind will smoothly retract and stop at your desired position.

Light Control and Privacy:

The dual-layer fabric allows for precise control over light and privacy:

- **Light Filtering:** Align the sheer (mesh) sections of the fabric to allow natural light to filter into the room while maintaining a degree of privacy.
- **Full Privacy/Light Blockage:** Align the solid fabric sections to overlap, providing maximum privacy and blocking out more light.



 **open state**




 **closed state**

Figure 3: Comparison of open (light filtering) and closed (privacy) states of the zebra blinds.



Figure 4: Demonstrating the multi-way pull-up and pull-down operation of the cordless blinds.

Your browser does not support the video tag.

Video 2: Overview of the Persilux Cordless Zebra Blinds, highlighting their quality and ease of operation for light and privacy control.

7. MAINTENANCE AND CLEANING

To maintain the appearance and functionality of your blinds:

- **Cleaning:** Use a moist cloth to gently wipe the surface of the fabric. Avoid harsh chemicals or abrasive cleaners.
- **Dusting:** Regularly dust the blinds with a soft brush or vacuum cleaner with a brush attachment.

8. TROUBLESHOOTING

If you encounter any issues with your blinds, consider the following:

- **Blind not raising/lowering smoothly:** Check for any obstructions in the track or if the fabric is caught. Ensure the bottom rail is not bent or damaged.
- **Uneven alignment of fabric panels:** Gently adjust the blind up and down a few times to allow the

fabric to realign.

- If problems persist, please refer to the Warranty and Support section.

9. PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Persilux
Model Number	A216-1-24
Size	24"W x 72"H
Color	White
Material	100% Polyester
Opacity	Sheer
Operation Mode	Manual (Cordless)
Special Features	Light Filtering, Thermal Insulation, Free-Stop, Child Safe
Mounting Type	Inside Mount, Outside Mount
Item Weight	3.1 Pounds

10. WARRANTY AND SUPPORT

For any missing parts, broken accessories, or further assistance, please contact Persilux customer service directly. Refer to your purchase documentation for specific warranty details.