

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Pioneer DJ](#) /

› [Pioneer DJ VM-50 5.25-inch Active Monitor Speaker Instruction Manual](#)

## Pioneer DJ VM-50

# Pioneer DJ VM-50 5.25-inch Active Monitor Speaker Instruction Manual

**Brand:** Pioneer DJ

**Model:** VM-50

## INTRODUCTION

The Pioneer DJ VM-50 active monitor speaker is designed to produce clear audio with fast-attacking, punchy bass. This speaker can be precisely tuned to suit the acoustic characteristics of any room, making it ideal for recreating a club sound during DJ performances or providing a flat frequency response essential for music production in both home and professional studio environments.



Figure 1: Pioneer DJ VM-50 Active Monitor Speaker. This image shows the front view of the black VM-50 speaker, highlighting its compact and robust design.

## KEY FEATURES

- **Low/High EQ Controls:** Allows for precise sound adjustments to match your listening environment or production needs.

- **Constant Directivity Horn:** Delivers mid and high frequencies with power, creating a broad and uniform listening space. The horn and woofer edge are designed for a smooth frequency crossover, ensuring natural sound reproduction.



*Figure 2: Side view of the VM-50 speaker, illustrating the design of the constant directivity horn for optimal sound dispersion.*

- **DSP Control:** Each VM speaker includes DSP settings with 16 configurations, enabling users to find the perfect sound for DJing or music production, regardless of room shape, size, or construction.




Figure 3: Detailed view of the DSP control panel on the rear of the VM-50, showing the Low and High EQ adjustment knobs and their corresponding frequency response curves.

- **4-mm Rigid Aluminum Front Baffle:** The hexagonal aluminum front baffle not only provides a fresh aesthetic but also significantly improves sound quality and durability by reducing unwanted vibrations.



*Figure 4: Close-up of the VM-50's hexagonal aluminum front baffle, showcasing its robust construction and brushed texture.*

- **Aramid Fiber Woofer Cone:** Ensures fast response for bass and low-mid frequencies, contributing to the speaker's clear and punchy sound.



*Figure 5: Detailed view of the Aramid Fiber Woofer Cone, designed for precise and responsive low-frequency reproduction.*

- **Vortex Bass Accelerator:** Features a bass reflex port with grooves that reduce air friction, ensuring tight and punchy bass without unwanted vibrations, even at high volumes.



Figure 6: Close-up of the Vortex Bass Accelerator port on the rear of the VM-50, engineered for smooth airflow and distortion-free bass.

## Official Product Video

Your browser does not support the video tag.

Video 1: Pioneer DJ Official new VM series active monitor speakers. This video provides an overview of the VM series, highlighting key features such as clear bass, club-style sound recreation, rigid aluminum baffle, Class D amplifier, Aramid fiber woofer cone, Vortex Bass Accelerator, and DSP control.

## SETUP GUIDE

### 1. Unpacking and Placement

Carefully remove the VM-50 speaker from its packaging. Place the speaker on a stable, flat surface, ideally at ear level in your listening position. Ensure there is adequate space around the speaker for proper ventilation and bass port function. For optimal stereo imaging, position the speakers equidistant from your listening position, forming an equilateral triangle.

### 2. Connections

The VM-50 offers versatile input options:

- **XLR/TRS Balanced Input:** For professional audio equipment, use an XLR or 1/4-inch TRS cable to connect your audio interface, mixer, or controller to the speaker's balanced input.
- **RCA Unbalanced Input:** For consumer-level audio devices, use an RCA cable to connect to the speaker's unbalanced input.

Connect the power cable to the AC IN port on the rear of the speaker, then plug it into a suitable power outlet. Ensure the power switch is in the OFF position before connecting to power.



Figure 7: Rear panel of the VM-50, showing the XLR/TRS and RCA input ports, volume control, auto standby switch, DSP controls, and power input.

## OPERATING INSTRUCTIONS

### 1. Power On/Off

After all connections are made, flip the power switch on the rear panel to the **ON** position. The power indicator on the front of the speaker will illuminate.

### 2. Volume Adjustment

Use the **VOLUME** knob on the rear panel to adjust the output level of the speaker. Start with the volume at its minimum setting and gradually increase it to a comfortable listening level. Avoid setting the volume too high to prevent distortion and potential damage to the speaker or your hearing.

### 3. DSP Control (EQ Settings)

The VM-50 features a DSP control section on the rear panel, allowing you to tailor the sound to your room acoustics or personal preference. There are separate controls for **LOW EQ** and **HIGH EQ**, each offering four distinct settings:

- **LOW EQ Settings:**

- L1: Room 1 (Boosted low-end for smaller rooms)
- L2: Flat (Neutral low-end response)
- L3: Room 2 (Slightly attenuated low-end for larger rooms or bass-heavy environments)
- L4: Club Bass (Enhanced low-end for a powerful, club-like sound)

- **HIGH EQ Settings:**

- H1: Room 1 (Slightly attenuated high-end for brighter rooms)
- H2: Flat (Neutral high-end response)
- H3: Room 2 (Slightly boosted high-end for duller rooms)
- H4: Bright Treble (Enhanced high-end for a crisp, detailed sound)

Experiment with these settings to achieve the desired sound profile for your specific application, whether it's critical listening for production or dynamic playback for DJing.

### 4. Auto Standby

The **AUTO STANDBY** switch allows the speaker to automatically enter a low-power standby mode when no audio input is detected for a certain period. Flip the switch to **ON** to enable this feature, or **OFF** to keep the speaker fully active at all times.

## MAINTENANCE

- **Cleaning:** Regularly wipe the speaker's exterior with a soft, dry cloth. For stubborn dirt, a slightly damp cloth can be used, followed by a dry one. Avoid using abrasive cleaners, solvents, or chemical sprays, as these can damage the finish.
- **Ventilation:** Ensure the rear panel and bass port are free from obstructions to allow for proper airflow and prevent overheating.
- **Storage:** If storing the speaker for an extended period, disconnect it from power and store it in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Handling:** Always handle the speaker carefully. Avoid dropping it or subjecting it to strong impacts, which can

damage internal components.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
No sound from speaker	Power cable not connected or power switch off. Volume knob set to minimum. Audio cables incorrectly connected or faulty. Input source not sending audio.	Ensure power cable is securely connected and power switch is ON. Increase the volume using the VOLUME knob. Check audio cable connections and try different cables if necessary. Verify that your audio source (mixer, interface, etc.) is powered on and sending audio.
Distorted or unclear sound	Volume set too high (clipping). Incorrect DSP (EQ) settings for the room. Faulty audio cable or input source.	Reduce the volume on the speaker and/or the audio source. Adjust the LOW EQ and HIGH EQ settings on the rear panel to better suit your room acoustics. Try replacing audio cables or testing with a different audio source.
Speaker enters standby mode unexpectedly	Auto Standby feature is enabled. No audio signal detected for an extended period.	If you do not wish for the speaker to enter standby, set the AUTO STANDBY switch to OFF. Ensure a continuous audio signal is being sent to the speaker.

## SPECIFICATIONS

Attribute	Value
Material	Aluminum
Model Name	VM-50
Speaker Type	Woofers
Special Feature	Bass Boost
Recommended Uses For Product	Music
Compatible Devices	Desktop, Laptop, Smartphone, Tablet, Television

Attribute	Value
Subwoofer Diameter	5.25 Inches
Unit Count	1.0 Count
Controller Type	Corded electric
Color	Black
Included Components	Earbuds
Product Dimensions	1"D x 1"W x 1"H
Item Weight	15.5 Pounds
Is Waterproof	False
Warranty Type	Limited
Number of Items	4
Control Method	Touch
Speaker Size	5.25 Inches
Power Source	Corded Electric
Woofer Diameter	5.25 Inches
Subwoofer Connectivity Technology	Wired
Connectivity Protocol	Bluetooth
Includes MP3 player?	No
Number of Power Levels	1
Specific Uses For Product	Home Studios, Professional Studios, DJing
UPC	841300102021
Style	VM-50
Manufacturer	Pioneer DJ
ASIN	B0918FSSRZ
Item model number	VM-50
Date First Available	March 30, 2021
Brand	Pioneer DJ

Attribute	Value
Speaker Maximum Output Power	60 Watts
Connectivity Technology	Coaxial
Audio Output Mode	Stereo
Mounting Type	Tabletop Mount

## What's in the Box



- Earbuds (as per product data, though unusual for a monitor speaker)
- Pioneer DJ VM-50 Active Monitor Speaker
- Power Cable
- Operating Instructions / Safety Information


## WARRANTY AND SUPPORT

The Pioneer DJ VM-50 Active Monitor Speaker comes with a **Limited Warranty**. For detailed information regarding warranty terms, conditions, and duration, please refer to the warranty card included with your product or visit the official Pioneer DJ website.


For technical support, troubleshooting assistance beyond this manual, or to inquire about service, please visit the [Pioneer DJ Store on Amazon](#) or their official support channels.

## Related Documents - VM-50

 <p>Instruction Manual</p> <p><b>VM-50 / VM-50-W / VM-70 / VM-80</b> Active Monitor Speaker</p> <p>www.pioneer.com/support</p> <p>Pioneer Dj</p>	<p><a href="#">Pioneer DJ VM-50/VM-50-W/VM-70/VM-80 Active Monitor Speaker Instruction Manual</a></p> <p>Instruction manual for Pioneer DJ VM-50, VM-50-W, VM-70, and VM-80 active monitor speakers. Covers features, parts, DSP control, installation, connections, troubleshooting, and specifications.</p>
 <p>Instruction Manual</p> <p><b>XPRS2 Series</b> XPRS102 / XPRS122 / XPRS1152S / XPRS1182S Active Loudspeaker / Active Subwoofer</p> <p>www.pioneer.com/support</p> <p>Pioneer Dj</p>	<p><a href="#">Pioneer DJ XPRS2 Series Active Loudspeaker and Subwoofer Instruction Manual</a></p> <p>This document provides comprehensive instructions for the Pioneer DJ XPRS2 Series of active loudspeakers (XPRS102, XPRS122) and active subwoofers (XPRS1152S, XPRS1182S). It covers main features, rear panel controls, DSP settings, installation procedures, connection diagrams, and detailed specifications.</p>

 <p><b>XPRS2 Series</b> XPRS102 / XPRS122 / XPRS1152S / XPRS1182S</p>	<p><a href="#">Pioneer DJ XPRS2 Series: Active Loudspeakers and Subwoofers Manual</a></p> <p>Comprehensive guide for the Pioneer DJ XPRS2 Series, covering XPRS102, XPRS122 loudspeakers and XPRS1152S, XPRS1182S subwoofers. Includes features, specifications, installation, and connection details.</p>
 <p><b>DM-40D-BT / DM-40D-BT-W</b></p>	<p><a href="#">Pioneer DJ DM-40D-BT / DM-40D-BT-W Active Monitor Speakers Quick Start Guide</a></p> <p>Concise guide to setting up and using Pioneer DJ DM-40D-BT and DM-40D-BT-W active monitor speakers, including connection examples, Bluetooth pairing, and safety information.</p>
 <p><b>DM-40D-BT / DM-40D-BT-W</b></p> <p>Active Monitor Speaker</p>	<p><a href="#">Pioneer DJ DM-40D-BT/DM-40D-BT-W Active Monitor Speaker Instruction Manual</a></p> <p>This instruction manual provides comprehensive guidance for the Pioneer DJ DM-40D-BT and DM-40D-BT-W active monitor speakers, covering setup, connections, Bluetooth functionality, troubleshooting, and specifications for optimal audio performance.</p>
 <p><b>DM-50D / DM-50D-W</b></p> <p>Active Monitor Speaker</p>	<p><a href="#">Pioneer DJ DM-50D/DM-50D-W Active Monitor Speaker Guide</a></p> <p>Instruction manual for Pioneer DJ DM-50D and DM-50D-W active monitor speakers, detailing setup, connections, troubleshooting, and specifications for optimal audio performance.</p>


Documents - Pioneer DJ – VM-50



[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Warranty Accessories  
PIONEER DJ VM 50 manual siamsoundstore 2023 10 |||  
Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker  
pioneerdj.com/support/ ... tages Power consumption Power consumption during  
standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 4 30 W 4  
5.25 133 mm cones 40 Hz 36 kHz 30 W 198 300 265 mm 5.5 kg V...  
lang:en score:38 filesize: 613.08 K page\_count: 7 document date: 2022-05-02


[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Warranty Accessories


Parsisiŭsti →Pioneer VM 80 Black Soundium703188 72a99241 0d20 45b5 8702 827d009ec664soundium  
It cdn shop files 703188 827d009ec664 v 311307688090105293 →VM 50 manual ENPioneer  
SoundiumPioneer W Fehér Zajáruház703188 827d009ec664yT1711617097617soundium  
311307688090105293zajaruhaz hu public yT1711617097617 ENVM 70 ZajáruházPioneer  
827d009ec664ypVvX1617098577soundium yT1711617097617zajaruhaz ypVvX1617098577 →Parsisiŭsti  
827d009ec664703188 fdc78e9 9e1f 406f 9933 53a67f88e04esoundium  
311307688090105293soundium 53a67f88e04e 53a67f88e04eYUaMs1617101065soundium  
ypVvX1617098577zajaruhaz YUaMs1617101065 53a67f88e04e703188 9405524b 745d 4ca5 ac55  
228efc8af751soundium 228efc8af751 228efc8af7517O5iK1617097591soundium  
YUaMs1617101065zajaruhaz 7O5iK1617097591 228efc8af751703188 7O5iK1617097591soundium  
→Download →→Download sort dk ||| ||| Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active  
Monitor Speaker pioneerdj.com/support/ For FAQs and other support information for this product, visit the  
above site. Introduction Main Features Vortex bass accelerator structure ||| Instruction manual VM- 50 /  
VM- 50- W / VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/ For FAQs and other support  
information for this product, visit the above site. Introduction Main Features Vortex bass accelerator  
structure ||| Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker  
pioneerdj.com/support/ For FAQs and other support information for this product, visit the above site.  
Introduction Main Features Vortex bass accelerator structure ||| Instruction manual VM- 50 / VM- 50- W /  
VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/ For FAQs and other support information  
for this product, visit the above site. Introduction Main Features Vortex bass accelerator structure |||  
Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/  
For FAQs and other support information for this product, visit the above site. Introduction Main Features  
Vortex bass accelerator structure ||| Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active  
Monitor Speaker pioneerdj.com/support/ For FAQs and other support information for this product, visit the  
above site. Introduction Main Features Vortex bass accelerator structure ||| Instruction manual VM- 50 /  
VM- 50- W / VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/ For FAQs and other support  
information for this product, visit the above site. Introduction Main Features Vortex bass accelerator  
structure ||| Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker  
pioneerdj.com/support/ For FAQs and other support information for this product, visit the above site.  
Introduction Main Features Vortex bass accelerator structure  
Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker  
pioneerdj.com/support/ ... tages Power consumption Power consumption during  
standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 30 W 5.25  
133 mm cones 40 Hz 36 kHz 30 W 197 299 265 mm 5.5 kg VM-70 Bi-am...  
lang:en score:36 filesize: 618.67 K page\_count: 7 document date: 2020-11-17



[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Warranty Accessories

Pioneer VM 50 70 80 djcenter ee images kasutusjuhendid ||| ||| Instruction manual VM- 50 / VM- 50- W /  
VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/ For FAQs and other support information  
for this product, visit the above site. Introduction Main Features Vortex bass accelerator structure  
Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker  
pioneerdj.com/support/ ... tages Power consumption Power consumption during  
standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 4 30 W 4  
5.25 133 mm cones 40 Hz 36 kHz 30 W 198 300 265 mm 5.5 kg V...  
lang:en score:33 filesize: 613.08 K page\_count: 7 document date: 2022-05-02





[Pioneer DJ VM-50/VM-50-W/VM-70/VM-80 Active Monitor Speaker Instruction Manual](#)

Instruction manual for Pioneer DJ VM-50, VM-50-W, VM-70, and VM-80 active monitor speakers. Covers features, parts, DSP control, installation, connections, troubleshooting, and specifications.


lang:en score:33 filesize: 618.67 K page\_count: 7 document date: 2020-11-17



[\[pdf\]](#) User Manual Specifications Datasheet Dimension Guide Warranty Accessories VM SERIES 1 giorno fa — Power cable Cushioned feet pads Instruction Manual etc mentioned herein are trademarks or registered of their respective owners Series Data Sheet leisuretec co uk product vm50 5 2way active desktop monitor black webpio00358 NjA2ZC9WTSBTZXJpZXMgRGF0YSB0aGVldC5wZGY III

VM SERIES ACTIVE MONITOR SPEAKERS Clear audio with fast-attacking bass Class D amplifier 4-mm-thick ... DSP control Fresh, professional design VM SERIES ACTIVE MONITOR SPEAKERS SPECIFICATIONS Model **VM-50 / VM-50-W** VM-70 VM-80 Type Bi-amp 2-way active speaker AMPLIFIER Amplifier type Class D...

lang:en score:27 filesize: 936.79 K page\_count: 2 document date: 2021-03-23




[\[pdf\]](#) User Manual

VM 50 W 70 80 manual ES pioneer mexico mx 2021 05 III

Manual de instrucciones VM- 50 / VM- 50- W / VM-70 / VM-80 Altavoz Monitor Activo pioneerdj.com/supp ... menciones externas An Al Pr Peso Consumo de energia para Mxico Modo normal \*1 Modo de espera \*2 **VM-50/VM-50-W** VM-70 Altavoz activo de 2 vas de dos amplificadores 30 W 30 W Clase D con DSP 70 W ...

lang:es score:26 filesize: 625.03 K page\_count: 7 document date: 2020-11-17



[\[pdf\]](#)

Bedienungsanleitung Pioneer DJ VM 50 STUDIO MONITOR Technik de dj technik mediafiles

Bedienungsanleitungen |||


Bedienungsanleitung VM- 50 / VM- 50- W / VM-70 / VM-80 Aktiver

Monitorlautsprecher pioneerdj.com/sup ... Spannungen Leistungsaufnahme

Leistungsaufnahme im Standby-Modus Auenabmessungen B H T Gewicht **VM-**

**50/VM-50-W VM-70** Zweiverstrker-, 2-Wege-Lautsprecher 30 W 30 W Klasse D mit DSP 70 W 30 W XLR/...

lang:de score:25 filesize: 625.51 K page\_count: 7 document date: 2020-11-17



[\[pdf\]](#)

User Manual Instructions Frequently Asked Questions Warranty Accessories

ManualPioneer DJ VM 50 per unit Coolblue Studio speakersv1manuals coolblue nl 94 pioneer dj vm |||

Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker

pioneerdj.com/support/ ... tages Power consumption Power consumption during

standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 4 30 W 4 5.25 133 mm cones 40 Hz 36 kHz 30 W 198 300 265 mm 5.5 kg V...

lang:en score:25 filesize: 613.09 K page\_count: 7 document date: 2022-05-02



[\[pdf\]](#)

User Manual Frequently Asked Questions

VM 80 quickstart manual Precautions EN FR DE IT NL ES PT RU ZH HANT JAPioneer

ZajáruházLAYI61617101064zajaruhaz hu public LAYI61617101064 ZajáruházDJ Technik de Service

Pioneer DJ SicherheitshinweisePioneer Sicherheitshinweiszajaruhaz LAYI61617101064dj technik

mediafiles Bedienungsanleitungen Sicherheitshinweise embed true JAManualPioneer ZajáruházPioneer

70 per unit Coolblue Studio speakersDJ Sicherheitshinweisev1Pioneer LAYI61617101064manuals

coolblue nl 83 pioneer dj vm unitdj truedj SicherheitshinweiseDJ 50 W ||| ||| English Franais Deutsch

Italiano Nederlands Espaol Precautions for Use / Prcautions l utilisation / Hinweise fr den Gebrauch /

Precauzioni / Voorzorgsmaatregelen / Precauciones al usar / Precaues / / / VM- 50 / VM- 50- W / VM-70 /

VM-80 Act ||| English Franais Deutsch Italiano Nederlands Espaol Precautions for Use / Prcautions l

utilisation / Hinweise fr den Gebrauch / Precauzioni / Voorzorgsmaatregelen / Precauciones al usar /

Precaues / / / VM- 50 / VM- 50- W / VM-70 / VM-80 Act ||| English Franais Deutsch Italiano Nederlands

Espaol Precautions for Use / Prcautions l utilisation / Hinweise fr den Gebrauch / Precauzioni /

Voorzorgsmaatregelen / Precauciones al usar / Precaues / / / VM- 50 / VM- 50- W / VM-70 / VM-80 Act


English Franais Deutsch Italiano Nederlands Espaol Precautions for Use / Prcautions l

utilisat ... interference that may cause undesired operation. Product Name: Active

Monitor Speaker Model Number: **VM-50 , VM-50-W , VM-70 , VM-80** Responsible

Party Name: AlphaTheta Music Americas, Inc. OPERATIONS D...

lang:en score:23 filesize: 2.43 M page\_count: 24 document date: 2020-11-18




[\[pdf\]](#)

VM 50 W 70 80 Coolblue Structuur met vortexbasaccelerator voor een rijk basgeluid snelle responstijd  
Hoorn constante directionaliteit krachtig geluid in het pioneer vm per stuk manuals coolblue be bd  
Gebruikershandleiding VM- 50 / VM- 50- W / VM-70 / VM-80 Actieve  
Monitorluidspreker pioneerdj.com/su ... e Bruikbare spanning Stroomverbruik  
Stroomverbruik in ruststand Buitenafmetingen W H D Gewicht **VM-50/VM-50-W** VM-  
70 Actieve tweewegluidspreker met biversterker 30 W 30 W Klasse D met DSP 70 W  
3...  
lang:nl score:22 filesize: 620.21 K page\_count: 7 document date: 2020-11-17




[\[pdf\]](#) User Manual Declaration of Conformity

Microsoft Word VM 50 70 80 docx Mirek Manual Návod k použití CZ 227 81 KB Reproduktor Pioneer DJ  
bílý KASA cz doc 4703082 kasa document 2 8 0 |||  
...  
lang:nl score:19 filesize: 227.81 K page\_count: 4 document date: 2021-05-18



[\[pdf\]](#) User Manual


VM50 VM70 VM80Soporte Pioneer Méxicov1pioneer mexico mx hubfs Manuales DJ VM80 hsLang es |||  
Manual de instrucciones VM- 50 / VM- 50- W / VM-70 / VM-80 Altavoz Monitor Activo  
pioneerdj.com/supp ... menciones externas An AI Pr Peso Consumo de enega para  
Mxico Modo normal \*1 Modo de espera \*2 **VM-50/VM-50-W** VM-70 Altavoz activo de  
2 vas de dos amplificadores 30 W 30 W Clase D con DSP 70 W ...  
lang:es score:19 filesize: 625.03 K page\_count: 7 document date: 2020-11-17



[pdf]

VM-50 VM-50-W VM-70 VM-80 DJ-Store Структура «вихревого акселератора низких частот» для быстрого отклика и богатых частот • Рупор постоянной направленности мощных средних 4144\_file dj-store ru data files

VM- 50 / VM- 50- W / VM-70 / VM-80 pioneerdj.com/support/ . . . oneer . . 5 / **VM-50/VM-50-W** VM-70 VM-80 2- 30 30 D 70 30 XLR/TRS, 1 RCA 1 10 90 30 1... lang:i-klingson score:18 filesize: 633.78 K page\_count: 7 document date: 2020-11-17




[pdf]

User Manual Instructions Frequently Asked Questions Warranty Accessories ManualPioneer DJ VM 80 per unit Coolblue Studio speakersgproxymanuals coolblue nl 04 pioneer dj vm

Instruction manual VM- 50 / VM- 50- W / VM-70 / VM-80 Active Monitor Speaker pioneerdj.com/support/ ... tages Power consumption Power consumption during standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 4 30 W 4 5.25 133 mm cones 40 Hz 36 kHz 30 W 198 300 265 mm 5.5 kg V...


lang:en score:18 filesize: 627.96 K page\_count: 7 document date: 2022-05-08



[pdf]

Microsoft Word JANDS Australia TC hdjx5 hdjx7 redemption 2022 11 14 docx Promotion Name Pioneer DJ HDJ X5 or X7 Headphones Redemption Promoter Jands Pty Ltd ABN 45 001 187 837 of 40 Kent Road Masc nov — Period The starts at 9 00am AEST 22 concludes 59pm 15 01 23 Process Mascot NSW 2020 Relevant State s All Australian States and Territories VFdocx u 1ZVGlz jands au documents ||| Promotion Name Pioneer DJ HDJ-X5 or HDJ-X7 Headphones Redemption Promoter Jands Pty Ltd ABN 45 00 ... ompletion One redemption HDJ-X5 PDJ-HDJ-X5-BK claim can be made per pairs of Pioneer DJ VM50 PDJ-**VM-50** or DM50D PDJ-DM-50D purchased with a limit of one 1 qualifying redemption per person perm...

lang:en score:17 filesize: 113.84 K page\_count: 1 document date: 2022-11-20




[pdf] Frequently Asked Questions Accessories

VM-50 VM-50-W VM-70 VM-80 Struttura "Vortex bass accelerator" per una veloce risposta dei suoni ricchi di bassi • Tromba a direttività costante un suono potente media e alta 776807-original discopiu files 2021 5 8

Manuale di istruzioni VM- 50 / VM- 50- W / VM-70 / VM-80 Diffusore Monitor Attivo pioneerdj.com/supp ... o Tensioni supportate Consumo Consumo durante la modalit standby Dimensioni esterne L A P Peso **VM-50/VM-50-W** 30 W 30 W Coni da 5,25 133 mm 40 Hz 36 kHz 30 W 197 299 265 mm 5,5 kg VM-70 Dif...

lang:it score:16 filesize: 619.21 K page\_count: 7 document date: 2020-11-17



[pdf]

DJ Technik de Service Pioneer VM 80Pioneer 80dj technik mediafiles Bedienungsanleitungen 80 embed true truedj 80DJ 50 WPioneer Wdj W ||| ||| Bedienungsanleitung VM- 50 / VM- 50- W / VM-70 / VM-80 Aktiver Monitorlautsprecher pioneerdj.com/support/ Hufig gestellte Fragen und weitere Support- Informationen fr dieses Produkt finden Sie auf der oben genannten Seite. Einleitung Hauptme Bedienungsanleitung VM- 50 / VM- 50- W / VM-70 / VM-80 Aktiver Monitorlautsprecher pioneerdj.com/sup ... Spannungen Leistungsaufnahme Leistungsaufnahme im Standby-Modus Auenabmessungen B H T Gewicht **VM-50/VM-50-W** VM-70 Zweiverstrker-, 2-Wege-Lautsprecher 30 W 30 W Klasse D mit DSP 70 W 30 W XLR/...

lang:de score:15 filesize: 625.51 K page\_count: 7 document date: 2020-11-17

AlphaTheta

EU DECLARATION OF CONFORMITY

The declaration of conformity is issued under the sole responsibility of

Manufacturer  
AlphaTheta Corporation  
4-3-3 Higashi, Shimo-Ogino, Tokyo  
Kasegawa 227-0212, JAPAN

Model	ACTIVE MONITOR SPEAKER
For report on the occasion of assessment by CE marking with	
Electromagnetic Compatibility Directive EMC 2014/53/EU	EN 55032:2015 EN 61010:2017 EN 61010-2:2014 EN 61326-3:2019
Low Voltage Directive Directive 2014/34/EU EMC Directive Directive 2014/53/EU	EN 60950-1:2014 EN 60950-2:2014 EN 60950-2:2014 EN 60950-2:2014
RoHS Directive Directive 2011/65/EU RoHS 2.0 Annex II (standby and off mode) RoHS 2.0 Annex II (standby and off mode) Directive 2011/65/EU Commission Regulation (EU) No 1074/2013	EN 60950-1:2011

Sign for and on behalf of AlphaTheta Corporation  
Kasegawa, 4570201

Health Test.pdf  
Director

[pdf] Declaration of Conformity

VM 50 DOC Prohlášení o shodě CE 14 98 KB Reproduktor Pioneer DJ černý KASA cz doc 4703071 kasa document 1 7 0 |||

lang:de score:13 filesize: 14.98 K page\_count: 1 document date: 2021-02-05




[\[pdf\]](#) Frequently Asked Questions

591002932f1a8ee01c2f848d5c89aef9 pult ru upload iblock 591 |||

English Franais Deutsch Italiano Nederlands Espaol Precautions for Use / Prcautions I utilisat ... interference that may cause undesired operation. Product Name: Active Monitor Speaker Model Number: **VM-50** , **VM-50-W** , VM-70 , VM-80 Responsible Party Name: AlphaTheta Music Americas, Inc. OPERATIONS D...

lang:en score:10 filesize: 2.43 M page\_count: 24 document date: 2020-11-18




[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Warranty Accessories

pioneer vm 80 trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Pioneer VM-80 o ... tages Power consumption Power consumption during standby mode External dimensions W H D Weight **VM-50/VM-50-W** 30 W 4 30 W 4 5.25 133 mm cones 40 Hz 36 kHz 30 W 198 300 265 mm 5.5 kg V...

lang:en score:10 filesize: 647.25 K page\_count: 7 document date: 2022-05-02



[\[pdf\]](#) Frequently Asked Questions

199349528 cdn petec ch documents2 8 2 5

Mode d emploi VM- 50 / VM- 50- W / VM-70 / VM-80 Haut-parleur de Moniteur Actif pioneerdj.com/suppor ... Consommation lectrique Consommation lectrique en mode Veille Dimensions extrieures L H P Poids **VM-50/VM-50-W** 30 W 30 W Cnes de 5,25 133 mm 40 Hz 36 kHz 30 W 197 299 265 mm 5,5 kg VM-70 Enc...

lang:fr score:9 filesize: 624.92 K page\_count: 7 document date: 2020-11-17