

HFT Yukon RED

HFT Yukon RED Mobile Storage Cabinet User Manual

Model: Yukon RED | Brand: HFT

INTRODUCTION

The HFT Yukon RED Mobile Storage Cabinet is a robust and versatile storage solution, featuring a 46-inch width, 9 drawers with ball-bearing slides, and a 1200-pound capacity. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new storage cabinet.

IMPORTANT SAFETY INFORMATION

WARNING:

- Always keep hands and body away from moving parts.
- Use the keyed locking system with caution to prevent entrapment.
- Ensure the cabinet is properly secured when in use to prevent tipping.
- Do not overload drawers. Refer to specifications for weight limits.
- Always lock casters when the cabinet is stationary to prevent unintended movement.

PRODUCT FEATURES

- **Dimensions:** 46 inches wide, 37 inches high, 18.25 inches deep.
- **Capacity:** 1200 pound weight limit.
- **Drawers:** 9 drawers with ball-bearing slides for smooth operation. Includes a full-width top drawer and two deeper bottom drawers.
- **Mobility:** Equipped with durable casters for easy movement.
- **Security:** Features a keyed locking system to secure contents.
- **Work Surface:** Solid wood top provides a sturdy and durable work surface.
- **Durability:** Rust-resistant powder-coated finish.
- **Convenience:** Integrated handle for easy maneuvering.



Figure 1: HFT Yukon RED Mobile Storage Cabinet. This image shows the full front view of the red mobile storage cabinet with its nine drawers and wooden top.



Figure 2: Cabinet Dimensions. This image illustrates the key dimensions of the cabinet: 46 inches wide, 37 inches high, and 18.25 inches deep.



Figure 3: Top Drawer Open. This image shows the top, full-width drawer pulled open, revealing various tools and accessories stored inside.



Figure 4: Side Handle. A close-up view of the sturdy side handle, designed for easy portability of the cabinet.

SETUP

The HFT Yukon RED Mobile Storage Cabinet comes fully assembled and ready for use. No assembly is required.

Unpacking and Placement:

1. Carefully remove the cabinet from its packaging.
2. Inspect the cabinet for any shipping damage. If damage is found, contact customer support immediately.
3. Choose a level, stable surface for placement.
4. Engage the wheel locks on the casters to prevent unintended movement once the cabinet is in its desired location.

OPERATING INSTRUCTIONS

Using the Drawers:

- To open a drawer, gently pull the handle outwards. The ball-bearing slides ensure smooth operation.
- To close a drawer, push it firmly until it is fully seated and flush with the cabinet front.
- Avoid slamming drawers to prolong the life of the slides.
- Distribute weight evenly within drawers to maintain balance and prevent tipping. Do not exceed the 1200 lb total weight capacity.

Locking System:

- The cabinet features a keyed locking system located on the top drawer.
- To lock all drawers, ensure all drawers are fully closed. Insert the key into the lock and turn it clockwise until it clicks. Remove the key.
- To unlock, insert the key and turn it counter-clockwise.
- Keep spare keys in a secure location.

Mobility:

- To move the cabinet, unlock all casters.
- Use the side handle to push or pull the cabinet to the desired location.
- Ensure the path is clear of obstacles and the floor surface is suitable for rolling.
- Once in position, engage the caster locks to secure the cabinet.

MAINTENANCE

- **Cleaning:** Wipe down the exterior with a soft, damp cloth. For stubborn dirt, a mild soap solution can be used. Avoid abrasive cleaners.
- **Drawer Slides:** Periodically inspect ball-bearing slides for smooth operation. If they become stiff, apply a small amount of silicone lubricant.
- **Rust Prevention:** The cabinet features a rust-resistant powder-coated finish. To maintain this, avoid prolonged exposure to moisture and corrosive substances. Promptly clean any spills.
- **Wood Top Care:** The solid wood top can be cleaned with a damp cloth. For best results and longevity, periodically treat the wood with a suitable wood conditioner or oil.
- **Casters:** Check casters regularly for debris accumulation. Clean as needed to ensure smooth rolling.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Drawers are stiff or difficult to open/close.	Accumulation of dirt or debris on slides; lack of lubrication; overloaded drawer.	Clean drawer slides and apply silicone lubricant. Reduce weight in the drawer.
Cabinet wobbles or moves unintentionally.	Casters are not locked; cabinet is on an uneven surface.	Ensure all caster locks are engaged. Move cabinet to a level surface.
Key does not turn in lock.	Drawers are not fully closed; foreign object in lock; incorrect key.	Ensure all drawers are completely closed. Check for obstructions. Use the correct key.

Problem	Possible Cause	Solution
Rust spots appearing.	Prolonged exposure to moisture or corrosive materials.	Clean and dry the affected area immediately. Apply rust-inhibiting primer and paint if necessary. Avoid future exposure.

SPECIFICATIONS

Feature	Detail
Brand	HFT
Model	Yukon RED
Color	Red
Dimensions (W x H x D)	46 in. x 37 in. x 18.25 in.
Number of Drawers	9
Drawer Slides	Ball-bearing
Weight Limit	1200 Pounds
Item Weight	180 Pounds
Top Material Type	Wood
Frame Material	Metal
Base Type	Casters
Special Feature	Rust Resistant
Lock Type	Key
Assembly Required	No

WARRANTY AND SUPPORT

For information regarding product warranty, please refer to the documentation included with your purchase or contact the retailer.

For customer support, assistance with parts, or any inquiries not covered in this manual, please contact HFT customer service. Refer to your purchase receipt or the product packaging for contact details.

You may also find helpful information and support resources on the official HFT website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question