



Manuals.plus /

› Total /

› Total THT31143 3-in-1 Staple Gun Instruction Manual

## Total THT31143

# Total THT31143 3-in-1 Staple Gun Instruction Manual

Model: THT31143 | Brand: Total

---

## 1. INTRODUCTION

---

Thank you for choosing the Total THT31143 3-in-1 Staple Gun. This versatile hand tool is designed for various fastening tasks, offering unparalleled performance, a sleek design, and compact construction. This manual provides essential information for safe and effective use, including setup, operation, maintenance, and troubleshooting.

## 2. SAFETY INSTRUCTIONS

---

- Always wear appropriate personal protective equipment, including safety glasses, when operating the staple gun.
- Keep hands and body parts clear of the staple exit area.
- Never point the staple gun at yourself or others.
- Ensure the staple gun is unloaded before performing any maintenance or clearing jams.
- Use only staples of the correct size and type specified for this model.
- Store the tool in a dry, secure place out of reach of children.
- Do not modify the tool in any way.

## 3. PACKAGE CONTENTS

---

Verify that all items are present in your package:

- Total THT31143 3-in-1 Staple Gun
- Assorted staples (U-type, T-type, Door-type)
- Instruction Manual

## 4. PRODUCT OVERVIEW

---

The Total THT31143 is a versatile 3-in-1 staple gun designed for various fastening applications. Its robust metal

construction ensures durability and reliable performance.



Figure 1: Total THT31143 3-in-1 Staple Gun. This image shows the staple gun in its packaging, highlighting its sleek design and compact construction.



Figure 2: Total THT31143 Staple Gun with different staple types. This image illustrates the versatility of the staple gun, compatible with various staple forms.




Figure 3: Various staple types compatible with Total THT31143. This image displays the different staple shapes (U-type, T-type, Door-type) that can be used with the tool.

## 5. SETUP

---

### 5.1 Loading Staples

1. Ensure the staple gun is disengaged and the handle is not compressed.
2. Locate the staple loading mechanism at the bottom rear of the tool.
3. Pull the pusher rod out until it locks into place.
4. Insert a strip of compatible staples (Door-type, U-type, or T-type) into the magazine with the staple points facing down.
5. Push the pusher rod back into the magazine until it clicks securely.

Your browser does not support the video tag.

Video 1: Demonstrating the loading and basic operation of the Total THT31143 3-in-1 Staple Gun. This video shows how to correctly load staples into the tool.

## 6. OPERATING INSTRUCTIONS

---

### 6.1 Firing Staples

1. Once staples are loaded, position the nose of the staple gun firmly against the workpiece.
2. Ensure the tool is held perpendicular to the surface for optimal staple penetration.
3. Squeeze the handle firmly and completely to fire a staple.
4. Release the handle to reset the mechanism for the next staple.

### 6.2 Adjusting Staple Depth

This model features an adjustable knob (typically located on the top or rear) to control the staple driving force. Turn the knob clockwise for deeper penetration and counter-clockwise for shallower penetration. Test on a scrap piece of material to find the appropriate setting for your application.

## 7. MAINTENANCE

---

- **Cleaning:** Regularly clean the tool with a dry cloth to remove dust and debris. Do not use solvents.
- **Lubrication:** Apply a small amount of light machine oil to moving parts periodically to ensure smooth operation.
- **Storage:** Store the staple gun in a clean, dry environment. Always unload staples before storing.
- **Inspection:** Periodically inspect the tool for any signs of wear, damage, or loose parts. Do not use a damaged tool.

## 8. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Staple gun does not fire	Empty magazine; jammed staples; safety engaged	Load staples; clear jam (see below); ensure handle is fully compressed
Staples jam frequently	Incorrect staple size/type; bent staples; debris in magazine	Use correct staples; replace bent staples; clean magazine
Staples do not penetrate fully	Insufficient force setting; hard material; worn driver blade	Increase force setting; apply more pressure to tool; contact support for blade replacement

### 8.1 Clearing a Staple Jam

1. **Unload the tool:** Remove all staples from the magazine.
2. **Inspect:** Carefully check the staple exit area and magazine for any bent or broken staples.
3. **Remove:** Use pliers or tweezers to gently remove any jammed staples. Do not force them.
4. **Reload:** Once clear, reload with new, undamaged staples.

## 9. SPECIFICATIONS

---

Feature	Detail
Brand	Total
Model Number	THT31143
Product Dimensions	15.5 x 2.4 x 0.1 cm
Weight	209 grams
Material	Metal
Operation Mode	Manual
Staple Capacity Description	Full strip
Number of Locks	1
Style	Modern
First Available Date	April 8, 2021

## 10. WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the contact details provided on your product packaging or visit the official Total Tools website. Keep your purchase receipt as proof of purchase for any warranty claims.