

[Manuals.plus](#) /

› [COMFEE'](#) /

› COMFEE' CVP30W6AST 30-inch Stainless Steel Wall Mount Range Hood User Manual

COMFEE' CVP30W6AST

COMFEE' CVP30W6AST 30-inch Stainless Steel Wall Mount Range Hood User Manual

Model: CVP30W6AST

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your COMFEE' CVP30W6AST 30-inch Stainless Steel Wall Mount Range Hood. Please read these instructions thoroughly before installation and use, and retain them for future reference.



Image 1: COMFEE' CVP30W6AST 30-inch Stainless Steel Wall Mount Range Hood. This image displays the full front view of the stainless steel pyramid-style range hood, showcasing its sleek design and control panel.

2. SAFETY INFORMATION

To reduce the risk of fire, electric shock, or injury, observe the following:

- Installation work and electrical wiring must be done by qualified person(s) in accordance with all applicable codes and standards, including fire-rated construction.
- Sufficient air is needed for proper combustion and exhausting of gases through the flue (chimney) of fuel-burning equipment to prevent back-drafting.
- When cutting or drilling into wall or ceiling, do not damage electrical wiring and other hidden utilities.
- Ducted fans must always be vented to the outdoors.
- Do not use this unit with any solid-state speed control device.
- Never leave surface units unattended at high settings. Boil-over causes smoking and greasy spill-overs that may ignite.
- Clean ventilating fans frequently. Grease should not be allowed to accumulate on fan or filter.

3. PRODUCT OVERVIEW

The COMFEE' CVP30W6AST is a 30-inch stainless steel wall mount range hood designed to effectively remove cooking fumes and odors from your kitchen. It features a powerful 450 CFM exhaust fan with three speed settings, energy-efficient

LED lighting, and reusable 5-layer aluminum filters.

Key Features:

- **Powerful Airflow:** 450 CFM 3-speed exhaust fan for efficient fume removal.
- **Quiet Operation:** Designed to keep noise levels low during operation.
- **Durable Construction:** All stainless steel body for longevity and easy cleaning.
- **Effective Filtration:** 5-layer reusable aluminum filters capture grease and odors.
- **Convertible Design:** Can be used in ducted or ductless (recirculating) configurations. Carbon filter kit (Part # CVP/ CVG-CF) sold separately for ductless conversion.
- **Illumination:** Two 1.5W LED lights provide bright illumination for your cooking area.
- **Adjustable Chimney:** Accommodates various ceiling heights.



Image 2: Key features and dimensions of the COMFEE' CVP30W6AST range hood. This image highlights the 450 CFM airflow, stainless steel construction, 5-layer reusable aluminum filter, and ductless conversion capability. It also shows the overall dimensions of the unit.

Included Components:

The range hood package includes the following items:

- 1x Range Hood Unit
- 1x Upper Chimney
- 1x Lower Chimney
- 2x Aluminum Filter Filters
- 1x Exhaust Pipe
- 1x Hood Fixing Bracket
- 2x Chimney Fixing Bracket
- 7x Screws (5x50)
- 6x Screws (4.2x9.5)
- 7x Wall Plugs
- Instruction Manual

Note: For ductless installation, the COMFEE' 2 Pack Carbon Filter Kit (Part # CVP/CVG-CF) must be purchased separately.

Included Components

Sold Separately: Charcoal Filter(Part #CVP/CVG-CF) for Ductless installation




Image 3: Diagram showing all components included in the COMFEE' CVP30W6AST range hood package, such as the upper and lower chimneys, grease filters, brackets, screws, and wall plugs.

4. SETUP AND INSTALLATION

Proper installation is crucial for the performance and safety of your range hood. It is recommended to have installation and electrical wiring done by qualified professionals.

Installation Steps:

- 1. Preparation:** Ensure the installation area is clear and all necessary tools and components are available.
- 2. Mounting:** Secure the hood fixing bracket to the wall according to the provided measurements in the instruction manual.
- 3. Ducting (if applicable):** Connect the 6-inch (150mm) diameter exhaust duct to the range hood and route it to the outdoors.
- 4. Ductless Conversion (if applicable):** If converting to ductless, install the separately purchased COMFEE' 2 Pack Carbon Filter Kit (Part # CVP/CVG-CF) as per its instructions.

5. **Chimney Installation:** Assemble the upper and lower chimney sections and attach them using the chimney fixing brackets. The chimney is adjustable to fit various ceiling heights.
6. **Electrical Connection:** Connect the range hood to a 120V power source. Ensure all electrical connections comply with local codes.
7. **Final Checks:** Verify all connections are secure and the unit is functioning correctly.

Installation Video:

Video 1: Official COMFEE' Installation Video for Pyramid Range Hood A15. This video provides a step-by-step visual guide for installing the COMFEE' Pyramid Range Hood, demonstrating the process from mounting to final assembly.

5. OPERATING INSTRUCTIONS

The COMFEE' CVP30W6AST range hood features intuitive button controls for fan speed and lighting.

Fan Operation:

- The range hood offers three fan speeds: Low, Medium, and High.
- Press the corresponding speed button (1, 2, or 3) to activate the fan at your desired setting.
- Use the Low speed for simmering or light cooking.
- Use the Medium speed for daily frying or general cooking.
- Use the High speed for spicy stir-fries or heavy cooking fumes.
- To turn off the fan, press the '0' button.



Image 4: Illustration demonstrating the three exhaust fan speeds (Low, Mid, High) and their recommended uses for different cooking intensities.

Lighting Operation:

- Press the light button to turn the two 1.5W LED lights on or off.
- The LED lights provide ample illumination for your cooktop, enhancing visibility during cooking.



Energy Efficient LED Lights

2 LED lights (1.5W) ensure a great visibility and save energy

Image 5: The range hood's energy-efficient LED lights illuminating a stovetop, highlighting their effectiveness in providing clear visibility.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your range hood.

Cleaning the Aluminum Filters:

The 5-layer aluminum filters are designed to capture grease and cooking odors effectively. They are reusable and dishwasher safe.

1. **Removal:** Locate the handles on the filters. Push the handle back and pull the filter downwards to detach it from the hood.
2. **Cleaning:** The filters can be cleaned manually with warm, soapy water or placed in a dishwasher for convenience.
3. **Reinstallation:** Once clean and dry, reinsert the filters by aligning them with the slots and pushing them back into place until they click securely.



5-Layer Reusable Aluminum Filter

95% grease separation to keep inside of range hoods clean.

95%
Grease
Removed




**DISHWASHER SAFE
FILTER**

Image 6: Illustration of the 5-layer reusable aluminum filter, emphasizing its 95% grease separation capability and showing a filter being cleaned in a dishwasher.

5-Layer Aluminum Filters

Easy grab and pull out



2*1.5W LED Light

Image 7: Close-up view of the underside of the range hood, showing the 5-layer aluminum filters and the two 1.5W LED lights, with an indication of how to grab and pull out the filters.

Cleaning the Exterior:

Wipe the stainless steel exterior with a soft cloth and a non-abrasive stainless steel cleaner. Avoid using harsh chemicals or abrasive pads that could scratch the surface.

7. TROUBLESHOOTING

If you encounter any issues with your COMFEE' range hood, refer to the following common troubleshooting tips:

- **No Power:** Check if the unit is properly plugged into a working electrical outlet. Verify the circuit breaker has not tripped.
- **Fan Not Working:** Ensure the fan speed button is pressed. Check if the filters are clean and not obstructing the fan.
- **Poor Suction:** Clean the aluminum filters. For ducted installations, check for any obstructions in the ductwork. For ductless installations, ensure carbon filters (if installed) are not clogged and are replaced regularly.

- **Excessive Noise:** Ensure the unit is securely mounted. Check for any loose parts or obstructions in the fan blades.
- **Lights Not Working:** Check if the light button is pressed. If the LED lights are not functioning, they may require replacement by a qualified technician.

For persistent issues, please contact COMFEE' customer support.

8. SPECIFICATIONS

Specification	Detail
Model Number	CVP30W6AST
Brand	COMFEE'
Product Dimensions	18.6"D x 30"W x 26.4"H
Adjustable Chimney Height	26.4" to 35.8"
Air Flow Capacity	450 Cubic Feet Per Minute (CFM)
Number of Speeds	3
Noise Level	70 Decibels (Max)
Material	Aluminum, Stainless Steel
Filter Type	5-Layer Reusable Aluminum Baffle Filters
Light Source Type	LED (2x 1.5W)
Controls Type	Button Control
Voltage	120 Volts
Installation Type	Wall Mount
Ventilation Type	Ducted (Convertible to Ductless)
Item Weight	19 pounds
UPC	810040944383

CVP30W6AST Range Hood

Production Dimension




Image 8: Detailed diagram illustrating the production dimensions of the COMFEE' CVP30W6AST range hood, including width, depth, and adjustable chimney height.

9. WARRANTY AND SUPPORT

For warranty information, technical support, or to purchase replacement parts (such as the Carbon Filter Kit for ductless conversion), please refer to the contact information provided in the original product packaging or visit the official COMFEE' website.

You can also search for the Carbon Filter Kit using Part # CVP/CVG-CF or ASIN B09C74226L on Amazon.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question