TOAUTO WMF-5L

TOAUTO 10L Wax Melter for Candle Making: Instruction Manual

Model: WMF-5L

Introduction

This manual provides essential information for the safe and efficient operation of your TOAUTO 10L Wax Melter. Please read all instructions carefully before use to ensure proper functionality and safety.

Safety Information

- Always place the wax melter on a stable, heat-resistant surface.
- Do not immerse the appliance, cord, or plug in water or other liquids.
- Unplug the appliance from the outlet when not in use and before cleaning.
- The wax melter and its spout become very hot during operation. Avoid direct contact with hot surfaces. Use heat-resistant gloves if necessary.
- Never leave the appliance unattended while in use.
- Do not add water to hot wax, as this can cause splashing and burns.
- Keep out of reach of children and pets.
- Ensure proper ventilation when operating the wax melter.

Package Contents

Verify that all items are present in your package:

- 1 x Wax Melting Furnace (WMF-5L)
- 1 x 40CM Stainless Steel Spoon
- 100 x 15cm Cotton Wicks
- 1 x Instruction Manual

Product Features

- **Capacity:** 6.5L (melts up to 12 lbs wax)
- **Power:** 1500W for fast melting
- **Temperature Control:** Precise control from 30-110°C (86-230°F) to suit various wax types (Soy, Paraffin, Coconut, Jelly, Bee, Ice

Wax).

- **Quick Pour Spout:** Bottom-mounted spout for easy, spill-free pouring into molds.
- **Material:** Durable stainless steel for high heat resistance and easy wax release.
- **Indicator Lights:** Red (Heating), Yellow (Insulation/Keep Warm), Green (Standby) to show operational status.

Setup

1. Unpack all components and remove any packaging materials.
2. Place the wax melter on a flat, stable, and heat-resistant surface, away from flammable materials.
3. Ensure the quick pour spout is securely attached and in the closed position.
4. Before first use, wipe the interior of the melter with a dry cloth to ensure it is clean and free of any moisture.

Operating Instructions

1. Adding Wax

Add at least 1/3 of the desired wax into the melter's container. The melter can hold up to 6.5 liters, capable of melting up to 12 lbs of wax.



Image: The TOAUTO WMF-5L wax melter filled with wax flakes, demonstrating its large capacity.

2. Melting Wax

1. Plug in the appliance and turn on the power switch. The red 'Heating' indicator light will illuminate.
2. Set the desired temperature using the thermostat knob. Refer to your wax manufacturer's recommendations for the ideal melting point. The temperature range is 30-110°C (86-230°F).



Image: Close-up of the temperature control dial, indicating recommended melting points for different wax types.

3. Cover the melter with the lid during the heating process to maintain temperature and speed up melting.
4. If the melting speed is slow, you may temporarily set the temperature to the highest level and stir occasionally with the provided stainless steel spoon.
5. Stir the wax every 2 minutes for 3-4 seconds to ensure even melting.



Image: Illustration of wax melting quickly inside the furnace, highlighting the fast melt-up time.

6. Once the wax has fully melted, promptly reduce the temperature to the wax's recommended melting point to avoid burning. The

melted wax temperature becomes most stable after about 15-20 minutes.

7. The indicator lights will change: Red (Heating) will turn off, Yellow (Insulation/Keep Warm) will turn on when the set temperature is reached.



Image: Close-up of the heating, insulation, and standby indicator lights, showing their function to prevent wax overheating.

3. Pouring Wax

Once the wax is at the desired temperature, place your candle molds or containers under the quick pour spout. Slowly turn the spout handle to release the melted wax. Turn it back to close when done.



Image: A hand operating the quick pour spout to dispense melted wax into a container, illustrating the ease of use.

Video: Tips for Using TOAUTO Wax Melter

Official TOAUTO video demonstrating essential tips for using the wax melter, including preparation, melting, pouring, and cleaning procedures.

Video: TOAUTO Wax Melter Overview

Official TOAUTO video showcasing the wax melter's features and ease of use for candle making.

Maintenance and Cleaning

1. **After Each Use:** Completely pour out any remaining melted wax. It is not recommended to store wax in the melter overnight, as solidified wax can affect the heating function and cause fouling.
2. **Cleaning the Interior:** After pouring out the wax, use a dry towel or dry paper to wipe the barrel wall and bottom.
3. **Cleaning Clogged Spout:** If the spout becomes clogged with wax, turn the temperature dial to 212°F (100°C) and allow the machine to heat for approximately 15 minutes until the wax melts. A hairdryer can also be used to blow warm air onto the spout to speed up the melting process.



Image: The heated core pouring spout, designed to prevent clogging and ensure smooth wax flow.

4. **Deep Cleaning (if needed):** For stubborn residue, you can add water with an appropriate amount of citric acid or white vinegar to the melter. Heat the solution, then drain it through the spout and wipe the interior clean with a dry towel.

Troubleshooting

Problem	Possible Cause	Solution
Power light not on	No power supply or blown fuse	Check power connection, replace fuse if necessary.
Wax not melting or heating slowly	Incorrect temperature setting, damaged temperature controller	Adjust temperature, contact support if controller is faulty.
Spout clogged with wax	Wax solidified in spout	Heat melter to 212°F (100°C) for 15 minutes or use a hairdryer on the spout.
Electrical issues	No ground wire or poor ground contact	Ensure proper grounding.

Specifications

- **Brand:** TOAUTO
- **Model:** WMF-5L
- **Capacity:** 6.5 Liters (melts up to 12 lbs wax)
- **Power:** 1500W
- **Temperature Range:** 30-110°C (86-230°F)
- **Material:** Stainless Steel
- **Product Dimensions (L x W x H):** 9.84 x 9.84 x 14.76 inches
- **Item Weight:** 6.49 pounds

- **Special Feature:** Wax leakage valve and spout for easy pouring

Warranty and Support

For warranty information, technical support, or any questions regarding your TOAUTO Wax Melter, please contact TOAUTO customer service directly through their official website or the retailer where the product was purchased. Keep your purchase receipt as proof of purchase.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question