

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [DEZIN](#) /
- › [DEZIN 0.8L Electric Kettle Instruction Manual \(Model LL-8860\)](#)

## DEZIN LL-8860

# DEZIN 0.8L Electric Kettle Instruction Manual

Model: LL-8860

## 1. PRODUCT OVERVIEW

---

The DEZIN 0.8L Electric Kettle (Model LL-8860) is a compact and portable appliance designed for quickly heating water. Featuring a double-wall construction and a 304 stainless steel interior, it ensures both safety and durability. Its auto shut-off and boil-dry protection mechanisms provide peace of mind during use, making it ideal for travel, business trips, dorm rooms, and offices.



Figure 1: The Dezin 0.8L Electric Kettle is compact and travel-friendly, measuring 7.9 inches tall and 7.3 inches wide, making it easy to pack for various settings.

## 2. SAFETY INSTRUCTIONS

- **Electrical Safety:** Ensure the kettle is connected to a grounded power outlet with the correct voltage (110V-120V). Do not immerse the power base or cord in water or other liquids.
- **Auto Shut-Off & Boil-Dry Protection:** The kettle is equipped with an automatic shut-off feature that activates when water reaches boiling point or if there is insufficient water, preventing overheating and boil-dry situations.
- **Cool Touch Design:** The double-wall construction keeps the exterior cool to the touch, reducing the risk of burns. However, always handle with care.
- **Filling:** Do not overfill the kettle beyond the 'MAX' line to prevent boiling water from spilling.
- **Steam Caution:** Be mindful of steam escaping from the spout or lid during and after boiling, as it can cause burns. Pour carefully.
- **Placement:** Place the kettle on a stable, flat, heat-resistant surface away from edges and out of reach of children.

# Multiple safety protections

## Enjoy with peace of mind



Figure 2: The kettle features boil-dry protection, overheat protection, and auto shut-off for enhanced safety.

### 3. PRODUCT COMPONENTS

The DEZIN Electric Kettle consists of the following main components:

- **Kettle Body:** Features a double-wall design with a 304 food-grade stainless steel interior and a cool-touch exterior.
- **Lid:** Designed with an anti-splash mechanism and can open to 45 degrees for pouring or 75 degrees for easy cleaning.
- **Spout & Filter:** Integrated stainless steel spout with a filter to prevent impurities from pouring out.
- **Handle:** Ergonomically designed for a comfortable and secure grip.
- **Power Base:** A detachable 360° swivel base with integrated cord storage and a power switch.

# Fast Boiling

**360°**  
Circulation  
Heating Tech



**5**



**Min**

Figure 3: The kettle's interior is made of 100% 304 stainless steel, including the spout and filter, ensuring no plastic contact with water.



Figure 4: The lid offers two opening angles: a small angle (45°) to prevent splashing during pouring and a large angle (75°) for easy filling and cleaning.

## 4. SETUP

---

1. **Unpack:** Carefully remove all packaging materials from the kettle and its components.
2. **Initial Cleaning:** Before first use, fill the kettle with water to the MAX line, boil it, and then discard the water. Repeat this process 2-3 times to remove any manufacturing residues.
3. **Position the Base:** Place the power base on a dry, flat, and stable surface. The base features integrated cord storage, allowing you to adjust the cord length as needed.
4. **Connect Power:** Plug the power cord into a suitable 110V-120V electrical outlet.

## 5. OPERATING INSTRUCTIONS

---

1. **Fill the Kettle:** Open the lid and fill the kettle with the desired amount of water. Ensure the water level is between the MIN and MAX marks inside the kettle. Do not overfill.
2. **Place on Base:** Securely place the kettle onto its power base.
3. **Start Boiling:** Push the power lever down. The indicator light will illuminate, signifying that the kettle is heating.

4. **Automatic Shut-Off:** The kettle will automatically turn off once the water reaches boiling point, and the indicator light will extinguish.
5. **Manual Shut-Off:** To stop the boiling process manually, simply push the power lever up.
6. **Pouring:** Carefully lift the kettle from the base and pour the hot water. The anti-splash lid design helps prevent spills.



Figure 5: Pouring hot water from the kettle, showcasing its ergonomic handle and anti-splash spout.

### Instructional Videos:

Video 1: This video demonstrates the unboxing, filling, and basic operation of the DEZIN Electric Kettle, including how to turn it on and off.

Video 2: This video provides a detailed overview of the kettle's features, including cord storage, stainless steel interior, and quick boiling capabilities.

## 6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will prolong the life of your kettle.

- **Daily Cleaning:** After each use, unplug the kettle and allow it to cool. Wipe the exterior with a soft, damp cloth. Hand wash the interior with mild soap and water, then rinse thoroughly.

- **Descaling:** Mineral deposits (limescale) can build up over time, especially in hard water areas. To descale:
  - Fill the kettle with a mixture of equal parts water and white vinegar, or water with lemon juice.
  - Let it soak for 30 minutes (do not boil the descaling solution).
  - Discard the solution, then rinse the interior thoroughly several times with fresh water.
  - Wipe clean to remove any remaining residue.
- **Storage:** When not in use, ensure the kettle is clean and dry. Store it in a cool, dry place.

## 7. TROUBLESHOOTING

| Problem                       | Possible Cause  | Solution   |
|-------------------------------|---|--|
| Kettle does not heat.         | Not plugged in; power switch not engaged; no water.   | Ensure power cord is securely plugged in. Push the power lever down. Fill with water above MIN line. |
| Water is leaking.             | Kettle is overfilled; lid not properly closed.  | Do not fill past the MAX line. Ensure the lid is securely closed.                                    |
| Kettle turns off too quickly. | Insufficient water; limescale buildup.  | Ensure water level is above MIN line. Perform descaling procedure.                                   |
| Exterior is hot.              | This model features a cool-touch double-wall design. If the exterior is hot, discontinue use and contact support. | Discontinue use and contact customer support.  |

## 8. SPECIFICATIONS

| Feature            | Detail  |
|--------------------|---|
| Brand              | DEZIN   |
| Model Name         | Dezin Electric Kettle (LL-8860)   |
| Capacity           | 0.8 Liters (800 Milliliters)  |
| Material           | 304 Stainless Steel Interior, Double-Wall Construction                          |
| Power              | 960W (Note: Product description states 800W, actual unit may be 960W)           |
| Voltage            | 110V-120V (Standard US)   |
| Product Dimensions | 8.31"L x 6.31"W x 8.82"H  |
| Item Weight        | 2.2 pounds (1 Kilogram)   |
| Special Features   | Double Wall, Auto Shut-Off, Boil-Dry Protection, 360° Swivel Base, Cord Storage |

## 9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the product packaging or contact DEZIN customer service directly. Keep your purchase receipt as proof of purchase.

