Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

ev-rhinestones DS-19039

ev-rhinestones DS-19039 Heart Flat Back Fix Rhinestones Instruction Manual

Model: DS-19039

Introduction

This manual provides detailed instructions for the proper application and care of your ev-rhinestones DS-19039 Heart Flat Back Fix Rhinestones. These heat-activated crystals are designed for secure attachment to various materials, including garments, shoes, and bags. Please read this manual thoroughly before use to ensure optimal results and product longevity.

Safety Information

- Always use caution when working with heat sources such as irons.
- Ensure adequate ventilation in your workspace.
- Keep rhinestones and application tools out of reach of children and pets.
- Test heat application on an inconspicuous area of your material first, especially with delicate fabrics, to prevent damage.

Product Overview

The ev-rhinestones DS-19039 are high-quality, lead-free glass rhinestones with a heat-activated adhesive backing. They feature a heart shape and are available in various sizes, including 6mm, 7mm, and 10mm, and multiple colors. These rhinestones are designed for iron-on application to provide a durable embellishment.



Figure 1: Example of DS-19039 Heart Flat Back Fix Rhinestones. These are crystal clear, heart-shaped rhinestones with a flat back for heat application.

Setup and Preparation

Materials Required:

- ev-rhinestones DS-19039 Heart Flat Back Fix Rhinestones
- Household iron or heat press
- Pressing cloth (thin cotton fabric)
- Hard, flat, heat-resistant surface (e.g., ironing board, heat press mat)
- Tweezers or rhinestone pick-up tool (optional, for precise placement)

Surface Preparation:

1. Ensure the application surface (fabric, shoe, etc.) is clean, dry, and free of wrinkles.

2. Pre-wash new garments without fabric softener to remove sizing that may interfere with adhesion.
3. Place the material on a hard, flat, heat-resistant surface.

Rhinestone Placement:

Carefully arrange the rhinestones on your material with the flat, adhesive side facing down. Use tweezers or a pick-up tool for intricate designs. Once placed, avoid disturbing them before heat application.

Operating Instructions (Application)

1. **Preheat Iron:** Set your iron to a medium-high temperature (approximately 150-170°C or 300-340°F). Ensure the steam function is turned OFF.
2. **Position Pressing Cloth:** Place a thin pressing cloth over the arranged rhinestones. This protects both the rhinestones and your iron.
3. **Apply Heat:** Press the hot iron firmly onto the pressing cloth, directly over the rhinestones. Apply even pressure for 20-30 seconds. For larger designs, move the iron in sections, ensuring each rhinestone receives adequate heat.
4. **Cool Down:** Carefully lift the iron and pressing cloth. Allow the rhinestones and material to cool completely before handling. This allows the adhesive to cure and bond properly.
5. **Check Adhesion:** Once cooled, gently test the edges of a few rhinestones with your fingernail. If any rhinestones lift, repeat the heat application process for an additional 10-15 seconds.

Note: Application times and temperatures may vary slightly depending on the fabric type and iron. Always perform a test on a scrap piece of fabric if possible.

Maintenance and Care

Washing Instructions (for Garments):

- Wait at least 24-48 hours after application before washing the item.
- Turn the garment inside out before washing.
- Machine wash on a gentle cycle with cold water.
- Use a mild detergent.
- Do not use bleach or harsh chemicals.
- Tumble dry on low heat or, preferably, hang to dry. Avoid high heat.
- If ironing is necessary, iron the garment inside out or place a pressing cloth over the rhinestones.

Storage:

Store unused rhinestones in a cool, dry place, away from direct sunlight and extreme temperatures, to preserve the adhesive quality.

Troubleshooting

- **Rhinestones not adhering:**
  - Ensure the iron temperature is correct and steam is off.
  - Apply firm, even pressure for the recommended duration.
  - Verify the application surface is clean and dry.
  - Allow sufficient cooling time for the adhesive to set.

- **Rhinestones falling off after washing:**
  - Review washing instructions to ensure proper care.
  - Ensure adequate heat and pressure were applied during the initial application.
  - Consider re-applying with slightly more heat/pressure if the fabric can withstand it.
- **Fabric damage during application:**
  - The iron temperature may be too high for the fabric. Reduce heat.
  - Always use a pressing cloth to protect the fabric.
  - Test on an inconspicuous area first.

Specifications

Feature	Detail
Product Type	Rhinestones
Model Number	DS-19039
Material	Crystal Glass
Shape	Heart
Available Sizes	6mm, 7mm, 10mm
Technics	Hot Fix / Iron On
Adhesive	Strong Heat Activated Glue
Quality	AAA
Typical Quantity (example)	360 Pcs (for 6mm)
Primary Use	Garments, Shoes, Bags, T-shirts, Dresses, Jeans, Veils, Purses, Gloves, Belts, Furniture

Warranty and Support

For specific warranty information regarding your ev-rhinestones DS-19039 Heart Flat Back Fix Rhinestones, please refer to the purchase documentation or contact the seller directly. If you require further assistance or have questions not covered in this manual, please reach out to the manufacturer or authorized retailer for support.
Manufacturer: ev-rhinestones

© 2023 ev-rhinestones. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B092M24N61

More documents and user manuals: **https://manuals.plus/**