

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Kratos](#) /
- › [Kratos Refrigeration 69K-889HC Commercial Premium Reach-in Freezer User Manual](#)

Kratos 69K-889

Kratos Refrigeration 69K-889HC Commercial Premium Reach-in Freezer User Manual

Model: 69K-889

[Overview](#) [Setup](#) [Operating](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty](#) [Support](#)

PRODUCT OVERVIEW

This manual provides essential information for the safe and efficient use of your Kratos Refrigeration 69K-889HC Commercial Premium Reach-in Freezer. Please read all instructions carefully before installation and operation.



Figure 1: Front view of the Kratos 69K-889HC Commercial Premium Reach-in Freezer, showing the single door and bottom-mounted compressor grille.



Figure 2: Angled front-side view of the Kratos 69K-889HC freezer, highlighting its stainless steel construction.



Figure 3: Interior view of the freezer with the door open, showing the adjustable shelving and internal lighting.

SETUP INSTRUCTIONS

1. **Unpacking:** Carefully remove all packaging materials. Inspect the freezer for any shipping damage. Report any damage immediately to the carrier and supplier.
2. **Placement:** Position the freezer on a strong, level surface capable of supporting its weight when fully loaded. Ensure adequate ventilation around the unit. Maintain a minimum of 6 inches (15 cm) clearance from walls and

other equipment for proper airflow.

3. **Leveling:** Use the adjustable casters to level the unit. Ensure the freezer is stable and does not rock.
4. **Initial Cleaning:** Before first use, clean the interior and exterior surfaces with a mild soap and water solution. Rinse thoroughly and dry.
5. **Power Connection:** Connect the freezer to a dedicated electrical outlet that matches the voltage and amperage requirements specified on the product label. Do not use extension cords.
6. **Initial Power-Up:** After connecting power, allow the unit to run empty for at least 2-4 hours to reach the desired operating temperature before loading with products.

OPERATING INSTRUCTIONS

Temperature Control



Figure 4: Digital temperature controls for precise temperature management.

- The freezer is equipped with digital temperature controls for precise temperature management.
- The current internal temperature is displayed on the digital panel.
- Use the up and down arrows to adjust the set temperature. Refer to the controller's specific instructions for detailed programming.

Loading the Freezer

- Ensure proper air circulation by not overfilling the freezer. Leave space between items and the interior walls.
- Distribute weight evenly across the shelves. The freezer includes heavy-duty shelving.



Figure 5: Example of heavy-duty shelving in a Kratos unit, designed for commercial use.

Door Operation

- The freezer features a self-closing door to minimize temperature fluctuations and energy consumption.
- Ensure the door closes completely after each use.

MAINTENANCE

Regular Cleaning

- **Interior:** Clean the interior regularly with a mild, non-abrasive cleaner. Remove shelves and clean them separately. Rinse with clean water and dry thoroughly.
- **Exterior:** Wipe down the stainless steel exterior with a soft cloth and a stainless steel cleaner. Avoid abrasive pads or cleaners that can scratch the surface.
- **Door Gaskets:** Inspect and clean door gaskets weekly. Ensure they are free of food debris and remain flexible for a tight seal. Replace worn or damaged gaskets promptly.

Condenser Coil Cleaning

- The condenser coils should be cleaned every 30 days or as needed, depending on the operating environment.
- Unplug the unit before cleaning.
- Remove the front grille. Use a stiff brush or vacuum cleaner to remove dust and debris from the condenser coils.
- Failure to clean the condenser coils regularly can lead to reduced efficiency, increased energy consumption, and potential equipment failure.

Automatic Defrost



Figure 6: The freezer features an automatic defrost system to prevent ice buildup.

- This freezer features an automatic defrost system, eliminating the need for manual defrosting.
- Ensure the drain pan is clear and the drain line is not obstructed to allow proper water removal during defrost cycles.

TROUBLESHOOTING GUIDE

Problem	Possible Cause	Solution
Freezer not cooling	Unit unplugged or power outage	Check power cord and circuit breaker.
Freezer not cooling	Temperature set too high	Adjust thermostat to a lower setting.
Freezer not cooling	Dirty condenser coils	Clean condenser coils as per maintenance instructions.
Excessive noise	Unit not level	Adjust leveling casters.
Excessive noise	Loose components	Contact qualified service personnel.
Door not sealing properly	Dirty or damaged door gasket	Clean or replace door gasket.
Door not sealing properly	Obstruction in door path	Remove any items blocking the door.

For issues not listed above or if solutions do not resolve the problem, contact Kratos customer support or a qualified service technician.

SPECIFICATIONS

Feature	Detail
Brand	Kratos

Feature	Detail
Model Number	69K-889
Item Weight	280 pounds
Installation Type	Freestanding
Defrost Type	Automatic
Number of Shelves	3
Product Dimensions (D x W x H)	33.3"D x 27"W x 83.5"H

WARRANTY INFORMATION

The Kratos 69K-889HC Commercial Premium Reach-in Freezer comes with a comprehensive warranty:

- **3 years parts and labor**
- **5 years on the compressor**

Important Warranty Restrictions:

- Warranty is void if the unit is used in a residential setting.
- A 90-day limited warranty applies to food trucks or mobile applications.

For detailed warranty terms and conditions, please refer to the official warranty document provided with your purchase or contact Kratos customer support.

Your browser does not support the video tag.

Video 1: Kratos Premium Refrigerator Overview. This video highlights key features including the stainless steel exterior, self-closing doors, LED lighting, digital temperature controls, and warranty details applicable to Kratos premium refrigeration units.

CUSTOMER SUPPORT

For technical assistance, parts inquiries, or warranty claims, please contact Kratos customer support:

- **Phone:** Refer to your purchase documentation for the most current contact number.
- **Website:** Visit the official Kratos website for FAQs and support resources.
- **Email:** Use the contact form on the Kratos website for email support.

When contacting support, please have your model number (69K-889) and serial number ready.

