

manuals.plus /

› [Addtam](#) /

› [Addtam USB Wall Charger Surge Protector Instruction Manual for Model Doc](#)

Addtam Doc

Addtam USB Wall Charger Surge Protector Instruction Manual

MODEL: DOC

1. Introduction

Thank you for choosing the Addtam USB Wall Charger Surge Protector. This device is designed to expand your existing wall outlets, providing multiple AC power sockets and USB charging ports while protecting your electronic devices from power surges. Please read this manual thoroughly before use to ensure safe and optimal performance.



Image 1: Front view of the Addtam USB Wall Charger Surge Protector, showcasing its compact design and multiple ports.

2. Key Features

- **5 AC Outlets:** Provides additional power outlets for various electronic devices.
- **4 USB Charging Ports:** Includes 3 USB-A ports and 1 USB-C port for convenient charging of smartphones, tablets, and other USB-powered devices.
- **1800 Joules Surge Protection:** Safeguards connected electronics from voltage spikes and power surges.
- **3-Sided Design:** Optimizes space and allows for multiple plugs without obstruction.
- **Wide-Spaced Outlets:** Accommodates larger power adapters without blocking adjacent outlets.
- **Fire-Resistant Shell:** Constructed with a durable, fire-resistant material for enhanced safety.
- **Mountable Design:** Can be securely mounted to a standard wall outlet using a central screw.

9-IN-1

1

USB-C Port

3

USB-A Ports

5

AC Outlets



1800 Joules Surge Protection



Smart USB Port
(4.5A Share)



Wide Spaced AC Outlets
(15A/1875W)



Safe Fireproof shell



Multiple Outlets




Image 2: Visual representation of the product's 9-in-1 functionality and key features.

3. Safety System

The Addtam USB Wall Charger Surge Protector incorporates a 7-point safety system to protect your devices and ensure safe operation:

- **Short-Circuit Protection:** Prevents damage from electrical shorts.
- **Grounded Protection:** Ensures proper grounding to prevent electrical shock.
- **Over-Temperature Control:** Monitors and regulates internal temperature to prevent overheating.
- **Over-Current Protection:** Protects against excessive current flow.
- **Fire-Resistance:** Housing material is designed to resist fire.
- **Internal Safety Shutters:** Provides protection against accidental contact with live parts.
- **Over-Voltage Protection:** Shields devices from damaging voltage spikes.

7-Point Safety System Say Goodbye to All Risks



Image 3: Detailed view of the internal components and safety mechanisms.

4. Setup Instructions

1. **Identify a Standard Duplex Outlet:** Locate a standard two-receptacle wall outlet where you wish to expand power access.
2. **Remove Existing Wall Plate:** Carefully remove the screw from the center of your existing wall outlet plate and detach the plate.
3. **Plug in the Surge Protector:** Align the prongs of the Addtam surge protector with the top receptacle of the wall outlet and firmly push it into place. Ensure both prongs are fully inserted.
4. **Secure with Screw:** Use the provided screw (or the screw from your original wall plate if compatible) to secure the surge protector to the wall outlet through the central hole. Tighten until snug, but do not overtighten.
5. **Verify Power:** A green "SURGE PROTECTED" indicator light on the front of the unit will illuminate, confirming that the unit is powered and surge protection is active.

This design is more stable and has been tested in tens of thousands of insertions




Image 4: Rear view of the surge protector, highlighting the plug and mounting screw for secure installation.

Setup Demonstration Video

Video 1: A seller-provided video demonstrating the installation process of the Addtam USB Wall Charger Surge Protector.

5. Operating Instructions

Once installed and the green "SURGE PROTECTED" light is on, your Addtam USB Wall Charger Surge Protector is ready for use.

- **AC Outlets:** Plug your AC-powered devices directly into any of the 5 available three-prong outlets. The wide spacing allows for larger adapters.
- **USB Charging Ports:** Connect your USB charging cables to the 3 USB-A ports or the 1 USB-C port. The device will automatically detect and deliver the optimal charging current for your connected devices (up to 4.5A total for all USB ports).
- **Surge Protection Indicator:** The green light indicates that the surge protection feature is active and functioning. If this light is off, the surge protection may have been compromised, and the unit should be replaced.

WIDE SPACING OUTLETS INTERVALS

Suitable for simultaneous use of larger plugs




Image 5: Illustration of the wide-spaced outlets, allowing for simultaneous use of multiple large plugs.

Usage Demonstration Video

Video 2: A seller-provided video showcasing the Addtam outlet extender in use with multiple devices.

6. Specifications

Model Number	Doc
AC Outlets	5
USB-A Ports	3
USB-C Ports	1
USB Total Output	4.5A
AC Electrical Rating	15A / 1875W
Surge Protection	1800 Joules

Product Dimensions (H x W x D)	5.43 in x 3.54 in x 1.73 in
Item Weight	1.41 ounces
Color	White

USB-C Port

iPhone11/pro iPad Pro Pixel/Pixel+ S10/S10+ Nexus 6P MacBook Air **More**

USB-A Port

iPad S9/S9+ iPhone7/Plus iPhone6/Plus S8 Apple Watch **More**

Universal Compatibility

Addtam
USB TOTAL 4.5A
USB C
SURGE PROTECTED

Image 6: Illustrates the universal compatibility of the USB-A and USB-C ports with various electronic devices.

7. Troubleshooting

- **No Power to Devices:**
 - Ensure the Addtam surge protector is securely plugged into a functioning wall outlet.
 - Check if the green "SURGE PROTECTED" indicator light is illuminated. If not, the unit may have absorbed a surge and needs replacement.
 - Verify that the wall outlet itself is receiving power by testing it with another device.
- **USB Devices Not Charging:**
 - Ensure your USB cable is properly connected to both the device and the Addtam unit.
 - Try a different USB port or cable to rule out a faulty connection or cable.
 - Confirm that the device you are trying to charge is compatible with USB charging.

- **Loose Fit in Wall Outlet:**

- Ensure the central screw is tightened to secure the unit to the wall outlet.
- If the wall outlet itself is worn or loose, it may require professional inspection or replacement.

8. Maintenance

- **Cleaning:** Disconnect the unit from the wall outlet before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or abrasive materials.
- **Inspection:** Periodically inspect the unit for any signs of damage, such as cracks, frayed wires, or discoloration. If damage is found, discontinue use and replace the unit.
- **Storage:** If storing the unit, ensure it is disconnected from power and kept in a cool, dry place away from direct sunlight and moisture.

9. Warranty and Support

For warranty information, technical support, or any questions regarding your Addtam USB Wall Charger Surge Protector, please refer to the product packaging or contact Addtam customer service directly. Contact details can typically be found on the official Addtam website or through your purchase platform.