

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [WOODBIDGE](#) /

› [WOODBIDGE BJ300 71-inch Whirlpool and Air Bubble Freestanding Heated Bathtub Instruction Manual](#)

WOODBIDGE BJ300

WOODBIDGE BJ300 71-inch Whirlpool and Air Bubble Freestanding Heated Bathtub Instruction Manual

Model: BJ300
Brand: WOODBRIDGE

1. INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your new WOODBRIDGE BJ300 71-inch Whirlpool and Air Bubble Freestanding Heated Bathtub. Please read all instructions carefully before installation and use to ensure proper function and longevity of your product. Keep this manual for future reference.

2. SAFETY INFORMATION

Electrical Requirements: The bathtub requires 3 dedicated 15AMP 120V outlets. Ensure all electrical connections are performed by a qualified electrician in accordance with local codes and regulations.

Water Temperature: Do not exceed 104°F (40°C) water temperature. Prolonged immersion in hotter water can cause hyperthermia, which may result in unconsciousness, dizziness, nausea, or heat stroke.

Cleaning: Use only non-abrasive cleaners specifically designed for acrylic surfaces. Avoid harsh chemicals or abrasive tools that can damage the tub's finish.

Certification: This WOODBRIDGE Hydromassage bathtub is certified to UL1795 and complies with ASME A112.19.7/CSA B45.10, CSA B45.5/IAPMO Z124, CSA C22.2 No.218. IPC and NPC standards.


3. PRODUCT FEATURES

- **Dimensions:** Exterior Dimension: 71" Long x 31-1/2" Wide x 29-1/8" High. Effective Tub Capacity: 60 Gallons. Seating Dimension: 41-3/4" Length x 25-1/4" Width. Water Depth to Overflow: 14-1/2".
- **Whirlpool and Air Bubble Jets:** Combines both whirlpool and air bubble jets for a comprehensive hydrotherapy experience. Features 6 adjustable body massage jets and 10 whirlpool bubble bath jets.
- **Heated Soaking Tub:** Equipped with an inline heater to maintain water temperature, allowing for extended soaking without adding more hot water.
- **Air Massage:** Thousands of tiny air bubbles provide a gentle tissue massage, aiding in pain relief, muscle relaxation, and promoting oxygen and blood flow.
- **High Performance Pump:** Features a pump with an approved motor, designed to deliver a strong and consistent hydro-massage.

- **Stainless Steel Jets:** Sanitary, full-draining stainless steel jets.
- **Chromotherapy Light:** Integrated underwater chromotherapy light for enhanced relaxation.
- **Premium Quality Construction:** Made from 100% high gloss white LUCITE acrylic, reinforced with ASHLAND resin and fiberglass for durability and a seamless finish.
- **Package Contents:** Bathtub x 1, Pre-assembled chrome finish drain and overflow x 1, user guide and installation manual x 1.

WOODBIDGE[®]

BJ300



IMPORTANT INFORMATION

- Measurements are $\pm 1/2"$ and subject to change without notice
- Specifications & Configurations are subject to change without notice
- Please measure tub on-site before installation

- Please note that installer(s) must be certified or warranty will be voided
- Measurements herein supersede all others published prior to publication date shown below
- Before ordering or installing, please consider future access to equipment

www.woodbridgebath.com

Figure 3.1: Detailed dimensions of the BJ300 bathtub.



Figure 3.2: Overview of the BJ300 bathtub's key features.

4. SPECIFICATIONS

Feature	Specification
Color	White
Material	Acrylic
Product Dimensions	71"L x 31.5"W x 29.12"H
Style	Bathtub with Heater
Finish Type	Glossy
Item Weight	125 Pounds
Installation Type	Freestanding
Capacity	59 Gallons
Shape	Rectangular
Model Number	BJ300
Certifications	UL1795, ASME A112.19.7/CSA B45.10, CSA B45.5/IAPMO Z124, CSA C22.2 No.218. IPC and NPC

5. SETUP AND INSTALLATION

Professional Installation Recommended: Installation of this bathtub must be performed by a certified professional. Failure to do so may void the product warranty.

Pre-Installation Check: Before installation, carefully measure the tub and the installation area to ensure proper fit and accessibility for future maintenance. Ensure the floor can support the weight of the filled tub and bather.

Plumbing: Connect the pre-assembled chrome finish drain and overflow according to local plumbing codes. Ensure all connections are watertight.

Electrical Connections: As noted in the safety section, the unit requires 3 dedicated 15AMP 120V outlets. All electrical work must be completed by a qualified electrician.

Positioning: As a freestanding unit, position the bathtub to allow adequate space around it for cleaning and access to

plumbing and electrical components if needed.

6. OPERATING INSTRUCTIONS

Your WOODBRIDGE BJ300 bathtub offers a combination of features for a relaxing experience. The control panel is typically located on the rim of the tub.



Figure 6.1: Bathtub control panel.

6.1 Filling the Bathtub

Ensure the drain is closed. Use the faucet to fill the tub with water to your desired level. Do not fill above the overflow drain.

6.2 Activating Whirlpool Jets

Once the tub is filled to an appropriate level (above the jets), press the designated button on the control panel to activate the whirlpool jets. You may be able to adjust the intensity of the jets using a rotary knob or additional buttons.

Powerful jets for optimal hydrotherapy.

The jetted bath, powered by Woodbridge hydrotherapy jetting system, gives bathers a therapeutic, invigorating massage.



Figure 6.2: Powerful whirlpool jet in operation.

6.3 Activating Air Bubble Jets

Press the button for the air bubble jets on the control panel. These jets release thousands of small bubbles from the bottom of the tub for a gentle massage.



Figure 6.3: Air bubble jets creating a soothing effect.

6.4 Using the Inline Heater

The inline heater automatically maintains the water temperature, preventing it from cooling during your bath. There is no separate control for the heater; it activates when the jets are running and water is circulating.




Figure 6.4: Inline heater mechanism.

6.5 Chromotherapy Lighting

The bathtub features an underwater chromotherapy light. This light typically activates with the jets and cycles through various colors to enhance your relaxation. Refer to the specific controls for your model to adjust or disable the lighting if desired.



Figure 6.5: Chromotherapy light in action.

Video 6.1: Demonstration of the chromotherapy lights and air bubbles in the bathtub.

Video 6.2: Overview of the bathtub's features and ease of use.

Video 6.3: Key features to consider for this whirlpool bathtub.

7. MAINTENANCE

7.1 Cleaning the Bathtub Surface

Regularly clean the high gloss acrylic surface with a soft cloth and a non-abrasive cleaner. Avoid using abrasive sponges, brushes, or chemical cleaners containing ammonia, bleach, or harsh acids, as these can damage the finish.

7.2 Cleaning the Jet System

To maintain hygiene and optimal performance, periodically clean the internal pipework of the jet system. Fill the tub with warm water, add a recommended jet cleaner or a small amount of dishwasher detergent, and run the jets for 10-15 minutes. Drain the tub and rinse thoroughly.

7.3 Draining the Bathtub

The bathtub is equipped with a pre-assembled chrome finish drain and overflow. To drain the tub, simply open the drain mechanism. Ensure the drain is clear of debris to prevent blockages.

8. TROUBLESHOOTING

- **Jets or Air Bubbles Not Activating:** Check that the bathtub is properly connected to the dedicated electrical outlets and that the circuit breakers are not tripped. Ensure the water level is above the jets.
- **Water Not Draining:** Check the drain for any obstructions. If the issue persists, professional plumbing assistance may be required.
- **Excessive Splashing from Air Bubbles:** The air bubble jets are powerful. Adjusting the water level or the intensity control (if available on your model) may help reduce splashing.
- **Chromotherapy Light Malfunction:** If the light is not working or cycling incorrectly, check electrical connections. For persistent issues, contact customer support.

9. WARRANTY AND SUPPORT

Warranty: The WOODBRIDGE BJ300 bathtub is warranted to be free of defects in material and workmanship for 1-Year from the date of purchase.

Extended Warranty: To receive an additional 1-Year warranty, please log in and register your product on the official WOODBRIDGE website.

Customer Support: For technical assistance, warranty claims, or any questions regarding your product, please contact WOODBRIDGE customer service. Refer to the product packaging or the official WOODBRIDGE website for current contact information.