

[Manuals.plus](#) /

› [JEKCA](#) /

› JEKCA Black and White Lemur 01S Building Blocks Instruction Manual

JEKCA ST19ML56

JEKCA Black and White Lemur 01S Building Blocks Instruction Manual

Model: ST19ML56

1. INTRODUCTION

Welcome to the JEKCA Black and White Lemur 01S building block set. This manual provides comprehensive instructions for assembling your JEKCA model, ensuring a sturdy and aesthetically pleasing final product. JEKCA utilizes a unique interlocking brick-through system designed for durability and intricate detail.

This product is recommended for individuals aged **14 years and up** due to the complexity and number of pieces involved.



Image 1.1: The completed JEKCA Black and White Lemur 01S model, showcasing its intricate design and block construction.

2. WHAT'S IN THE BOX

Before beginning assembly, please verify that all components listed below are present in your package.

- Instruction Manual
- Bricks (over 2370 pieces)
- Pins
- Pin Driver (screwdriver tool)
- Quick Guide



Image 2.1: The JEKCA brand logo, illustrating the block-based construction method.

3. ASSEMBLY INSTRUCTIONS

The JEKCA building system uses a unique interlocking method to create highly stable and durable models. Follow these steps carefully for successful assembly.

3.1 Understanding the Interlocking System

Unlike traditional building blocks, JEKCA blocks are secured using pins and a pin driver (screwdriver). This system ensures that your model is sturdy and less prone to falling apart.



Image 3.1: Basic principle of JEKCA assembly. Insert the pin (screw) and turn 90 degrees with the pin driver to lock blocks together.




Image 3.2: Detailed steps for interlocking JEKCA blocks. (1) Position blocks, (2) Insert pins, (3) Rotate pins 90 degrees using the pin driver.

3.2 General Assembly Steps

1. **Organize Components:** Sort your bricks by color and size. This will significantly speed up the building process.
2. **Follow the Manual:** Refer to the included detailed building manual for step-by-step instructions specific to the Lemur 01S model. Each step will indicate which bricks and pins to use.
3. **Connect Bricks:** Place the designated bricks together according to the manual. Ensure they are properly aligned.
4. **Insert Pins:** Insert the provided pins into the designated holes to connect the bricks.
5. **Secure with Pin Driver:** Use the pin driver to turn each pin 90 degrees. This action expands the pin within the blocks, creating a secure, interlocking connection.
6. **Verify Connections:** After securing a section, gently test the connection to ensure it is firm. If a connection feels loose, re-check the pin insertion and rotation.



Image 3.3: Example of JEKCA assembly in progress, demonstrating the use of the pin driver to secure blocks.

4. DISPLAY AND CARE

4.1 Displaying Your Model

Once assembled, your JEKCA Lemur model is a durable display piece. Place it on a stable, flat surface away from direct sunlight and extreme temperatures to preserve its color and structural integrity.



1:1 scale alongside a 13-inch iPad Pro

Image 4.1: The JEKCA Lemur model displayed alongside a tablet showing its specifications, indicating its substantial size.

4.2 Cleaning and Maintenance

To clean your JEKCA model, gently wipe it with a soft, dry cloth. For more stubborn dust, a slightly damp cloth can be used, followed immediately by a dry cloth. Avoid using harsh chemicals or abrasive materials, as these can damage the plastic.

The interlocking system makes the model sturdy, but excessive force or dropping can still cause damage. Handle with

care.

5. TROUBLESHOOTING

- **Loose Connections:** If a section feels loose, ensure the pins are fully inserted and rotated 90 degrees. Sometimes, a pin may not be fully turned.
- **Missing Pieces:** Carefully check all packaging materials. If you believe a piece is genuinely missing, please contact JEKCA customer support with your model number and details of the missing part.
- **Difficulty Inserting Pins:** Ensure the blocks are perfectly aligned. Do not force pins; gentle pressure and correct alignment are key. The pin driver should turn smoothly.
- **Disassembly:** To disassemble, use the pin driver to turn the pins back 90 degrees to their original position, then gently pull the blocks apart. Avoid excessive force.

6. SPECIFICATIONS

Feature	Detail
Model Number	ST19ML56
Product Dimensions (L x W x H)	14.02 x 6.89 x 13.94 inches (approx. 35.6 x 17.5 x 35.4 cm)
Item Weight	5.43 pounds
Number of Pieces	>2370 pieces
Recommended Age	14 years and up
Brand	JEKCA

7. WARRANTY AND SUPPORT

For any inquiries regarding missing parts, assembly issues, or product information, please contact JEKCA customer support. Refer to the packaging or the official JEKCA website for specific contact details.

JEKCA products are designed for quality and durability. Please retain your proof of purchase for any warranty claims, if applicable.

© 2025 JEKCA. All rights reserved.

This manual is for informational purposes only.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question