

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [VEVOR](#) /
- › [VEVOR Universal Tractor Seat Replacement Instruction Manual](#)

VEVOR Universal Tractor Seat (ymhzyhsblack)

VEVOR Universal Tractor Seat Replacement Instruction Manual

Model: Universal Tractor Seat (ymhzyhsblack)

Brand: VEVOR

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your VEVOR Universal Tractor Seat. Constructed from high-grade vinyl with a polyurethane sponge interior, this seat is designed for durability and comfort, resisting high temperatures and water. Its ergonomic design aims to provide a comfortable sitting experience across various applications. This seat is compatible with most vehicles on the market, but careful attention to mounting hole distances is crucial for proper fitment.

UNIVERSAL TRACTOR SEAT

Compatible with most forklift & tractor



Awesome upgrade



Figure 1: VEVOR Universal Tractor Seat compatible with various heavy equipment like forklifts and tractors.

2. PRODUCT FEATURES

- **Sturdy & Durable Material:** The seat features a high-quality vinyl cover that is resistant to high temperatures and water, ensuring durability and resilience without easily deforming.
- **Unique Seat Design:** A central drain hole allows for quick drying, preventing water accumulation. The 20-inch high back provides support and helps reduce fatigue during extended use.
- **Superb Comfort:** An additional fabric cushion is included for enhanced comfort and hygiene. Slight bolstering on both sides of the seat helps maintain proper posture.
- **Easy Installation:** Pre-drilled holes facilitate straightforward assembly and replacement. Mounting patterns include 8" x 11.5" and 11.25" x 11.5".
- **Vehicle Fitment:** This universal seat is suitable for most mechanical equipment, including forklifts, dozers, aerial lifts, floor scrubbers, riding mowers, tractors, excavators, and trenchers.

PREMIUM VINYL MATERIAL



**VACUUM FORMED
VINYL COVER**



Figure 2: Premium vinyl material ensures durability and comfort.

WATERPROOF WITH DRAIN HOLE



**CENTRAL
DRAIN HOLE**

Figure 3: Central drain hole for quick water drainage.

COMFORTABLE CUSHION



**AN EXTRA FABRIC
CUSHION AS YOUR GIFT**

**SLIGHT BOLSTERING
ON BOTH SIDES**



Figure 4: Included fabric cushion and ergonomic bolstering for comfort.

ERGONOMIC HIGH BACK



Figure 5: Ergonomic high-back design provides support.

3. SETUP AND INSTALLATION

The VEVOR Universal Tractor Seat is designed for straightforward installation. Follow these steps to replace your old seat or install a new one:


1. **Review Mounting Patterns:** Before beginning installation, carefully examine the mounting bolt patterns on your equipment and compare them with the seat's pre-drilled holes. The seat supports 8" x 11.5" and 11.25" x 11.5" patterns.
2. **Position the Seat:** Place the new seat onto the mounting platform of your vehicle, aligning the pre-drilled holes with the existing bolt holes.
3. **Secure the Seat:** Insert appropriate bolts (not included, typically reused from the original seat or purchased separately) through the aligned holes and tighten them securely. Ensure all bolts are fastened evenly to prevent wobbling or instability.
4. **Test Stability:** After installation, gently test the seat's stability by applying pressure and checking for any movement. Ensure it is firmly attached before operating the vehicle.

Important: Always ensure the mounting hardware is compatible and securely fastened. If your equipment requires a different

mounting pattern, modifications may be necessary. Consult a professional if you are unsure about the installation process.

HASSLE-FREE INSTALLATION

Immediately undergo your new comfortable seat



Please pay attention to the hole distances

Figure 6: Mounting hole dimensions for hassle-free installation. Please verify compatibility with your equipment.

4. OPERATING INSTRUCTIONS

Once installed, the VEVOR Universal Tractor Seat is ready for use. This seat is designed to provide a comfortable and stable seating position for operators of various machinery.

- **Proper Seating Position:** Sit centrally on the seat, ensuring your back is supported by the high backrest. The side bolstering is designed to keep you comfortably in position during operation.
- **Comfort Cushion:** Utilize the provided fabric cushion for added comfort, especially during long operating periods. It can be easily removed for cleaning or replacement.
- **Drainage:** The central drain hole will prevent water from pooling on the seat surface, making it suitable for outdoor use and quick drying after rain or washing.

Note: This seat does not include adjustable features such as slides, armrests, or suspension. Ensure your equipment's existing

mounting system provides any necessary adjustments.

5. MAINTENANCE

Regular maintenance will extend the life and appearance of your VEVOR Universal Tractor Seat.

- **Cleaning the Vinyl:** Wipe the vinyl surface with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners, as these can damage the material. Rinse thoroughly with clean water and dry with a soft cloth.
- **Cushion Care:** The fabric cushion can be removed and cleaned separately according to its care instructions (typically hand wash or gentle machine wash). Ensure it is completely dry before re-placing it on the seat.
- **Inspect Mounting Hardware:** Periodically check all mounting bolts and fasteners to ensure they remain tight. Re-tighten if necessary to maintain seat stability and safety.
- **Drain Hole Maintenance:** Ensure the central drain hole remains clear of debris to allow for effective water drainage.
- **Storage:** If the equipment is stored outdoors for extended periods, consider covering the seat to protect it from prolonged exposure to harsh weather conditions, which can prolong its lifespan.

6. TROUBLESHOOTING

Here are some common issues and their potential solutions:

- **Seat Does Not Fit:**
 - Verify that your equipment's mounting bolt pattern matches one of the seat's supported patterns (8" x 11.5" or 11.25" x 11.5").
 - If patterns do not match, modifications to your equipment's mounting platform or the use of an adapter plate may be required.
- **Seat Feels Unstable/Wobbly:**
 - Ensure all mounting bolts are securely tightened.
 - Check for any missing washers or spacers that might be needed for a snug fit.
 - Inspect the mounting surface of your equipment for damage or unevenness.
- **Water Accumulates on Seat:**
 - Check if the central drain hole is obstructed by dirt or debris. Clear any blockages.
 - Ensure the seat is installed on a relatively level surface to allow proper drainage.

If you encounter issues not covered here or require further assistance, please contact VEVOR customer support.

7. SPECIFICATIONS

Feature	Specification
Brand	VEVOR
Model	Universal Tractor Seat (ymhzyhsblack)
Color	Black
Material	Vinyl
Product Dimensions (L x W x H)	23 x 19 x 21 inches (58.7 x 47.8 x 52.3 cm)

Feature	Specification
Item Weight	10 pounds (4.5 kg)
Mounting Bolt Patterns	8" x 11.5" and 11.25" x 11.5"
Vehicle Service Type	Forklift, Dozer, Aerial Lift, Floor Scrubber, Riding Mower, Tractor, Excavator, Trencher
Fit Type	Universal Fit

PRODUCT SPECIFICATIONS:

VEVOR®

Size: 18.8in x 23.1in x 20.6in / 47.8cm x 58.7cm x 52.3cm



Forklift



Excavator



Weeding machine



Tractor

Figure 7: Product dimensions and versatile applications.

8. WHAT'S IN THE BOX

Your VEVOR Universal Tractor Seat package includes the following items:

- 1 x VEVOR Universal Tractor Seat
- 1 x Fabric Cushion

9. WARRANTY AND SUPPORT

For warranty information, technical support, or any questions regarding your VEVOR Universal Tractor Seat, please refer to the contact information provided with your purchase or visit the official VEVOR website. Our customer service team is available to assist you with any concerns.