

[Manuals.plus](#) /

> [Ifaucet](#) /

> Ifaucet Kitchen Faucet Head Replacement (Model B093PZLWVQ) Instruction Manual

Ifaucet B093PZLWVQ

Ifaucet Kitchen Faucet Head Replacement Instruction Manual

MODEL: B093PZLWVQ

Brand: Ifaucet

Introduction

Thank you for choosing the Ifaucet Kitchen Faucet Head Replacement. This manual provides detailed instructions for the proper installation, operation, and maintenance of your new faucet head. Please read this manual thoroughly before installation and keep it for future reference.

This pull-down spray head is designed for enhanced kitchen functionality, offering three distinct water flow modes and broad compatibility with various faucet brands through its comprehensive adapter kit. Its durable construction and easy-to-clean features ensure long-lasting performance.

Product Features

- **Wide Compatibility:** Includes 17 adapters to ensure compatibility with most major brand faucet hoses, including Moen, Delta, and Kohler.
- **Three-Function Sprayer Head:** Easily switch between stream, spray, and a unique 360° rotating blade water mode for versatile cleaning. The flow rate is 1.8 Gallons Per Minute (CEC listed).
- **Convenient Removable Aerator:** The aerator can be easily removed with the included key for cleaning, providing a quiet, no-splash aerated stream and filtering impurities.
- **Durable Construction:** Made from engineering-grade ABS plastic with a premium brushed nickel finish, designed to withstand daily rust and tarnishing.
- **Easy Installation:** Designed for simple screw-in installation, requiring minimal effort to replace your existing spray head.

Package Contents

The Ifaucet Kitchen Faucet Head Replacement package includes:

- 1 x Kitchen Faucet Head (Brushed Nickel)
- 17 x Universal Adapters

- 1 x Aerator Removal Key
- 1 x User Manual

3 Water Flow Modes



Image: The complete Ifaucet Kitchen Faucet Head Replacement kit, including the brushed nickel spray head and various adapters.

Setup and Installation


Follow these steps to install your new Ifaucet Kitchen Faucet Head Replacement:

1. **Turn Off Water Supply:** Locate the hot and cold water shut-off valves under your sink and turn them off to prevent water flow.
2. **Remove Old Faucet Head:** Unscrew your existing faucet spray head from the pull-down hose. You may need a wrench if it's tightly secured.
3. **Select Correct Adapter:** Identify the correct adapter from the provided 17-piece kit that matches the thread of your faucet hose. The most common size is G 1/2 (20mm).
4. **Attach Adapter (if needed):** If your hose thread does not directly match the new spray head, screw the selected adapter onto your faucet hose. Ensure a snug fit.

5. **Attach New Faucet Head:** Screw the Ifaucet Kitchen Faucet Head Replacement onto the adapter or directly onto your faucet hose. Hand-tighten first, then use a wrench for a final quarter-turn, being careful not to overtighten.
6. **Check for Leaks:** Turn the water supply back on slowly and check for any leaks around the connection point. Tighten further if necessary.

G 1/2 Male Thread Connector for 60% Kitchen Faucet

G 1/2 (20mm)



Original Faucet Top



G 1/2 Male Thread
Connector



102mm(4.02 inch)

Φ48mm(1.89 inch)

Image: Diagram illustrating the G 1/2 (20mm) male thread connector on the faucet head and how it connects to an original faucet top.

17 Adapter Kit for Universal Use



Image: A visual representation of the 17-piece adapter kit, showing various sizes and types for broad compatibility.

Operating Instructions

Your Ifaucet Kitchen Faucet Head Replacement features three distinct water flow modes for various tasks:

- **Stream Mode:** Provides a steady, aerated flow of water, ideal for filling pots and general washing. Activate by pressing the bottom button once.
- **Spray Mode:** Delivers a wide, powerful spray, perfect for rinsing dishes and cleaning the sink. Activate by pressing the middle button once.
- **360° Rotating Blade Mode:** A unique, high-pressure rotating water blade designed to blast away stubborn food debris and grime. Activate by pressing the top button once.

To switch between modes, simply press the corresponding button on the spray head. The faucet head can be pulled down and extended for greater reach and flexibility during use.

360° Rotary Blade **Spray** **Technology**



360°

Image: Visual demonstration of the three water flow modes: 360° Rotation (a powerful swirling jet), Spray (multiple fine jets), and Stream (a single, steady flow).

Your browser does not support the video tag.

Video: Official product video demonstrating the installation and various spray modes of the Ifaucet kitchen sink faucet replacement parts.

Maintenance

Regular maintenance will ensure the longevity and optimal performance of your faucet head:

- **Cleaning the Aerator:** If water flow becomes weak or irregular, the aerator may be clogged. Use the provided aerator removal key to unscrew the aerator. Rinse it under running water to remove any mineral deposits or debris. Reinstall the aerator securely.
- **Cleaning Nozzles:** The silicone nozzles are designed for easy cleaning. Simply rub your finger over the nozzles to dislodge any mineral buildup.
- **Exterior Cleaning:** Clean the brushed nickel finish with a soft, damp cloth and mild soap. Avoid abrasive cleaners, scouring pads, or chemicals that could damage the finish.

Troubleshooting

If you encounter any issues with your faucet head, refer to the following common troubleshooting tips:

- **Low Water Pressure:** Check if the aerator is clogged (refer to Maintenance section). Ensure the water supply valves are fully open.
- **Leaking from Connection:** Ensure the faucet head and any adapters are securely tightened. Check if the rubber washers are properly seated and not damaged.
- **Difficulty Switching Modes:** Ensure the buttons are not stuck or obstructed by debris. Clean the spray head surface.

If problems persist after attempting these solutions, please contact Ifaucet customer support.

Specifications

Feature	Specification
Brand	Ifaucet
Model Number	B093PZLWVQ
Material	Acrylonitrile Butadiene Styrene (ABS)
Finish Type	Brushed Nickel
Thread Size	G1/2
Maximum Flow Rate	1.8 Gallons Per Minute
Item Weight	5 ounces
Product Dimensions	48 x 26.4 x 26.4 inches
Installation Method	Screw-In

Warranty and Support

Ifaucet stands behind the quality of its products. For specific warranty information, please refer to the product packaging or contact Ifaucet customer service directly. Our support team is available to assist with any questions or concerns regarding your faucet head replacement.

For customer support, please visit the official Ifaucet store on Amazon or contact us through the provided channels on our website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B093PZLWVQ>

More documents and user manuals: <https://manuals.plus/>