

Rhino USA RETRACTABLE-RATCHETS

Rhino USA Retractable Ratchet Straps User Manual

MODEL: RETRACTABLE-RATCHETS

Introduction

Thank you for choosing Rhino USA Retractable Ratchet Straps. These heavy-duty tie-down straps are designed for secure and convenient cargo transport, featuring a self-retracting mechanism for ease of use and storage. Engineered and tested in the USA, they provide reliable strength for various applications, from securing ATVs and motorcycles to general cargo on trucks and trailers.

Product Features

- **AMERICAN OWNED, FAMILY OPERATED:** Designed and supported by a USA-based family business.
- **AUTHENTIC, HIGH-QUALITY:** Designed and tested in the USA to exceed safety standards, ensuring your cargo is secure without compromise.
- **INSTANT SELF RETRACTING STRAP:** Effortlessly manage excess strap length with a simple click of a button for quick and convenient use in any situation.
- **HIGHEST QUALITY MATERIALS:** Equipped with an Electro-Plated Zinc Coated Ratchet, an Ergonomic Padded Handle, and Coated Full Bend S-Hooks for Optimal Durability and Comfort During use.
- **INCLUDES (4) SOFT LOOP TIE DOWNS:** Ideal for creating secure anchor points on roof racks, truck beds, handlebars, and more, ensuring a versatile and reliable tie-Down solution.



Image: The Rhino USA Retractable Tie-Down Set, showing four 1" x 10' straps and a heavy-duty storage bag.

Setup and Operating Instructions

Follow these simple steps for effective and secure use of your Rhino USA Retractable Ratchet Straps:

1. **Prepare for Action:** Set the ratchet handle to the 'free spool' position.
2. **Secure and Anchor:** Fasten both ends of the strap to your designated anchor points.
3. **Eliminate Slack:** Activate the auto-retract mechanism to remove any excess strap, ensuring a snug fit.
4. **Achieve Desired Tension:** Shift the handle to the lock position and adjust until the desired tension is achieved for secure cargo.
5. **Release with Ease:** To unload, return the handle to the 'free spool' mode for hassle-free unloading.

WORRY LESS, ADVENTURE MORE!



RHINO
USA

**CONFIDENCE & PEACE OF MIND
WHEN TRANSPORTING YOUR:**



ATV



MOTORCYCLE



KAYAK



LAWN EQUIPMENT



CARGO

Image: Visual guide illustrating the 5 easy steps for using the retractable ratchet straps.

1,209 LBS MAX BREAK STRENGTH



QUICK PRESS BUTTON
TO SECURE & RELEASE



Image: Detail of the ratchet mechanism, emphasizing the quick press button for secure and release functions, and the 1,209 lbs maximum break strength.



EASILY RETRACT WITH
THE CLICK OF A BUTTON



AUTO-RETRACT
MECHANISM ALLOWS
FOR EASY STORAGE



RHINO
USA

HASSLE-FREE
RETRACTABILITY

Image: Illustration of the auto-retract mechanism for easy storage and hassle-free retractability.

403 LBS WORKING LOAD LIMIT • 1,209 LBS MAX BREAK STRENGTH



EXCLUSIVE
POLY/SILK WEBBING

**RHINO USA'S EXCLUSIVE POLYESTER /SILK BLEND WEBBING
ENSURING THE TOUGHEST YET SOFTEST QUALITY ANYWHERE!**



Image: The exclusive poly/silk webbing of the strap, shown in use securing a motorcycle, ensuring tough yet soft quality.

COATED S-HOOKS WITH SAFETY CLIPS



FULL BEND S-HOOK
WITH INTEGRATED
SAFETY CLIPS



RHINO
USA

Image: Detail of the coated S-hooks with integrated safety clips, designed for optimal durability.

GET READY IN SECONDS

5 EASY STEPS FOR HASSLE-FREE USE



PREPARE FOR ACTION

SET RATCHET HANDLE TO 'FREE SPOOL' POSITION.



SECURE AND ANCHOR

FASTEN BOTH ENDS TO YOUR ANCHOR POINTS.



ELIMINATE SLACK

ACTIVATE AUTO-RETRACT TO REMOVE ANY EXCESS STRAP.



ACHIEVE DESIRED TENSION

SHIFT HANDLE TO LOCK POSITION, AND ADJUST UNTIL PERFECT TENSION.



RELEASE WITH EASE

RETURN HANDLE TO 'FREE SPOOL' MODE FOR HASSLE-FREE UNLOADING.

Image: Rhino USA straps providing confidence and peace of mind when transporting a motorcycle in a truck bed.

Maintenance

To ensure the longevity and optimal performance of your Rhino USA Retractable Ratchet Straps, follow these maintenance guidelines:

- **Cleaning:** Clean straps with mild soap and water. Avoid harsh chemicals that could degrade the webbing material. Allow to air dry completely before storage.
- **Inspection:** Regularly inspect straps for any signs of wear, fraying, cuts, or damage to the webbing, hooks, or ratchet mechanism. Do not use damaged straps.
- **Storage:** Store straps in a dry, cool place, away from direct sunlight and extreme temperatures. The included storage bag is ideal for keeping them organized and protected.
- **Lubrication:** Periodically apply a light lubricant to the ratchet mechanism to ensure smooth operation, especially after exposure to water or dirt.

Troubleshooting

If you encounter any issues with your retractable ratchet straps, consider the following common solutions:

- **Strap Not Retracting Fully:** Ensure there is no debris or obstruction in the retraction mechanism. Clean the mechanism and webbing. If the strap is twisted, untwist it before attempting to retract.
- **Difficulty Tightening:** Check that the strap is properly threaded through the ratchet. Ensure the ratchet handle is in the correct position for tightening.
- **Strap Slipping:** Verify that the hooks are securely attached to stable anchor points. Ensure the strap is not overloaded beyond its working load limit. The ratchet mechanism should be fully engaged and locked.
- **Damaged Components:** If any part of the strap, including the webbing, hooks, or ratchet, appears damaged, discontinue use immediately. Damaged straps compromise safety and should be replaced.

Specifications

Attribute	Detail
Model	RETRACTABLE-RATCHETS
Size	4 Pack
Material	Polyester (Strap), Alloy Steel (Fastener)
Color	Black
Product Dimensions	120"L x 1"W (10 Feet x 1 Inch)
Load Capacity	403 Pounds (Working Load Limit)
Tensile Strength	1209 Pounds (Break Strength)
Number of Pieces	4
Special Features	Anodized Ratchet, Ergonomic Padded Handle & Coated Full Bend S Hooks, INSTANT SELF-RETRACTING STRAP, LAB TESTED IN THE USA
Vehicle Service Type	ATV, Bicycle, Motorcycle, Snowmobile

Warranty and Support

Rhino USA offers a lifetime protection on all its products. If you ever have a problem, simply contact their customer service for a replacement.

- **Customer Service:** For questions or issues, contact Rhino USA toll-free at (800) 575-7310, Monday-Friday 9am to 5pm PST.
- **Headquarters:** 30746 Wealth Street, Murrieta, CA 92563.
- **Online Store:** Visit the [Rhino USA Store on Amazon](#) for more products and information.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question