



[Manuals.plus](#) /

> [Kewig](#) /

> Kewig Universal Motorcycle and Bicycle Phone Mount Instruction Manual (Model: B094768FS5)

Kewig B094768FS5

Kewig Universal Motorcycle and Bicycle Phone Mount

MODEL: B094768FS5

Introduction

Thank you for choosing the Kewig Universal Motorcycle and Bicycle Phone Mount. This manual provides essential information for the proper installation, operation, and maintenance of your new phone mount. Designed for secure and convenient access to your smartphone while riding, this mount features one-handed operation, shockproof protection, and wide compatibility. Please read this manual thoroughly before use to ensure optimal performance and safety.

Safety Information

- Always ensure the phone mount is securely attached to your handlebar and your phone is firmly locked in place before riding.
- Do not attempt to adjust the mount or operate your phone while riding, as this can lead to loss of control and accidents.
- Regularly check all screws and connections to ensure they remain tight.
- Avoid placing the mount in a position that obstructs your view of the road or interferes with the operation of your vehicle's controls.
- Be aware of your surroundings and local traffic laws regarding mobile device usage while operating a vehicle.

Package Contents

Please verify that all components are present:

- Kewig Phone Mount Holder
- Handlebar Mounting Base (Aluminum Alloy)
- Rubber Ring Inserts (various sizes for handlebar diameter adjustment)
- Installation Tool (if applicable, typically an Allen wrench)

Setup and Installation

The Kewig phone mount is designed for easy and quick installation on various handlebars. Follow these steps for secure attachment:

1. **Prepare the Handlebar Mount:** Select the appropriate rubber ring inserts to ensure a snug fit for your handlebar diameter (0.5 - 1.26 inches / 12-32 mm). Place the chosen rubber rings inside the handlebar mounting base.
2. **Attach the Base:** Position the handlebar mounting base on your desired location on the handlebar. Securely tighten the base using the provided quick-release lever or screw mechanism. Ensure it is firm and does not rotate freely.
3. **Connect the Phone Holder:** Insert the ball head of the handlebar base into the socket on the back of the phone holder. Tighten the ball socket to secure the phone holder at your preferred viewing angle. The 360-degree rotation allows for both portrait and landscape orientation.



Image: Step-by-step guide for installing the Kewig phone mount on a handlebar.

Aluminum alloy base

Easy Install Without Any Tool




Image: Close-up of the durable 6061-T6 aluminum alloy handlebar mounting base.




Image: Illustration of the various rubber ring inserts for handlebar diameter adjustment.

Installation Video Guide

Your browser does not support the video tag.

Video: Official Kewig video demonstrating the installation and operation of the bike phone mount.

Operating Instructions

The Kewig phone mount features a convenient one-handed operation for quick phone placement and removal.

1. **Placing Your Phone:** Gently push your phone into the mount. The automatic locking mechanism will engage, securing your phone in place within one second.

2. **Removing Your Phone:** To release your phone, simply squeeze the two levers located on the sides of the mount. This will disengage the locking mechanism, allowing you to easily remove your phone with one hand.

One-Hand Operation

Single handed lifting and automatic clamping



Image: Demonstrates the one-handed operation for placing a phone into the mount.

Key Features

- **One-handed Operation:** Quick-release mounting base with one-click automatic lock and quick release design for effortless phone handling.

- **Shockproof Protection:** Built-in silicone pads prevent scratches and reduce vibration. The non-contact design protects your phone's camera from squeezing and scratching.
- **Sturdy and Safe:** Special shape design securely wraps all four corners of your phone. Features stainless steel telescopic arms and an aluminum alloy handlebar mounting base for stability on bumpy roads.
- **360° Rotation:** The ball head allows for full 360-degree rotation, providing the best viewing angle for navigation or recording.
- **Wide Compatibility:** Fits smartphones from 4 to 7 inches with a thickness of less than 16 mm. The handlebar base accommodates diameters of 0.5 - 1.26 inches (12-32 mm), suitable for various bicycles, motorcycles, strollers, and scooters.

360° Rotation

Provides the best viewing angle of use.



Image: Detail of the anti-collision protection with soft rubber rings to safeguard your phone.



Image: Illustrates the 360-degree rotation feature for adjustable viewing angles.



Image: Compatibility chart showing supported phone sizes (4-7 inches) and handlebar diameters.

Maintenance

To ensure the longevity and continued performance of your Kewig phone mount, follow these simple maintenance tips:

- **Cleaning:** Wipe the mount with a soft, damp cloth to remove dust and dirt. Avoid using harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically inspect the mounting base, phone holder, and all screws for any signs of wear, damage, or looseness. Tighten any loose screws immediately.
- **Storage:** If not in use for an extended period, store the mount in a cool, dry place away from direct sunlight.

Troubleshooting

If you encounter any issues with your Kewig phone mount, refer to the following common problems and solutions:

- **Mount feels loose on handlebar:** Ensure the correct rubber ring inserts are used for your handlebar diameter. Tighten the mounting base screw or quick-release lever firmly.
- **Phone is not securely held:** Verify that your phone's dimensions (4-7 inches, thickness < 16mm) are within the compatible range. Ensure the automatic locking mechanism engages fully when the phone is inserted.
- **Phone mount wobbles:** Check that the ball joint is tightened securely. Ensure the handlebar mount itself is stable and not moving.

If problems persist, please contact Kewig customer support for assistance.

Specifications

Feature	Detail
Brand	Kewig
Model Number	B094768FS5
Color	Silver
Item Weight	10.8 ounces
Package Dimensions	7.32 x 4.49 x 2.64 inches
Compatible Devices	4" to 7" Smartphones (thickness less than 16 mm)
Mounting Type	Handlebar (diameter \varnothing 0.5 - 1.26" / 12-32 mm)
Special Features	Quick install, One-handed operation, 6061-T6 aluminum alloy handlebar mounting base, 360 degree rotation, non-slip ball head design, installed on handlebars and rear-view mirrors
Manufacturer	KEWIG
Date First Available	May 5, 2021

Warranty and Support

Kewig products are designed for durability and performance. For specific warranty details, product support, or to inquire about replacement parts, please refer to the product packaging or contact Kewig customer service directly through their official website or the retailer where the product was purchased. Please retain your proof of purchase for warranty claims.