

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [V33](#) /

› [V33 Worktop Varnish - Instruction Manual](#)

V33 1

V33 Worktop Varnish - Instruction Manual

Model: 1

PRODUCT OVERVIEW

The V33 Colorless Worktop Varnish is a high-performance, water-based protective coating designed for natural wood, laminated, and varnished work surfaces. It offers exceptional resistance to scratches, stains, and heat, making it ideal for demanding environments like kitchen countertops.



Image: Front view of the V33 Colorless Worktop Varnish can, showing product name and key features.

KEY FEATURES

- Ultra Resistance:** Highly resistant to scratches, common stains (water, coffee, wine, oil, ketchup), and heat up to 100°C.
- Food Contact Safe:** Suitable for occasional contact with food, with contact times limited to 2 hours.
- Superior Adhesion:** Ensures maximum adhesion on solid wood, laminated, and previously varnished surfaces.
- Water-Based Formula:** Low odor and easy to clean with water.
- Versatile Compatibility:** Can be applied over existing varnished and laminated surfaces.

SETUP AND PREPARATION

Proper surface preparation is crucial for optimal adhesion and durability of the varnish. Ensure the work area is well-ventilated.

Surface Preparation:

- **Natural Wood or Varnished Surfaces:** Sand the surface with fine-grit sandpaper (e.g., 240-grit) to ensure good adhesion. Clean thoroughly to remove all dust and debris.
- **Laminated Surfaces:** Clean the surface with a detergent-based cleaner (e.g., soda, bleach) and rinse thoroughly. Allow to dry completely. Lightly sand with fine-grit sandpaper and clean again.

Varnish Preparation:

1. Before use, add the reinforcement additive (if included) to the varnish.
2. Mix thoroughly for at least two minutes until the additive is fully dispersed.
3. Allow the mixture to rest for five minutes before application.



Image: Back of the V33 varnish can, displaying detailed preparation and application instructions in Italian.

OPERATING (APPLICATION)

Apply the varnish in ideal conditions: on a clean, dry, and healthy surface, between 12°C and 25°C, and without drafts.

1. Apply a generous first coat using a brush or roller, following the wood grain.
2. Allow to dry for 24 hours.
3. Lightly sand the surface with fine-grit sandpaper (e.g., 400-grit) between coats to ensure smoothness and adhesion. Clean off all dust.
4. Apply a second coat following the same application method.
5. Allow to dry for 24 hours.
6. For enhanced durability, a third coat can be applied after proper drying and light sanding of the second coat.

The full resistance of this product is achieved after 20 days of drying. During this period, avoid heavy use, scratches, and stains. After 20 days, the protective properties of the varnish are fully developed.



Image: A kitchen countertop, likely treated with the varnish, featuring fresh strawberries and a sink, demonstrating the product's intended application area.

MAINTENANCE

The V33 Worktop Varnish is designed for easy maintenance due to its washable properties.

- Clean surfaces regularly with a damp cloth and mild, non-abrasive detergent.
- Avoid using harsh chemicals, abrasive cleaners, or scouring pads, as these can damage the varnish finish.
- Promptly wipe up spills, especially acidic or colored liquids, to prevent potential staining, although the varnish offers high stain resistance.
- For long-term durability, consider reapplying a coat of varnish every few years, depending on wear and tear.



Image: A wooden console table, likely treated with the varnish, featuring a lamp and camera, illustrating the product's application on interior furniture.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Poor Adhesion / Peeling	Insufficient surface preparation (not sanded or cleaned properly).	Ensure surface is clean, dry, and properly sanded before application. Re-prepare and reapply.
Uneven Finish / Brush Marks	Varnish drying too quickly; improper application technique; not mixing thoroughly.	Work quickly and evenly. Ensure proper mixing. Apply in recommended temperature range (12-25°C). Lightly sand between coats.
Strong Odor	Although water-based, some residual odor may be present.	Ensure adequate ventilation during and after application. The odor should dissipate as the varnish cures.
Lack of Full Resistance	Product has not fully cured.	Allow 20 days for the varnish to achieve full resistance properties. Avoid heavy use during this period.



Image: A wooden console table, likely treated with the varnish, featuring a decorative metal bowl, further illustrating the product's use on interior wooden surfaces.

SPECIFICATIONS

Brand: V33

Model Number: 1

Product Dimensions: 10 x 10 x 10 cm

Weight: 500 grams

Size: 500 ml (Pack of 1)

Color: Colorless

Finish: Satin

Coverage: Approximately 10 sqm per 1 liter (5 sqm for 500ml)

Special Features: Washable, Scratch Resistant, Heat Resistant (up to 100°C), Stain Resistant

Usage: Interior

Components Included: None (varnish and additive are typically sold together)

First Available: May 12, 2021

WARRANTY AND SUPPORT

For specific warranty information or technical support regarding the V33 Worktop Varnish, please refer to the manufacturer's official website or contact their customer service directly.

Manufacturer: V33 SA

Contact information may be found on the product packaging or the official V33 website. For general inquiries, you may also refer to the seller, ResinPro, if purchased via Amazon.

[Visit the V33 Store on Amazon](#)

© 2024 V33. All rights reserved.

Related Documents - 1

	<p>COLMI V33 Smartwatch User Manual</p> <p>Your essential guide to the COLMI V33 Smartwatch. This user manual provides detailed instructions on setup, pairing, using touch controls, accessing smart features like health monitoring, sports tracking, notifications, and device specifications. Get the most out of your COLMI V33.</p>
	<p>TOLKEN Bamboo Countertop - Care and Usage Guide</p> <p>Discover the properties and maintenance tips for the IKEA TOLKEN bamboo countertop. This guide covers storage, installation advice, and daily care for your durable, moisture-resistant bamboo surface.</p>
	<p>IKEA Melamine Laminate Worktop: Installation, Care, and Maintenance Guide</p> <p>Comprehensive guide for IKEA melamine laminate worktops, covering installation advice, usage tips, and maintenance instructions to ensure durability and proper care.</p>
	<p>IKEA Melamine Laminate Worktop: Installation, Care & Maintenance Guide</p> <p>Comprehensive guide for IKEA melamine laminate worktops, covering installation advice, usage tips, and detailed care and maintenance instructions for optimal durability.</p>
	<p>Il Piano Magico, Volume 1: A Comprehensive Piano Method by Maria Vacca</p> <p>Discover 'Il Piano Magico, Volume 1' by Maria Vacca, a complete piano method for beginners. This book, published by Carisch, includes interactive CD-ROM content with games and backing tracks, designed to make learning piano fun and engaging.</p>



[Classic Cantabile UP-1 Digital Piano User Manual](#)

Comprehensive user manual for the Classic Cantabile UP-1 Digital Piano, covering assembly, features, operation, troubleshooting, and specifications. Learn how to set up, play, record, and connect your digital piano.