

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Climadiff](#) /

› [CLIMADIFF CC18 Wine Cooler User Manual](#)

## Climadiff CC18

# CLIMADIFF CC18 Wine Cooler User Manual

Model: CC18 | Brand: Climadiff

## 1. IMPORTANT SAFETY INSTRUCTIONS

Read all instructions before using this appliance. Follow all safety precautions to reduce the risk of fire, electric shock, or injury.

- Ensure proper ventilation around the unit.
- Do not place the appliance near heat sources.
- Do not store explosive substances in this appliance.
- Unplug the appliance before cleaning or maintenance.
- This appliance is intended for household use only.

## 2. PRODUCT OVERVIEW

The Climadiff CC18 is a compact and quiet wine cooler designed for optimal wine preservation. It features touch controls and a space-saving design, ideal for home use.



Image 1: Front view of the Climadiff CC18 wine cooler with the door open, revealing multiple bottles stored on its wooden shelves. The

interior is illuminated, showcasing the organized storage.



Image 2: Front view of the Climadiff CC18 wine cooler with the door closed, displaying the sleek black finish and the integrated touch control panel at the top.

## Key Features:

- Capacity: 18 bottles
- Dimensions (L x H x D): 34.5 x 67 x 48.5 cm
- Energy Class: G
- Noise Level: 26 dB (very quiet operation)
- Shelving: 5 wire racks with wooden frontons
- Touch control panel for temperature adjustment and light control.

## 3. SETUP AND INSTALLATION

Follow these steps for proper setup and installation of your Climadiff CC18 wine cooler.

1. **Unpacking:** Carefully remove the appliance from its packaging. Inspect for any shipping damage.
2. **Placement:** Choose a location with a stable, level surface. Ensure adequate air circulation around the unit (at least 10 cm clearance on sides and back). Avoid direct sunlight or heat sources.
3. **Leveling:** Adjust the leveling feet at the bottom of the unit to ensure it is perfectly level. This minimizes vibrations and ensures proper door sealing.
4. **Power Connection:** Plug the unit into a dedicated, grounded electrical outlet. Do not use extension cords.
5. **Initial Operation:** Allow the unit to stand upright for at least 2 hours before plugging it in. This allows the refrigerant to settle.



Image 3: Interior view of the Climadiff CC18 wine cooler with the door open, showing the empty wooden shelves ready for wine bottle placement. The internal light is visible at the top.

## 4. OPERATING INSTRUCTIONS

### Control Panel:



Image 4: A detailed close-up of the Climadiff CC18's touch control panel, showing the digital temperature display (14°C) and icons for light, temperature unit selection (°C/°F), and temperature adjustment buttons (+/-).

- **Power Button:** Press to turn the unit on or off.
- **Temperature Adjustment:** Use the + and - buttons to set your desired temperature. The display will show the set temperature, then revert to the actual internal temperature.
- **Light Control:** Press the **light bulb icon** to turn the interior LED light on or off.
- **Temperature Unit:** Press the **°C/°F icon** to switch between Celsius and Fahrenheit.

### Loading Bottles:

Arrange bottles on the wooden shelves. Ensure bottles do not touch the back wall to allow for proper air circulation. The unit is designed to hold standard Bordeaux-sized bottles. Larger bottles may reduce the total capacity.



Image 5: A close-up view of wine bottles neatly arranged on the wooden shelves inside the Climadiff CC18 wine cooler, demonstrating the internal storage capacity.

## 5. MAINTENANCE AND CLEANING

Regular maintenance ensures optimal performance and longevity of your wine cooler.

- **Interior Cleaning:** Disconnect power before cleaning. Use a soft cloth and a mild, non-abrasive cleaner to wipe down the interior surfaces and shelves. Dry thoroughly.
- **Exterior Cleaning:** Wipe the exterior with a soft, damp cloth. Avoid harsh chemicals or abrasive materials.
- **Condenser Coil:** Periodically clean the condenser coils at the back or bottom of the unit using a vacuum cleaner or soft brush. This improves efficiency.
- **Door Seal:** Check the door gasket regularly for cracks or damage. Clean it with mild soap and water to ensure a tight seal.

## 6. TROUBLESHOOTING

Refer to this table for common issues and their solutions.

Problem	Possible Cause	Solution
Unit does not operate	No power; circuit breaker tripped.	Check power connection; reset circuit breaker.
Temperature is not cold enough	Door not closed properly; unit overloaded; poor ventilation; high ambient temperature.	Ensure door is sealed; reduce bottle count; ensure proper clearance; move unit to cooler location. Note: Unit can only cool approximately 12.5°C below ambient temperature.
Excessive vibration	Unit not level.	Adjust leveling feet.
Noise from unit	Normal operation sounds (compressor, fan); loose parts.	These are normal; check for loose components if unusual.

## 7. SPECIFICATIONS

Feature	Detail
Brand	Climadiff

Feature	Detail
Model Number	CC18
Capacity	18 bottles
Dimensions (L x D x H)	34.5 x 48.5 x 67 cm
Weight	19.04 kg
Energy Class	G
Noise Level	26 dB
Installation Type	Freestanding
Door Type	Glass
Shelf Material	Wood




8. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official Climadiff website or contact your retailer.

**Online Support:** [www.climadiff.com](http://www.climadiff.com)

**Return Policy:** This product typically comes with a 30-day refund/replacement policy from the seller. Please check with your specific retailer for details.

Related Documents - CC18

	<p><a href="#">Climadiff CLS130-CLS160 Wine Cellar User Manual</a></p> <p>Comprehensive user manual for Climadiff CLS130 and CLS160 wine cellars, detailing installation, operation, safety, maintenance, and technical specifications for optimal wine storage.</p>
	<p><a href="#">CLIMADIFF GARDE200D Energy Efficiency Label</a></p> <p>Energy efficiency details for the CLIMADIFF GARDE200D, including its energy consumption, bottle capacity, and noise level, presented on an EU energy label.</p>
	<p><a href="#">Offre Black Friday Climadiff : Jusqu'à 200€ remboursés sur les caves à vin éligibles</a></p> <p>Détails de la promotion Black Friday Climadiff offrant jusqu'à 200€ de remboursement sur l'achat de caves à vin éligibles entre le 14 novembre et le 1er décembre 2025. Découvrez comment participer et obtenir votre remboursement.</p>



[Offre Climadiff : Carte Cadeau CAVAVIN Jusqu'à 200€ pour l'Achat de Caves à Vin](#)

Découvrez l'offre spéciale Climadiff 'Foire aux vins' : recevez jusqu'à 200€ en carte cadeau CAVAVIN pour l'achat d'une cave à vin éligible entre le 18 août et le 19 octobre 2025. Instructions de participation, modèles concernés et conditions détaillées.