



[Manuals.plus](#) /

> [YiBiChin](#) /

> YiBiChin L336 Universal IR Learning Remote Control User Manual

YiBiChin L336

YiBiChin L336 Universal IR Learning Remote Control

User Manual

[Overview](#)

[Setup](#)

[Operating Instructions](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Support](#)

1. PRODUCT OVERVIEW

The YiBiChin L336 Universal IR Learning Remote Control is designed to consolidate the functions of up to three original infrared remote controls into a single, convenient device. It utilizes an advanced intelligent chipset for fast and precise learning, making it compatible with a wide range of home entertainment systems such as TVs, VCRs, SAT, CBL, STR-T, DVD, VCD, CD, and Hi-Fi equipment. This remote is ideal for simplifying your control experience by reducing the number of remotes needed.

Simple Control on your Home Appliances

CHUNGHOP L336 IR Learning Remote Control for TV, VCR, SAT, CBL, STR-T, DVD, VCD, CD, HI-FI and More Device

Figure 1: The L336 remote control highlighting its compatibility with various devices including TV, VCR, SAT, DVD, CD, HI-FI, CBL, VCD, and STR-T systems.

2. SETUP

2.1. Battery Installation

The YiBiChin L336 remote control requires two AA batteries for operation. Ensure correct polarity when inserting the batteries.

1. Open the battery compartment cover located on the back of the remote control.
2. Insert two new AA batteries, matching the positive (+) and negative (-) terminals as indicated inside the compartment.
3. Close the battery compartment cover securely.

Simple and Rapid 3 device can be learned in combination



Figure 2: The L336 remote control, showing its construction from ABS material and the requirement for two AA batteries.

2.2. Initial Power On

After installing the batteries, the remote is ready for the learning process. There is no separate power-on button for the remote itself; it activates upon button press.

3. OPERATING INSTRUCTIONS

The L336 remote control is designed to learn functions from your existing infrared remote controls. It can store commands for up to three different devices (TV, SAT, DVD).

3.1. Learning Procedures

Before starting, ensure your original remote control is functional and has fresh batteries. The L336 can only learn from working infrared remote controls. It cannot learn Bluetooth or USB functions.

1. Hold down the device key you want to program on the L336 (e.g., **TV**, **SAT**, or **DVD**) until the indicator light on the L336 turns

- on. Then release the key.
2. Place the L336 and your original remote control head-to-head, approximately 1 inch apart.
3. Press the key on your original remote control that you wish to teach to the L336. The L336's indicator light will flash quickly, indicating it is ready to learn.
4. Press the corresponding key on the L336 where you want to store this function. The indicator light on the L336 will turn on solid, confirming the learning was successful.
5. Repeat steps 3 and 4 for any other keys you want to learn for the selected device.
6. To exit the learning mode, press the device key (TV, SAT, or DVD) again. The indicator light will turn off.

Learning Procedures



1. Hold on the the device key you want to learn on L336 until the indicator light is on, and then release.
2. Place L336 & the original remote head to head 1 inch.
3. Press the key you want to learn on YOUR Original Remote and L336's indicator light will flash quickly.
4. Press the CORRESPONDING key on L336, the indicator light will be on.
5. Repeat steps 3 & 4 for other keys you want to learn.
6. Press the the device key again to exit, and the indicator light will be off.

Figure 3: Visual guide for the remote control learning process, demonstrating how to position the L336 and an original remote.

3.2. Switching Between Devices

Once functions are learned, you can switch between controlling your TV, SAT, or DVD player by pressing the respective device key at the top of the L336 remote (TV, SAT, DVD). The remote will then send commands for the selected device.

4. MAINTENANCE

4.1. Battery Replacement

Replace the AA batteries when the remote's performance degrades or the indicator light does not illuminate during operation. Follow the battery installation steps in Section 2.1.

4.2. Cleaning

To clean the remote control, use a soft, dry cloth. For stubborn dirt, lightly dampen the cloth with water or a mild, non-abrasive cleaner. Avoid using harsh chemicals or excessive moisture, as this can damage the remote's electronics.

5. TROUBLESHOOTING

• Remote not responding:

- Check if the batteries are correctly installed and have sufficient charge. Replace if necessary.
- Ensure you have selected the correct device mode (TV, SAT, or DVD) for the appliance you are trying to control.

• Learning process fails:

- Verify that your original remote control is an infrared (IR) remote and is fully functional. The L336 cannot learn from Bluetooth or USB remotes.
- Ensure the original remote and the L336 are placed head-to-head, approximately 1 inch apart, during the learning process.
- Make sure there are no obstructions between the two remotes.
- Repeat the learning steps carefully. Sometimes, a slight adjustment in distance or angle can improve learning success.
- If a key was previously learned incorrectly, simply repeat the learning procedure for that specific key to overwrite the old command.

• Learned function does not work:

- Ensure the correct device key (TV, SAT, DVD) is selected on the L336.
- Re-perform the learning procedure for the problematic key, ensuring the original remote sends a strong, clear signal.

6. SPECIFICATIONS


Model Number	L336
Brand	YiBiChin
Special Feature	IR Learning, Universal
Color	Black
Max. Supported Devices	3 (TV, SAT, DVD)
Compatible Devices	TV, VCR, SAT, CBL, STR-T, DVD, VCD, CD, Hi-Fi
Connectivity Technology	Infrared (IR) Learning (<i>Note: Cannot learn Bluetooth or USB functions.</i>)
Number of Buttons	126
Controller Type	Button Control
Maximum Range	8-10 Meters
Battery Type	2 x AA Batteries

Material	ABS
Dimensions (Approx.)	18.5 cm (7.3 inches) length, 4.9 cm (1.3 inches) width, 2.7 cm (1.1 inches) thickness

IR Learning Remote

Long Distance Signal Transmission(8M)

Employ the most advanced design of the intelligent chipset.



IR Remote Control



Soft Design



More than 8 Meters

L336 Learning Remote

Figure 4: Key features of the L336 remote, including its IR capability, 8-meter signal range, intelligent chipset, and ergonomic design.



Figure 5: Dimensions of the L336 remote control for reference.

7. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact YiBiChin customer service directly. Contact details can typically be found on the product packaging or the official YiBiChin website.