

[Manuals.plus](#) /

› [Hike Crew](#) /

› Hike Crew RV 10.6 Gallon Portable Waste Holding Tank Instruction Manual (Model HCCHH560)

Hike Crew HCCHH560

Hike Crew RV 10.6 Gallon Portable Waste Holding Tank Instruction Manual

Brand: Hike Crew | Model: HCCHH560

INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your Hike Crew RV 10.6 Gallon Portable Waste Holding Tank. Designed for convenient management of black and grey water from your RV or camper, this portable tank offers a practical solution for waste disposal when a direct sewer connection is unavailable. Please read all instructions carefully before initial setup and operation.

PRODUCT OVERVIEW

The Hike Crew Portable Waste Holding Tank is a durable, wheeled container designed to temporarily store and transport RV waste. Its robust construction and thoughtful design ensure ease of use and sanitary operation.



Image: A top-down view of the Hike Crew 10.6 Gallon Portable Waste Holding Tank, showcasing its compact design and various caps.

Key Features:

- **10.6 Gallon (40L) Capacity:** Provides ample storage for waste.
- **Durable Construction:** Made from heavy-duty plastic for resilience in outdoor conditions.
- **Multiple Filling & Draining Ports:** Includes M130 (5.75") fast fill/cleaning port, M44 slow fill/air release port, M85 fast draining port, and M44 slow draining port with integrated faucet.
- **Collapsible Handle & Wheels:** Equipped with 7" rolling wheels and a detachable metal handle for easy transport.
- **Air Release Options:** Designed to prevent messy splatter during transfer.

SETUP

Unpacking and Component Identification:

Carefully remove all components from the packaging. Verify that all parts are present and undamaged. Refer to the diagram below for component identification.




Image: A detailed diagram labeling the various ports, handles, and wheels of the waste holding tank.

Assembly:

1. **Attach Metal Handle:** Insert the metal handle into the designated mounting holes on the tank. Ensure

it is securely fastened.

2. **Install Flexible Pipe:** The M44 flexible pipe can be stored within the tank's molded compartments. For use, attach it to the appropriate M44 port for filling or draining.
3. **Integrated Faucet:** The integrated faucet can be installed on the lower M44 opening for slow draining or handwashing.

OPERATING INSTRUCTIONS

Filling the Tank:

To transfer waste from your RV to the portable tank:

1. Ensure all caps on the portable tank are securely closed, except for the M44 fill/air release port.
2. Connect your RV's waste hose to the M130 (5.75") fast filling port or the M44 slow filling port on the portable tank.
3. Open the air release valve on the M44 port to allow air to escape, preventing pressure buildup and splashes.
4. Slowly open your RV's waste valve to begin filling the portable tank. Monitor the fill level indicator (if applicable) or listen for changes in flow.
5. Once filled, close your RV's waste valve, disconnect the hose, and securely close all caps on the portable tank.

Transporting the Tank:

The tank is designed for easy mobility, even when full.

EQUIPPED WITH A BUILT-IN HANDLE AND WHEELS

FOR A QUALITY TRAVEL-READY DESIGN



Image: A person pulling the portable waste tank using its detachable metal handle and wheels across a grassy area.

- Extend the detachable metal handle for comfortable towing.
- Utilize the 7" rolling wheels to move the tank across various terrains, including grass, gravel, and pavement.
- For shorter distances or lifting, use the built-in hand grips.

Emptying the Tank:

To empty the portable tank at an approved dump station:

FLEXIBLE DRAIN PIPE AND INCLUDED FAUCET MAKE FILLING AND DRAINING SIMPLE



Image: A close-up view of the low draining ports on the side of the waste tank, designed for minimal splash.

1. Position the tank near the dump station inlet.
2. Connect the M85 fast draining port or the M44 slow draining port (with integrated faucet) to the dump station's inlet using an appropriate hose or adapter.
3. Open the air release valve on the M44 port to facilitate smooth draining.
4. Open the draining port on the portable tank. Allow all waste to drain completely.
5. Once empty, close the draining port, disconnect the hose, and securely close all caps.

Video Demonstrations:

Video: Demonstration of the YITAHOME 10.6 Gallon Portable Water Tank, showing its features, portability, and how to connect the flexible pipe for filling and draining. Note: Product is identical to Hike Crew model.

Video: Another demonstration of the YITAHOME 10.6 Gallon Portable Water Tank, highlighting its ease of use for transporting water and handling sewage. Note: Product is identical to Hike Crew model.

Video: A brief overview of the RV Waste Tank, showcasing its various ports and the air release valve for efficient operation. Note: Product is identical to Hike Crew model.

MAINTENANCE

Cleaning:

Regular cleaning helps maintain hygiene and prolong the life of your tank.

- After emptying, flush the tank with fresh water through the M130 fast filling/cleaning port.
- Use a dedicated RV tank cleaner to remove any residue and odors.
- Ensure all ports and caps are clean before storage.

Storage:

Store the tank in a cool, dry place away from direct sunlight when not in use. Ensure all caps are tightly sealed to prevent any residual odors or leaks.

TROUBLESHOOTING

- **Slow Draining:** Ensure the air release valve is fully open. Check for any blockages in the draining hose or ports.
- **Leaks:** Verify that all caps and connections are tightly secured. Inspect gaskets for wear or damage.
- **Difficulty Moving:** Ensure the handle is fully extended and locked. Check wheels for obstructions or damage.

SPECIFICATIONS

Capacity	10.6 Gallons (40 Liters)
Item Weight	11.77 pounds
Package Dimensions	32.55 x 15.2 x 9.55 inches
Model Number	HCCHH560
Material	Heavy Duty Plastic (HDPE + PP)
Wheel Size	7 inches




Image: A visual representation of the waste tank with key dimensions labeled.

WARRANTY & SUPPORT

For warranty information or technical support, please refer to the product packaging or contact Hike Crew customer service directly. Keep your purchase receipt for warranty claims.