

Manuals.plus /

› Kewig /

› Kewig Waterproof Motorcycle & Bike Phone Mount (Model Kewig-BP01) Instruction Manual

Kewig Kewig-BP01

Kewig Waterproof Motorcycle & Bike Phone Mount

Model: Kewig-BP01

Brand: Kewig

INTRODUCTION

Thank you for choosing the Kewig Waterproof Motorcycle & Bike Phone Mount. This manual provides detailed instructions for the proper installation, operation, and maintenance of your new phone mount. Designed for durability and convenience, this mount ensures your smartphone remains secure and accessible during your rides, regardless of weather conditions.

The Kewig-BP01 features an IP66 waterproof rating, a highly sensitive touch-screen window, 360-degree rotation, and a robust aluminum alloy handlebar base. It is compatible with smartphones ranging from 5.5 to 7.0 inches in size, with a maximum thickness of 10.55mm (including case).

PACKAGE CONTENTS

Please verify that all items are present in your package:

- 1 x Kewig Waterproof Phone Mount Case
- 1 x Aluminum Alloy Handlebar Mount Base
- 2 x Rubber Ring Pads (for handlebar diameter adjustment)
- 1 x Allen Wrench (for installation)
- 1 x 8mm Tape (for additional handlebar fitting)

360 Rotation

Adjust the angle freely according to your needs



Adopts aluminum alloy mount base
Fit for handlebar 22-33mm in diameter

Included installation accessories:



2*Rubber ring pad



1*Allen wrench



1*8mm Tape

Image: The Kewig phone mount demonstrating its 360-degree rotation capability and displaying the included installation accessories: two rubber ring pads, one Allen wrench, and one 8mm tape.

SETUP AND INSTALLATION

Follow these steps to securely install your Kewig phone mount on your bicycle or motorcycle handlebar:

- 1. Attach the Handlebar Mount Base:** Select the appropriate rubber ring pads based on your handlebar diameter (compatible with 22mm to 33mm handlebars). Place the rubber pads around the handlebar, then position the aluminum alloy mount base over them. Use the provided Allen wrench to tighten the screws on the mount base until it is firmly secured to the handlebar. Ensure the mount is stable and does not rotate freely.
- 2. Connect the Phone Case:** Align the phone mount case with the ball joint on the handlebar mount base. Push the case onto the ball joint until it clicks into place.
- 3. Adjust Viewing Angle:** Loosen the adjustment wheel located on the back of the phone case, near the ball joint. Adjust the phone case to your desired viewing angle. The mount supports full 360-degree rotation. Once the desired angle is set, tighten the adjustment wheel to lock the position.



**2021
UPGRADED**



Our

VS



Others

**Adopts Aluminum Alloy
Handlebar Mounting Base**

Three production processes create a safe ball head



1.CNC
integral molding



2.Aluminum alloy
ball core



3.PA66 for
Middle-molding



4.TPU over-molding
Anti-slip ball head

More
Robust and Safe





Images: Left: Visual guide for attaching the mount to the handlebar. Right: Detailed view of the durable aluminum alloy handlebar mounting base.

Installation Video Guide

Your browser does not support the video tag.

Video: A detailed review and installation guide for the Kewig Waterproof Bike Phone Mount (Size L), demonstrating how to secure it to a motorcycle handlebar and showcasing its features.

OPERATING INSTRUCTIONS

This section details how to use your Kewig phone mount effectively.

- 1. Inserting Your Phone:** Open the phone mount case by unlatching the clips. Place your smartphone inside the case. The internal shockproof silicone and resilient base will hold your phone securely. Ensure your phone is centered for optimal touch-screen functionality and camera alignment. Close the case firmly, ensuring the clips

are latched to maintain the waterproof seal.

2. **Using the Touch Screen:** The HD high-sensitive film window allows full access to your phone's screen without removal. You can navigate maps, answer calls, and control music directly through the transparent cover.
3. **Charging and Audio Access:** The mount features a reserved hole with a waterproof cap at the bottom. Open this cap to access your phone's charging port or earphone jack. Remember to close the cap securely after use to maintain the IP66 waterproof rating.
4. **Camera Functionality:** The back of the phone holder is equipped with a transparent film window, ensuring your phone's camera is not blocked. This allows you to capture photos and videos during your travels without removing the phone from the mount.

High Sensitivity Touch Screen Design

Easy access phone screen without removing the phone



Fast face recognition



Fast fingerprint recognition



Waterproof Case For Phone Mount

Fully enclosed waterproof design

IPX6 Waterproof

Note: don not soak in water



Waterproof
plug



Images: Left: Demonstrating the high-sensitivity touch screen. Right: Close-up of the waterproof plug for charging or earphones.

MAINTENANCE

To ensure the longevity and optimal performance of your Kewig phone mount, follow these maintenance guidelines:

- **Cleaning:** Wipe the exterior of the mount with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the materials or the transparent screen.
- **Seal Inspection:** Regularly check the waterproof silicone seal around the case and the waterproof cap for the charging port. Ensure there are no cracks, tears, or debris that could compromise the waterproof integrity.
- **Secure Fasteners:** Periodically check all screws and fasteners, especially on the handlebar mount base, to ensure they remain tight. Re-tighten with the Allen wrench if necessary to prevent shaking or loosening during rides.
- **Storage:** When not in use for extended periods, store the phone mount in a cool, dry place away from direct sunlight.

TROUBLESHOOTING

If you encounter any issues with your Kewig phone mount, refer to the following common problems and solutions:

- **Touch Screen Unresponsive:**

- Ensure your phone is properly centered within the case and pressed against the screen.
- Check for any air bubbles between the phone screen and the transparent cover. Re-adjust if necessary.
- In wet conditions, water droplets on the screen may interfere with touch sensitivity. Wipe the screen dry.

- **Phone Shaking Inside the Case:**

- Verify that the internal shockproof silicone and resilient base are correctly positioned.
- Ensure your phone's thickness (with case) is within the compatible range (max 10.55mm). If your phone is too thin, adding a thin pad behind it might help.

- **Mount Loosening on Handlebar:**

- Re-tighten the screws on the handlebar mount base using the provided Allen wrench.
- Ensure the correct rubber ring pads are used for your handlebar diameter to provide a snug fit.

- **Water Leakage:**

- Check that the case is fully closed and all clips are securely latched.
- Inspect the waterproof silicone seal around the case for any damage or misalignment.
- Ensure the waterproof cap for the charging/earphone port is firmly closed.


SPECIFICATIONS

Feature	Detail
Brand	Kewig
Model Name	Kewig Bike Phone Mount Waterproof
Model Number	Kewig-BP01
Color	Black
Compatible Phone Sizes (L Size)	5.5" - 7.0" Cellphones
Max Phone Thickness (with case)	10.55mm
Compatible Handlebar Diameter	22mm to 33mm
Mounting Type	Handlebar
Water Resistance Level	IP66 Waterproof
Rotation	360 Degrees
Material	Aluminum Alloy handlebar base + ABC body + Silicone
Additional Features	Touch-Screen, No Camera Blocking, Shockproof Silicone



(Including case)

Compatible with thickness of phone $\leq 10.55\text{mm}$



**Suitable for bike motor scooter
ATV and other vehicles**



Image: Size chart illustrating compatibility for S (4.7"-6.3") and L (5.5"-7.0") mobile phones, with a maximum thickness of 10.55mm.

WARRANTY AND SUPPORT

The Kewig Waterproof Motorcycle & Bike Phone Mount is covered by a standard manufacturer's warranty. For specific warranty details, including coverage period and terms, please refer to the product packaging or contact Kewig customer service directly.

If you have any questions, require technical assistance, or need to report an issue with your product, please contact Kewig customer support through the retailer's platform or the official Kewig website. Our support team is dedicated to providing prompt and helpful solutions.

