Dalmbox DL-QX-CL

Dalmbox Portable Gun Safe Instruction Manual

Model: DL-QX-CL

Introduction

Thank you for choosing the Dalmbox Portable Gun Safe. This compact and robust lock box is designed to provide secure storage for your handgun and other valuable items, whether you are at home, in your vehicle, or traveling. Built with durable materials and featuring a reliable combination lock, this safe ensures your belongings are protected and accessible only to you.

Key Features

- **Portable and Lightweight:** External size of 9.4 X 6.4 X 1.8 and a weight of 2.73lb, making it easy to carry.
- **Durable Construction:** Made of premium carbon steel for rust resistance and robust security.
- **Protective Interior:** Includes thick protective foam inserts to prevent scratches and damage to contents.
- **Combination Lock:** Features a resettable 3-digit combination lock for keyless access.
- **Fixed Steel Cable:** Comes with a heavy-duty cable for securing the safe to a fixed object, enhancing theft deterrence.
- **Multipurpose Use:** Ideal for securing handguns, cash, passports, jewelry, and other personal valuable belongings.

Setup

Setting Your Combination Lock

Your Dalmbox safe comes with a factory default combination of "000". Follow these steps to set your personal combination:

1. Ensure the safe is open and the factory code "000" is set in the center of the dial. Turn the knob clockwise to open the lock box.
2. Locate the small lever inside the safe, usually near the combination mechanism. Move this lever from position "A" to position "B" (typically to the right). *Important: Do not move the lever directly from "A" to "B" without ensuring the safe is open and on the correct combination, as this may cause the mechanism to jam.*

3. Set your new desired 3-digit password by rotating the number wheels. Ensure all three numbers are perfectly aligned in the center of the dial.
4. Return the lever to its original position "A" (typically to the left). Your new password is now set. If you wish to change the code again in the future, repeat these steps.



Figure 1: Combination Lock Instructions

Installing the Fixed Steel Cable

The included steel cable provides an additional layer of security by allowing you to tether the safe to a fixed object.

- Locate the notch or slot on the side of the safe.
- Loop the heavy-duty steel cable around a secure, immovable object (e.g., a car seat frame, a desk leg).
- Insert one end of the cable into the designated notch on the safe.
- Close the safe, ensuring the cable is firmly secured within the safe's locking mechanism. This will prevent the safe from being easily removed from its tethered location.



Figure 2: Safe secured in a car and on a desk with the steel cable.

Operation

Opening the Safe

1. Align your set 3-digit combination on the dial.
2. Turn the knob clockwise to release the latch and open the safe.

Closing and Securing the Safe

1. Place your valuables inside the safe, ensuring they fit comfortably within the foam padding.
2. Close the lid firmly until it latches.
3. Scramble the combination numbers on the dial to lock the safe and prevent unauthorized access.



Figure 3: Dalmbox safe open, ready for use.

Maintenance

- **Cleaning:** Wipe the exterior of the safe with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the finish.
- **Interior Care:** The foam inserts can be removed for cleaning if necessary. Ensure they are completely dry before placing them back into the safe.
- **Lock Mechanism:** The combination lock is designed for durability and generally requires no special maintenance. Avoid forcing the dial or knob.
- **Storage:** Store the safe in a dry environment to prevent rust, especially if it has been exposed to moisture.

Troubleshooting

- **Safe will not open:** Ensure the correct combination is precisely aligned in the center of the dial. If you recently changed the combination, double-check that you are using the new code. If the lever was moved to position "B" without the correct combination, the mechanism may be jammed. Refer to the combination setting instructions.
- **Cable not securing:** Ensure the cable end is fully inserted into the designated notch before closing the safe. The safe must be closed and locked for the cable to be secured.
- **Stiff dial/knob:** If the combination dial or knob feels stiff, ensure there is no debris obstructing the mechanism. Do not apply excessive force.

Specifications

Attribute	Detail
Brand	Dalmbox
Model Name	DL-QX-CL

External Dimensions (L x W x H)	9.4" x 6.4" x 1.8"
Internal Dimensions (L x W x H)	8.5" x 5.1" x 1.18"
Weight	2.73 lb
Material	Carbon Steel
Lock Type	Combination
Included Components	Pistol Safe Lock Box, Fixed Steel Cable, User Manual



Figure 4: Product Dimensions

Safety Information

This safe is designed to deter theft and provide secure storage. It is not fireproof or waterproof. Always follow local laws and regulations regarding firearm storage. Keep the safe and its contents out of reach of children and

unauthorized individuals. Never leave a firearm unattended, especially in a vehicle, unless it is properly secured in a lock box like this one.



Figure 5: Securely store your valuables.

Warranty and Support

Dalmbox is committed to customer satisfaction. If you have any questions or encounter any issues with your product, please contact our customer support team. We are dedicated to providing you with a satisfactory reply and ensuring your experience with our product is positive.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

Answer: Since your Dalmbox Portable Gun Safe (DL-QX-CL) is currently open, you can reset the combination without knowing the current code. This specific model is a mechanical combination safe and does not typically use keys; if you have keys, they may belong to a different model or a different version of the safe, as the DL-QX-CL manual only specifies a 3-digit combination lock. To reset your combination to '000' while the safe is open, follow these steps: Since your Dalmbox Portable Gun Safe (DL-QX-CL) is currently open, you can reset the combination without knowing the current code. This specific model is a mechanical combination safe and does not typically use keys; if you have keys, they may belong to a different model or a different version of the safe, as the DL-QX-CL manual only specifies a 3-digit combination lock. To reset your combination to '000' while the safe is open, follow these steps: Problem: Followed steps. Reset lever will NOT move right to slot to B. There is a metal in the slot blocking it. Nether will move. Do you sell replacement locking mechanisms?

Since your Dalmbox Portable Gun Safe (DL-QX-CL) is currently open, you can reset the combination without knowing the current code. This specific model is a mechanical combination safe and does not typically use keys;...

Read full answer