

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Severin](#) /

› [SEVERIN SEVO SMART CONTROL GT Electric Barbecue PG 8138 Instruction Manual](#)

Severin PG 8138

SEVERIN SEVO SMART CONTROL GT Electric Barbecue PG 8138 Instruction Manual

Model: PG 8138

1. INTRODUCTION

Thank you for choosing the SEVERIN SEVO SMART CONTROL GT Electric Barbecue, model PG 8138. This appliance is designed for versatile grilling, offering precise temperature control and smart features for an enhanced cooking experience. Please read this instruction manual thoroughly before first use to ensure safe operation, optimal performance, and proper maintenance of your electric barbecue.

This electric barbecue is suitable for both indoor and outdoor use. When used indoors, ensure adequate ventilation.

2. SAFETY INSTRUCTIONS

Always observe the following safety precautions to prevent injury or damage to the appliance.

2.1 General Safety

- Read all instructions carefully before using the appliance.
- Keep this manual for future reference.
- Do not leave the appliance unattended during operation.
- Keep children and pets away from the hot appliance.
- Ensure the appliance is placed on a stable, heat-resistant surface.
- Do not immerse the appliance, cord, or plug in water or other liquids.
- Allow the appliance to cool completely before cleaning or storing.
- The SafeTouch coating ensures the exterior surfaces do not conduct heat, reducing burn risk. However, internal components and grilling surfaces will be extremely hot.

2.2 Electrical Safety

- Connect the appliance only to a properly installed and earthed socket.
- Check that the mains voltage corresponds to the voltage marked on the rating label of the appliance.
- Do not operate the appliance with a damaged cord or plug.
- If the power cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified

persons to avoid a hazard.

- Avoid using extension cords unless absolutely necessary and ensure they are rated for the appliance's power consumption (3000W).
- Unplug the appliance from the mains socket after use and before cleaning.

3. PRODUCT OVERVIEW

The SEVERIN SEVO SMART CONTROL GT Electric Barbecue is designed for efficient and precise grilling. Key components and features include:

- **High-Performance Heating Element:** Reaches temperatures up to 500°C rapidly.
- **BoostZone:** A double heating resistance zone for intense searing at 500°C.
- **Reflector Bowl:** Collects grease and accelerates cooking.
- **Two-Part Stainless Steel Grill Grate:** High-quality (Ø 7 mm) and easy to handle.
- **Precision Rotary Thermostat:** With LED backlight and OLED digital display for temperature adjustment in 10°C increments.
- **Integrated Thermal Probe:** For precise core temperature monitoring of food, measuring from 10°C to 300°C in 1°C steps.
- **SafeTouch Coating:** Ensures exterior surfaces remain cool to the touch, minimizing burn risk.
- **Smart Control via App:** Connects to your smartphone for temperature, timer, and recipe management.
- **Lid:** For slow cooking and heat retention.
- **Power Cable:** 2 meters in length for flexible placement.

SEVERIN

Cuve avec réflecteur de chaleur, pour une cuisson encore plus rapide



Réglage précis grâce au bouton thermostat rotatif avec affichage OLED

2 sondes thermiques pour une cuisson à cœur

Limite les risques de brûlures - Revêtement **«SafeTouch»**

Image 3.1: Overview of the SEVERIN SEVO SMART CONTROL GT Electric Barbecue highlighting its key features: reflector bowl, two thermal probes, precise rotary thermostat with OLED display, and SafeTouch coating.



Image 3.2: The SEVERIN SEVO SMART CONTROL GT Electric Barbecue with its lid open, showcasing the grilling surface and internal components.

4. SETUP

The SEVERIN SEVO SMART CONTROL GT Electric Barbecue requires no assembly. Follow these steps for initial setup:

- 1. Unpacking:** Carefully remove all packaging materials and ensure all components are present and undamaged.
- 2. Placement:** Place the barbecue on a stable, level, and heat-resistant surface. Ensure there is sufficient space around the appliance for ventilation.
- 3. Water Tray:** Fill the water tray (reflector bowl) with water up to the indicated maximum level. This helps with smoke reduction and fat collection.
- 4. Grill Grate:** Place the two-part stainless steel grill grate securely on the heating element.
- 5. Power Connection:** Plug the 2-meter power cable into a suitable earthed electrical outlet (240V, 3000W).
- 6. Initial Burn-in:** Before first use, operate the grill at maximum temperature for approximately 10-15 minutes without food to burn off any manufacturing residues. Ensure good ventilation during this process.

4.1 App Connection (SEVERIN Smart Control)

1. Download the official SEVERIN Smart Control app from your smartphone's app store.
2. Follow the in-app instructions to create an account and pair your barbecue. This typically involves activating Bluetooth/Wi-Fi on your phone and following prompts to connect to the grill's network.
3. Once connected, you can control temperature, set timers, and access recipes via the app.

5. OPERATING INSTRUCTIONS

5.1 Basic Grilling

1. Ensure the water tray is filled and the grill grate is in place.
2. Plug in the barbecue. The OLED display will illuminate.
3. Turn the rotary thermostat knob to select your desired temperature. The temperature can be adjusted in 10°C increments, ranging from 80°C to 500°C.
4. Allow the grill to preheat. The grill can reach 500°C in approximately 10 minutes.
5. Place your food on the grill grate.
6. Monitor cooking progress. For precise internal temperatures, use the integrated thermal probe.
7. After cooking, turn the thermostat to the "OFF" position and unplug the appliance.

**Barbecue connecté contrôlable via
l'application Smartphone SEVERIN**

**0°C à 500°C
en 10 minutes seulement**



Image 5.1: The SEVERIN SEVO SMART CONTROL GT Electric Barbecue in use, demonstrating its rapid heating capability to 500°C and smart control via the SEVERIN app.

5.2 Cooking Modes and BoostZone

The barbecue offers versatile cooking options:

- **Slow Cooking:** Use the lid to retain heat and moisture for slower cooking at lower temperatures.
- **Traditional Grilling:** For general grilling of various foods.
- **Searing (BoostZone):** Activate the BoostZone for intense heat up to 500°C. This double resistance zone is ideal for searing meats to lock in juices and create a perfect crust.



3 zones de cuisson dont la «Boost Zone» : zone double résistance pour une puissance maximale de 500°C

Image 5.2: The SEVERIN SEVO SMART CONTROL GT Electric Barbecue featuring its BoostZone, a double resistance area capable of reaching 500°C for optimal searing.

5.3 Using the Thermal Probe

The integrated thermal probe ensures your food is cooked to perfection:

1. Insert the probe into the thickest part of the food, avoiding bone.
2. Connect the probe to the designated port on the barbecue.
3. Monitor the internal temperature on the OLED display or via the SEVERIN Smart Control app.
4. The probe measures temperatures from 10°C to 300°C with 1°C precision.

5.4 Smart Control via App

Once connected, the SEVERIN Smart Control app allows you to:

- Adjust and monitor the grill temperature remotely.
- Set cooking timers.
- Access a variety of recipes and cooking programs.
- Monitor the thermal probe's readings.

Refer to the app's help section for detailed instructions on its features.



Image 5.3: The SEVERIN SEVO SMART CONTROL GT Electric Barbecue demonstrating its versatility, here used with a pizza stone for baking.

6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance ensure the longevity and safe operation of your barbecue.

1. **Disconnect Power:** Always unplug the barbecue from the power outlet and allow it to cool completely before cleaning.
2. **Empty Water Tray:** Carefully remove and empty the water tray (reflector bowl). Clean it with warm, soapy water.
3. **Clean Grill Grate:** The two-part stainless steel grill grate can be easily removed and cleaned with warm, soapy water or in a dishwasher. For stubborn residues, use a non-abrasive grill brush.
4. **Heating Element:** Gently wipe the heating element with a damp cloth if necessary. Do not immerse it in water.
5. **Exterior Surfaces:** Wipe the exterior surfaces with a damp cloth. The SafeTouch coating is easy to clean. Do not use abrasive cleaners or scouring pads.

6. **Storage:** Store the clean and dry barbecue in a safe, dry place.



Image 6.1: A close-up view of the heating elements and control knob of the SEVERIN SEVO SMART CONTROL GT Electric Barbecue, illustrating components that require regular cleaning.

7. TROUBLESHOOTING

If you encounter issues with your SEVERIN SEVO SMART CONTROL GT Electric Barbecue, refer to the following table:

Problem	Possible Cause	Solution
Barbecue does not turn on.	Not plugged in; power outlet faulty; thermostat knob not turned on.	Ensure the power cord is securely plugged in. Test the outlet with another appliance. Turn the thermostat knob to a desired temperature setting.

Problem	Possible Cause	Solution
Grill not heating sufficiently.	Temperature setting too low; lid not closed (for slow cooking); BoostZone not activated (for searing).	Increase the temperature setting. Close the lid for better heat retention. Activate the BoostZone for maximum heat.
App connection issues.	Bluetooth/Wi-Fi off; grill not in pairing mode; app outdated.	Ensure Bluetooth and Wi-Fi are enabled on your smartphone. Follow app instructions to put the grill in pairing mode. Update the SEVERIN Smart Control app.
Excessive smoke.	Water tray empty; excessive fat dripping onto heating element.	Ensure the water tray is filled to the correct level. Trim excess fat from food before grilling. Clean the water tray regularly.

If the problem persists after trying these solutions, please contact SEVERIN customer support.

8. SPECIFICATIONS

- **Model:** PG 8138
- **Brand:** SEVERIN
- **Power:** 3000 W
- **Voltage:** 240 Volts
- **Dimensions (L x W x H):** 57.5 x 53 x 31.5 cm
- **Weight:** 18 kg
- **Grilling Surface:** 41.5 x 31.5 cm
- **Material:** Stainless Steel, SafeTouch coating
- **Color:** Stainless Steel Black
- **Temperature Range:** 80°C to 500°C
- **Thermal Probe Range:** 10°C to 300°C (1°C increments)
- **Cable Length:** 2 m
- **Assembly Required:** No
- **Special Features:** Smart Control via App, BoostZone, OLED Display, Integrated Thermal Probe, Easy to Clean.
- **Recommended Use:** Indoor and Outdoor

9. WARRANTY AND SUPPORT

For warranty information, product registration, or technical support, please visit the official SEVERIN website or contact their customer service department. Keep your proof of purchase for any warranty claims.

SEVERIN Official Website: www.severin.com

