johgee KC66B

johgee Foldable 3 Tier Metal Utility Rolling Cart Instruction Manual

Model: KC66B | Brand: johgee

1. Introduction

Thank you for choosing the johgee Foldable 3 Tier Metal Utility Rolling Cart. This versatile and space-saving storage solution is designed to enhance organization in various settings, including your home, library, or office. Its robust metal construction and thoughtful design ensure durability and ease of use. This manual provides detailed instructions for assembly, operation, maintenance, and troubleshooting to help you get the most out of your new utility cart.

2. Safety Information

- Ensure all parts are securely fastened before use to prevent instability.
- Do not exceed the maximum weight capacity of 60 pounds per shelf.
- Keep hands clear of moving parts during folding and unfolding.
- Use the locking wheels to secure the cart in place when not in motion.
- Avoid placing hot items directly on the shelves without protective padding.
- Keep out of reach of small children during assembly to prevent choking hazards from small parts.

3. Package Contents

Please verify that all components listed below are present before beginning assembly. Refer to the parts diagram for visual identification.



Figure 3.1: Included Parts Diagram

- Top Basin (x1)
- Middle Basin (x1)
- Bottom Basin (x1)
- Bottom Tube (x1)
- Handrail Tube (x1)
- Standpipe (x6)
- Standpipe (x2)
- Armrest (x1)
- Connector (x4)
- Cover (x2)
- Screw (x4)
- Screw (x2)

- Wheels with lock (x2)
- Wheels no lock (x2)
- Wrench (x1)
- Screwdriver (x1)

4. Setup and Assembly

Assembly of the johgee utility cart is straightforward. Follow these steps carefully. A visual guide is also provided in the video below.

Your browser does not support the video tag.

Video 4.1: Assembly Guide for johgee 3-Tier Utility Cart

This video demonstrates the step-by-step assembly process for the johgee Foldable 3 Tier Metal Utility Rolling Cart, including attaching the baskets, handle, and wheels.

Assembly Steps:

1. **Prepare the Bottom Basket:** Attach the four connectors (labeled 'G' and 'K' in the video) to the corners of the bottom basin using the provided screws and wrench. Ensure they are securely tightened. Then, attach the bottom tube (labeled 'D') to the lower part of the connectors.



Figure 4.2: Initial Assembly of Bottom Basket

2. **Attach Standpipes to Bottom Basket:** Insert the four longer standpipes (labeled 'E' in the video) into the top holes

of the connectors on the bottom basin. Secure them in place using the screws (labeled 'L') and the provided tools.

3. **Install Middle Basket:** Place the middle basin onto the standpipes. Ensure it sits firmly and align the holes. Secure the middle basin to the standpipes using the remaining screws (labeled 'L').
4. **Attach Upper Standpipes:** Insert the two shorter standpipes (labeled 'F' in the video) into the top holes of the middle basin's connectors.
5. **Install Top Basket:** Place the top basin onto the upper standpipes. Ensure it sits firmly and align the holes. Secure the top basin to the standpipes using the remaining screws (labeled 'L').
6. **Attach Handle:** Insert the handle (labeled 'H' and 'I' in the video) into the designated slots on the top basin. Secure it with the provided screws (labeled 'J').
7. **Attach Wheels:** Screw the two locking wheels and two non-locking wheels (labeled 'M' in the video) into the bottom of the cart's frame. Use the wrench to tighten them securely. The locking wheels should be placed on the same side for easier access.
8. **Attach Side Cups:** Hook the two side cups onto the top basket as desired for additional storage.

5. Operating Instructions

Folding and Unfolding:

The johgee utility cart features a convenient folding design for space-saving storage. To fold, ensure all items are removed from the baskets. Release the stable folding locks on the sides of the cart. Gently lift the top basket and push down on the middle and bottom baskets to collapse the unit. To unfold, straighten the cart until the locks engage, securing the baskets in their open position.



Figure 5.1: Folding and Unfolding Steps

Mobility:

The cart is equipped with four 360-degree mute rubber casters for smooth and quiet movement across various floor surfaces. Two of the wheels include locking mechanisms. To secure the cart in place, press down on the lever on the locking wheels until they click into position. To release, lift the lever.

6. Maintenance

- **Cleaning:** Wipe down the metal surfaces with a soft, damp cloth. For stubborn dirt, a mild soap solution can be used. Dry thoroughly to prevent water spots. The mesh baskets are designed for easy cleaning and drainage.
- **Rust Prevention:** The cart features a smooth painted finish with anti-rust properties. To maintain this, avoid prolonged exposure to excessive moisture.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Retighten as necessary. Inspect wheels for any debris that might hinder smooth movement.

7. Troubleshooting

- **Cart is wobbly after assembly:** Ensure all screws are fully tightened. Double-check that the standpipes are correctly inserted and secured into the connectors and baskets.
- **Wheels do not roll smoothly:** Check for any hair, lint, or debris caught in the wheel casters. Clean if necessary. Ensure the wheel locks are disengaged.
- **Difficulty folding/unfolding:** Ensure the folding locks are fully disengaged. If the cart feels stiff, gently apply pressure to the folding points. Do not force the mechanism.
- **Parts do not align during assembly:** Some parts may require firm pressure to fit together. Ensure you are aligning the correct parts as per the diagram and video. If a hole does not align, try slightly adjusting the position of connected parts.

8. Specifications

Feature	Detail
Product Dimensions	21"D x 15"W x 34"H
Brand	johgee
Material	Metal, Rubber
Color	Black
Special Feature	Flexible (Foldable)
Number of Shelves	3
Recommended Uses	Indoor (Utility cart, bathroom cart, kitchen storage cart, dining cart, service cart, storage rack, tool cart)
Weight Limit	60 Pounds per shelf
Item Weight	9.59 pounds (4.36 Kilograms)
Number of Wheels	4
Assembly Required	Yes




Figure 8.1: Product Dimensions

9. Warranty and Support

For any questions, concerns, or warranty inquiries regarding your johgee Foldable 3 Tier Metal Utility Rolling Cart, please contact the manufacturer directly through their official channels. Please refer to the original product packaging or purchase documentation for specific warranty terms and contact information. A detailed installation manual in PDF format may also be available from the manufacturer's website.

© 2024 johgee. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question