



Manuals.plus /

› Koda /

› Koda Multidirectional LED Work Light (Model LM57483-1) User Manual

## Koda LM57483-1

# Koda Multidirectional LED Work Light (Model LM57483-1) User Manual

Model: LM57483-1 | UPC: 643334574832

## 1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Koda Multidirectional LED Work Light. Please read this manual thoroughly before using the product and retain it for future reference. This work light is designed to provide bright, adjustable illumination for various tasks, featuring integrated power outlets and USB charging ports for added convenience.

## 2. SAFETY INFORMATION

**WARNING: To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions.**

- Always connect to a grounded outlet.
- Do not operate the light with a damaged cord or plug.
- Keep the work light away from flammable materials.
- Do not look directly into the LED light source when it is illuminated, as this may cause eye strain or damage.
- Ensure the light is stable on a flat surface or securely hung before operation.
- Do not expose the product to excessive moisture or rain.
- Unplug the unit from the power source before cleaning or performing any maintenance.
- The integrated outlets are rated for a total of 10 Amps. Do not exceed this limit to prevent overload.

## 3. PACKAGE CONTENTS

- Koda Multidirectional LED Work Light (1 unit)
- User Manual (this document)

## 4. PRODUCT FEATURES

---

- **Multidirectional LED Panels:** Adjustable panels allow for precise light positioning.
- **Ultra-Bright Illumination:** Provides 2100 lumens of bright, cool white (5000K) LED light.
- **Integrated Power Station:** Features two 120V grounded outlets and two USB charging ports with built-in overload protection.
- **Compact & Durable Design:** Constructed with high-quality components for professional use, yet designed for easy transport and storage.



Image: The Koda Multidirectional LED Work Light with its three LED panels adjusted to different angles, showcasing its flexibility for various lighting needs.

## 5. SETUP

---

1. **Unpack the Work Light:** Carefully remove the work light and all packaging materials from the box.
2. **Position the Stand:** Unfold the integrated stand to create a stable base for the light. The stand is designed to be adjustable for various angles.
3. **Adjust LED Panels:** The side LED panels can be rotated and angled to direct light precisely where

needed.

4. **Connect to Power:** Plug the work light's power cord into a standard 120V grounded electrical outlet.



Image: A hand demonstrating the adjustment of one of the side LED panels on the Kodak work light, highlighting its multidirectional capability.

## 6. OPERATING INSTRUCTIONS

1. **Power On/Off:** Locate the power switch on the unit. Press the switch to turn the light ON or OFF.
2. **Light Modes:** The work light may feature multiple brightness settings. Cycle through available modes by pressing the power switch repeatedly. (Refer to specific model features for exact modes).
3. **Using 120V Outlets:** The work light includes two 120V grounded outlets. Lift the protective covers and plug in your tools or other devices. Ensure the total current draw does not exceed 10 Amps.
4. **Using USB Charging Ports:** Two USB charging ports are available for charging mobile devices. Lift the protective covers and connect your USB charging cable.



Image: A detailed view of the integrated 120V grounded outlets and USB charging ports on the Koda work light, with power cords and a USB cable connected.

Your browser does not support the video tag.

Video: An official product video demonstrating the Koda Multidirectional LED Work Light's features, including its adjustable panels and integrated power options.

## 7. MAINTENANCE

- **Cleaning:** Ensure the work light is unplugged before cleaning. Use a soft, damp cloth to wipe down the exterior. Do not use abrasive cleaners or solvents.
- **Storage:** When not in use, fold the light into its compact form and store it in a dry, cool place away from direct sunlight and moisture.

- **Cord Care:** Regularly inspect the power cord for any signs of damage. If damaged, discontinue use and replace the cord by a qualified professional.



Image: A person carrying the Koda work light in its compact, folded configuration, demonstrating its portability and ease of storage.

## 8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	No power to the unit; faulty switch; damaged cord.	Check power outlet and connections. Ensure the power switch is in the ON position. Inspect the power cord for damage.
Outlets/USB ports not working.	Overload protection activated; no power to the unit.	Reduce the load on the outlets. Check if the light itself is receiving power. The unit has built-in overload protection.
Light flickers or dims.	Unstable power supply; internal component issue.	Ensure a stable power source. If the problem persists, contact customer support.

## 9. SPECIFICATIONS

Feature	Detail
Model Number	LM57483-1
Light Source Type	LED
Lumen Output	2100 Lumens (combined)
Color Temperature	5000 Kelvin (Cool White)
Power Source	Corded Electric
Voltage	120 Volts
Max Wattage	25 Watts
Amperage	11 Amps
Outlets	2 x 120V Grounded Outlets, 2 x USB Charging Ports
Dimensions (L x W x H)	19.2" x 9" x 10.3"
Item Weight	4.6 Pounds
Certification	ETL Listed



Image: A technical diagram illustrating the length, width, and height dimensions of the Koda Multidirectional LED Work Light.

## 10. WARRANTY AND SUPPORT

---

Koda products are designed for quality and durability. This product comes with dependable warranty coverage. For detailed warranty information, product support, or to view installation videos, please visit the official Koda store or contact customer service.

**Visit the Koda Store on Amazon**