

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Siku](#) /

> [Siku 1789 JCB 457 WLS Wheel Loader Toy Model Instruction Manual](#)

Siku 1789

Siku 1789 JCB 457 WLS Wheel Loader Toy Model Instruction Manual

Model: 1789 | Brand: Siku

1. INTRODUCTION

This manual provides instructions for the Siku 1789 JCB 457 WLS Wheel Loader toy model. This detailed 1:87 scale replica is constructed from metal and plastic, featuring an articulated joint and a movable shovel. It is designed for play and collection.

Included in the Box:

- 1x Siku 1789 JCB 457 WLS Wheel Loader Toy Model

2. SAFETY INFORMATION

Recommended Age: This toy model is suitable for children aged **3 years and up**.

Important Safety Notes:

- Keep small parts away from children under 3 years to prevent choking hazards.
- Inspect the toy regularly for any damage. Discontinue use if damaged.
- This product is a toy model and not intended for real-world construction tasks.

3. SETUP

The Siku 1789 JCB 457 WLS Wheel Loader comes pre-assembled and ready for play. No assembly is required.

1. Carefully remove the toy model from its packaging.
2. Inspect the model for any visible damage or missing parts.
3. Ensure all moving parts (shovel, articulated joint, wheels) operate freely.



Figure 3.1: The Siku 1789 JCB 457 WLS Wheel Loader toy model.

4. OPERATING THE MODEL

The Siku JCB 457 WLS Wheel Loader is designed for interactive play, simulating the functions of a real wheel loader.

4.1. Movable Shovel

The front shovel can be manually moved up and down to simulate scooping and dumping actions. Gently lift or lower the shovel arm to position it as desired.



Figure 4.1: Side view illustrating the movable shovel.

4.2. Articulated Joint

The model features an articulated joint in the middle, allowing the front and rear sections of the loader to pivot relative to each other. This enables realistic steering and maneuverability. Gently twist the front and rear sections to demonstrate the articulated movement.



Figure 4.2: The articulated joint allows for realistic steering.

4.3. Rolling Function

The rubber tires provide smooth rolling characteristics. The model can be pushed along flat surfaces for imaginative play scenarios.



Figure 4.3: The wheel loader in a simulated construction environment.

5. MAINTENANCE

Proper care will ensure the longevity of your Siku toy model.

5.1. Cleaning

- Wipe the model with a soft, damp cloth to remove dust and dirt.
- Avoid using harsh chemicals or abrasive cleaners, as these can damage the paint or plastic components.
- Ensure the model is completely dry before storage.

5.2. Storage

- Store the model in a cool, dry place, away from direct sunlight and extreme temperatures.
- Keep it away from excessive moisture to prevent potential damage to metal parts.

6. TROUBLESHOOTING

This section addresses common minor issues you might encounter with your toy model.

| Problem | Possible Cause | Solution |
|--|--------------------------------------|---|
| Wheels do not roll smoothly. | Dust or debris caught in axles. | Gently clean around the wheel axles with a soft brush or cloth. Ensure no foreign objects are obstructing movement. |
| Shovel or articulated joint feels stiff. | Minor friction or dust accumulation. | Gently move the parts back and forth to loosen. Clean any visible dust from the joint mechanisms. Avoid forcing movement. |

7. SPECIFICATIONS

| | |
|-------------------------------|--|
| Model Number | 1789 |
| Product Name | JCB 457 WLS Wheel Loader |
| Brand | Siku |
| Scale | 1:87 |
| Material | Metal/Plastic |
| Color | Yellow/Black |
| Dimensions (L x W x H) | 10.8 x 3.8 x 4.0 cm (4.25 x 1.5 x 1.57 inches) |
| Weight | 0.0813 kg (2.86 ounces) |
| Recommended Age | 3 years and up |

8. WARRANTY AND SUPPORT

Siku products are manufactured to high-quality standards. For any questions regarding your product, please refer to the retailer where the product was purchased or visit the official Siku website for customer support information.

Please retain your proof of purchase for any warranty claims.